

-XX IN THE ENDING OF THE CABLE PART NUMBER IS CALLING OUT THE LENGTH OF THE ASSEMBLY FROM CENTER TO MATING FLANGE OF CONNECTORS. EXAMPLES SHOWN BELOW:

LTI P/N: CB1.13-IPX-SARF3OGTX9-6IN (6 INCHES) CB1.13-IPX-SARF3OGTX9-10IN (10 INCHES)



SCALE: NONE



		mhmala de la compansión
	QTY	
, 13)	1	

ITEM	PART NUMBER	Α	QTY
1	IPXLF11GBP-113	IPX (MHF1), RHT ANGLE, JACK, CABLE CRIMP (I-PEX 20278-112R-13)	1
2	SASRF13ROGT-113-X9	SMA, STRAIGHT, REV POL JACK, CABLE CRIMP 1.13, REAR BULKHD MNT, O-RING, IP-67	1
3	1.13 MICRO COAX	CABLE, 1.13 MICRO COAX, BLACK	AR
4	1635F-1/8"	.125 (1/8) DIA, .75 LENGTH, GREEN	1

IPX® AND MHF® ARE REGISTERED TRADEMARKS OF I-PEX CO., LTD. CORPORATION

"D" FLAT

DO NOT SCALE DRAWING				Lighthorse Technologies		
TOLERANCES UNLESS OTHERWISE SPECIFIED						
-	NS ARE IN		ПĬ	San Diego, CA WWW.RFCONNECTOR.COM		
MILLIMETERS X = ±0.5 X.X = +0.25		(+) (-)	TITLE: CABLE ASSEMBLY, IPX (MHF1), R/A JACK,			
$X.X = \pm 0.$ $X.XX = \pm 0.$ $ANGLE = \pm 3.$	13	THIRD ANGLE PROJECTION	CRIMP TO SMA, RP JACK, REAR BLKHD MNT,			
CUSTOMER APPROVAL				O-RING, IP-67, CRIMP USING 1.13 MICRO COAX		
SIGN / DATE:				PART/DWG. NO:	REV	
ENG APPR.	P. BURDGE	01/19/2022	SIZE			
CHECKED	M. HELD	01/19/2022	В	CB1.13-IPX-SARF3OGTX9-xxIN	Α	
DRAWN	M. LARSEN	01/17/2022				

PROPRIETARY AND CONFIDENTIAL

UNLESS OTHERWISE SPECIFIED: THIS DOCUMENT CONTAINS LIGHTHORSE TECHNOLOGIES INFORMATION, REPRODUCTION, USE, DISCLOSURE OR TRANSMITTAL OF ALL OR ANY PART OF THIS DOCUMENT IS PROHIBITED EXCEPT TO THE EXTENT APPROVED IN WRITING BY AN AUTHORIZED REPRESENTATIVE OF LIGHTHORSE TECHNOLOGIES. LIGHTHORSE TECHNOLOGIES RESERVES ALL RIGHTS UNDER PATENTS, TRADEMARKS, COPY RIGHTS AND TRADE SECRETS. COPY RIGHTS OF LIGHTHORSE TECHNOLOGIES 2011, ALL RIGHTS RESERVED.

LEAD FREE

NAME

3

SHEET 1 OF 1

REV

SCALE: 2:1 FILE NAME