2180851-4 - ACTIVE

IMPACT Power TE Internal #: 2180851-4 Backplane Power Connectors, PCB Mount Header, Board-to-Board, 4 Position, Right Angle, Orthogonal, 5.2 mm [.205 in] Centerline, IMPACT Power

View on TE.com >

Connectors > Power Connectors > Backplane Power > Backplane Power Connectors

PCB Connector Assembly Type: PCB Mount Header

Connector System: Board-to-Board

Number of Positions: 4

PCB Mount Orientation: Right Angle

Backplane Architecture: Orthogonal

Features

Product Type Features

PCB Connector Assembly Type

Connector System

Connector & Contact Terminates To

Configuration Features

Number of Columns

PCB Mount Header

Board-to-Board

Printed Circuit Board



call±1 800 522 6752	08/13/2023 05.22
Housing Material	LCP (Liquid Crystal Polymer)
Housing Features	
Connector Mounting Type	Board Mount
Mechanical Attachment	
Termination Method to Printed Circuit Board	Through Hole - Press-Fit
Termination Post & Tail Length	2.5 mm[.098 in]
Termination Features	
Contact Current Rating (Max)	15 A
Contact Features	
Operating Voltage	48 VDC
Electrical Characteristics	
Stackable	No
Backplane Architecture	Orthogonal
PCB Mount Orientation	Right Angle
Number of Positions	4

C For support call+1 800 522 6752

08/13/2023 05:22PM | Page 1

2180851-4

Backplane Power Connectors, PCB Mount Header, Board-to-Board, 4 Position, Right Angle, Orthogonal, 5.2 mm [.205 in] Centerline, IMPACT Power



Housing Color	Black
Centerline (Pitch)	5.2 mm[.205 in]
Dimensions	
PCB Hole Diameter	.73 mm[.029 in]
Usage Conditions	
Operating Temperature Range	-55 – 85 °C[-67 – 185 °F]
Operation/Application	
Circuit Application	Power
Industry Standards	
UL Flammability Rating	UL 94V-0
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold

Current ECHA Candidate List: JUNE 2023

(235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Not reviewed for solder process capability

Halogen Content

Solder Process Capability

Product Compliance Disclaimer

EU REACH Regulation (EC) No. 1907/2006

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

2180851-4

Backplane Power Connectors, PCB Mount Header, Board-to-Board, 4 Position, Right Angle, Orthogonal, 5.2 mm [.205 in] Centerline, IMPACT Power




Compatible Parts

TE Part # 2169806-1 IMP,Power,3PR,Vert,Recp,Tin

Also in the Series | IMPACT Power



Customers Also Bought



2180851-4

Backplane Power Connectors, PCB Mount Header, Board-to-Board, 4 Position, Right Angle, Orthogonal, 5.2 mm [.205 in] Centerline, IMPACT Power



TE Part #2163741-1 038-004-136, CAT6, 26AWG, STR,

Documents

Product Drawings IMP, PWR, 3PR, HDR, R-HLD, 1X, 797-4, N/A

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2180851-4_A_c-2180851-4-a.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2180851-4_A_c-2180851-4-a.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2180851-4_A_c-2180851-4-a.3d_stp.zip

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use

Product Specifications

Application Specification

English

Application Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English

Agency Approvals

UL

English