

Fiber optics - MC 1,5/10-LWL 4-3,81 - 1841213

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Fiber optics, Pitch: 3.81 mm, Number of positions: 10, Dimension a: 4 mm, Color: transparent




Product Features

- Pitch: 3.5 and 3.81 mm
- Snapping onto the rear of the standard MC header
- 10-pos., can be separated for small numbers of positions
- Bending of the light coming from low-profile SMD LEDs by 90°, making it visible from the front



Key commercial data

| | |
|--------------------------------------|---|
| Packing unit | 1 pc |
| GTIN |  4 017918 111854 |
| Weight per Piece (excluding packing) | 3.7 GRM |
| Custom tariff number | 85366990 |
| Country of origin | Germany |

Classifications

eCl@ss

| | |
|------------|----------|
| eCl@ss 4.0 | 272607xx |
| eCl@ss 4.1 | 27260701 |
| eCl@ss 5.0 | 27260701 |
| eCl@ss 5.1 | 27260701 |
| eCl@ss 6.0 | 27061002 |
| eCl@ss 7.0 | 27061002 |
| eCl@ss 8.0 | 27061002 |

Fiber optics - MC 1,5/10-LWL 4-3,81 - 1841213

Classifications

ETIM

| | |
|----------|----------|
| ETIM 3.0 | EC001476 |
| ETIM 4.0 | EC001476 |
| ETIM 5.0 | EC001476 |

UNSPSC

| | |
|---------------|----------|
| UNSPSC 6.01 | 30211810 |
| UNSPSC 7.0901 | 39121409 |
| UNSPSC 11 | 39121409 |
| UNSPSC 12.01 | 39121409 |
| UNSPSC 13.2 | 39121409 |

Approvals

Approvals



Approvals

GOST / GOST

Ex Approvals

Approvals submitted

Approval details



Drawings

Fiber optics - MC 1,5/10-LWL 4-3,81 - 1841213

Dimensioned drawing

