
3

PRODUCT NO	D. NOTE
72325-001	5.0V
72325-0011	_F 5.0V
72325-101	3.3V
72325-1011	-F 3.3V



JOINT DIRECTION 5mm STAND-OFF NOTES:

HEADER ASSY PLASTIC: HOUSING — HIGH TEMPERATURE THERMOPLASTIC UL94V—0 BLACK — ABOVE PCB PIN: PHOSPHOR BRONZE

<u>GUIDE MECHANISM ASSY</u> PLASTIC: GUIDE - HIGH TEMPERATURE THERMOPLASTIC UL94V-0 BLACK COVER PLATE: STAINLESS STEEL EMI CONTACT: PHOSPHOR BRONZE

2 FINISH — PIN UNDER PLATING: 0.5um Ni CONTACT AREA: 0.076 µm MIN. GOLD

> SOLDER TAIL(TIN LEAD OPTION): 2.5um Sn-Pb SOLDER TAIL(LEAD FREE OPTION): 2.5um PURE TIN

(3) DIM "L"

4.25±.1 3.5±.1 5.0±.1 OTHERS 36,67 1,17,34,35,51,68

4 RECOMMENDED HOLD DOWN - 2mm SCREWS 95121 AND 2mm NUTS 92869. SEE FOR CHARTED INFORMATION. RECOMMENDED SCREW TORQUE: 1.0 TO 1.5 MAX in-lbs. (1.2-1.7 cm-kgs).

- 5 SEE TA-1052 FOR PCB LAYOUT.
- 6 MATING CONNECTOR: 91931-31169. MUST BE PURCHASED SEPARATELY.
- 7 IF LEAD FREE P.N.THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.00MM MINIMUM THICK CIRCUIT BOARD.
- 8 IF LEAD FREE P/N.THE PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008
- 9 LEAD FREE P/N PACKAGING MEETS GS-14-920 SPECIFICATION
- 10 PRODUCT SPEC:110-263

A1 —	—— 41.91 <del>——</del>
	1.27
<del>†                                    </del>	**************************************
1.27	
2.7	
A35 —	✓ A68

1

mat'	l. c	ode	2			surface / tolerance							jec	tion	phproduct family										
						ISD1302 ✓ ISD1101 ISD406 tolerances unless other							7	1	MCS										
ltr e	?cn	nd		da:					unles	s o	ther	wise	Spec	=ifie	tit	le									
F V	05-0	302	WB	04/:	21/05	ممد	غ لي	3	0.X±0.3 0.XX±0.13			мм		EJECTOR HEADER ASSEMBLY											
G N	05-0	0116	WB	04/2	27/05	اللا ال	2 0	<u> </u>				-		-											
H EL	X-N-C	11412	ZK	04/0	02/12	0°±	2*  ≔	1	D.XXX	±0.05	1	SC0	ıle 1	:1	68 POS. SMT TYPE 123										
						dr	F	R.GRAF	PΕ	8/1	6/96	_			dwc	no	)		S	hee	.t 1 c	f5	size		
						eng	r	BRAN	IN	8/10	6/96	F	C	. <b>i</b> .	72325							ا. ۱			
						chr		D.BRANN		8/16/96				7)				<i>/</i> Z.	<i>32</i> :	)			A4		
						app	7	D.BRANN		8/16/96			type Product O				Cu	ustomer Drawing							
shee	≥t	rev	'isio	nн	Н	Н	Н	Н																	
inde	×	she	et	1	2	3	4	5																	

В

form: A4mmXLc

PDS: Rev :H3

Printed: Sep 1242013

2

STATUS:Released

