

CD 40X60


Order No.: 3240192



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3240192>

Wiring channel, gray, consisting of upper and lower part, width: 40 mm, height: 60 mm, length 2000 mm

Commercial data

| | |
|--------------------------|--|
| GTIN (EAN) |  |
| sales group | B204 |
| Pack | 20 pcs. |
| Customs tariff | 39259020 |
| Catalog page information | Page 102 (NTK-2010) |

Product notes

WEEE/RoHS-compliant since:
10/08/2008



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General

| | |
|------------------------------------|---------|
| Length (b) | 2000 mm |
| Height | 60 mm |
| Width (a) | 40 mm |
| Color | gray |
| Inflammability class acc. to UL 94 | V0 |

| | |
|---------------------------------|-----------------|
| Ambient temperature (operation) | -5 °C ... 60 °C |
| Material | PVC |

Certificates / Approvals



Certification

CSA, UL, VDE-PZI

Accessories

| Item | Designation | Description |
|----------------|----------------|---|
| General | | |
| 3240286 | CD COVER 40 | Cover for cable duct, gray, width: 40 mm, length: 2000 mm |
| 3240284 | CD WR | Universal wire holding bracket, perforated, for wiring channels |
| 3240498 | RVT-PA 4 | Plastic body-bound rivet, 4 mm diameter, for a material thickness of 1.5 ... 6 mm |
| 3240499 | RVT-PA 6 | Plastic body-bound rivet, 6 mm diameter, for a material thickness of 1.5 ... 6 mm |
| 1212478 | UNIFOX-RVT P 4 | Rivet setting tool, for use with RVT-PA 4 plastic body-bound rivets |
| 1212509 | UNIFOX-RVT P 6 | Rivet setting tool, for use with RVT-PA 6 plastic body-bound rivets |

CD 40X60 Order No.: 3240192

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3240192>

Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact
Technical modifications reserved;