
1871059-1 - ACTIVE

TE Internal #: 1871059-1 PCB Spring Contact, C-Clip, Uncompressed Height 1.7 mm [.067 in], Length 2.7 mm [.106 in], Width 1.5 mm [.059 in] View on TE.com >



Connectors > PCB Connectors > Board-to-Board Connectors > PCB Spring Contacts



Spring Finger Type: C-Clip

Scalable: No

Side Protected: No

Uncompressed Height: 1.7 mm [.067 in]

Product Length: 2.7 mm [.106 in]

Features

Product Type Features

Spring Finger Type	C-Clip						
Scalable	No						
Connector System	Board-to-Board						
Connector & Contact Terminates To	Printed Circuit Board						
Configuration Features							
Side Protected	No						
Number of Positions	1						
Contact Features							
Contact Underplating Material	Nickel						
PCB Contact Termination Area Plating Material	Gold						
Contact Base Material	Copper Alloy						
Contact Working Range (Low)	1.2 mm[.047 in]						
Contact Working Range (High)	1.5 mm[.059 in]						
Point of Contact Area Plating Material	Gold						
Contact Current Rating (Max)	1.5 A						

1871059-1

PCB Spring Contact, C-Clip, Uncompressed Height 1.7 mm [.067 in], Length 2.7 mm [. 106 in], Width 1.5 mm [.059 in]



Dimensions

Uncompressed Height	1.7 mm[.067 in]						
Product Length	2.7 mm[.106 in]						
Product Width	1.5 mm[.059 in]						
Usage Conditions							
Operating Temperature Range	-40 – 85 °C[-40 – 185 °F]						
Operation/Application							
Circuit Application	Signal						
Packaging Features							
Packaging Quantity	5000						
Packaging Method	Tape & Reel						

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant		
EU ELV Directive 2000/53/EC	Compliant		
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold		

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Reflow solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

1871059-1


PCB Spring Contact, C-Clip, Uncompressed Height 1.7 mm [.067 in], Length 2.7 mm [. 106 in], Width 1.5 mm [.059 in]



Compatible Parts



Customers Also Bought



TE Part #1-284391-2	TE Part #2306454-3	TE Part #87113-4	TE Part #3-2176478-7
TERMI-BLOK PCB SIDE ENTRY STAC	SPRING FINGER 2.3H	04 MODI HDR SRST .156CL	RA73F 2A 14K 0.1% 1K RL

Documents

Product Drawings SHIELD FINGER 1715 ON TAPE (EM

Japanese

CAD Files

3D PDF

3D

Customer View Model ENG_CVM_CVM_1871059-1_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1871059-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1871059-1_B.3d_stp.zip

1871059-1

PCB Spring Contact, C-Clip, Uncompressed Height 1.7 mm [.067 in], Length 2.7 mm [. 106 in], Width 1.5 mm [.059 in]



English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Environmental Compliance TE Material Declaration

English