VOLTAGE TESTERS

ET60
Electronic AC/DC Voltage Tester

CAT IV
-5
4
3m

600V ≈

LOW Z

KLEIN TOOLS

600
480
277
240
208
120
48
24
12

LoZ

DC + AC WHEN BOTH ON

TOUGH METER IP54

ET60 VOLTAGE TESTER
CAT IV 600V

COM +

COM

TOUGH METER

ET250
Digital AC/DC Voltage and Continuity Tester

CAT IV
-5
3
3m

600V ≈
GFCI

KLEIN TOOLS

VDC

GFCI

TOUGH METER IP53

ET250 VOLTAGE TESTER
CAT IV 600V

COM +

ET60
Electronic AC/DC Voltage Tester

CAT IV 5 / 4 / 3m

ET60 is a solid-state, low impedance, electronic voltage tester. It measures AC/DC voltages up to 600V. The ET60 does NOT require batteries; it is powered by the applied voltage. It is an excellent choice for testing voltage in electrical circuits, at outlets, in light fixtures or anywhere else where AC/DC voltage testing is required.

• Modern solid-state design
• Does NOT use a battery
• Low impedance
• Integrated test-lead holders (on back)
• **TOUGH METER** design is water and dust resistant and withstands 9.8 ft. (3m) drops

Voltage indicator lights up to voltage amount. DC Polarity Indicators (indicates AC when both are illuminated).

Test-leads seated in the lead holders on the back of the tester are spaced correctly to test tamper-resistant US-style outlets.

TOUGH METER

Voltage Indicator LEDs

DC Polarity Indicators (indicates AC when both are illuminated)

Integrated Flashlight

LCD Display with Backlight

Power On/Off

Worklight Backlight

GFCI Test Button

Test-lead input jacks

BOTH MODELS WORK WITH MOST STANDARD REPLACEABLE TEST-LEADS*

ET250
Digital AC/DC Voltage and Continuity Tester

CAT IV 5 / 3 / 3m

ET250 is a solid-state, digital voltage and continuity tester. It measures AC/DC voltages up to 600V and tests for continuity. Additionally, the ET250 tests GFCI protected circuits to verify that the GFCI device is functioning appropriately. The tester includes a backlight and integrated flashlight for working in reduced ambient lighting conditions.

• Automatically selects measurement mode
• Auto-powers on when a voltage/continuity measurement is attempted
• Modern solid-state design
• Tests GFCI protected circuits
• Built-in test lead holders
• Backlit LCD display
• Integrated flashlight
• **TOUGH METER** design is water and dust resistant and withstands 9.8 ft. (3m) drops

Flashlight and backlit display when working in zero to low light situations. LCD screen provides more accurate voltage measurement.

Tests GFCI protected circuits

ET60	FEATURES		ET250
9.8 ft. (3m)		Drop Protection	9.8 ft. (3m)
IP54		Ingress Protection	IP53
CAT IV 600V		Safety	CAT IV 600V
600V		AC Voltage (Volts)	600V
600V		DC Voltage (Volts)	600V
—		Audible Continuity	●
—		Backlight	●
●		Low Impedance	—
●		GFCI-Protected Circuit Testing	●
—		Flashlight	●
—		Auto-Power Off	●
Not Required		Battery	3 x AAA
—		LCD Display with Backlight	●

Cat. No.	UPC# 0-92644+	Batteries	Height	Width	Depth	Weight (oz.)
ET60	69036-5	Not required	5.67" (144 mm)	2.35" (59.7 mm)	1.44" (36.6 mm)	3.2 (92 g)
ET250	69037-2	3 x AAA	6.06" (153.8 mm)	2.33" (59.2 mm)	1.64" (41.6 mm)	6.0 (170 g)

*Set of Klein test-leads included in package

Tested *Tough.*
Trust *Klein.*

See our complete line of Test & Measurement products at
www.kleintools.com