


REVISION		DATE	APPROVED
ZONE	LTR	DESCRIPTION	
	B	CHANGE PER DCO 01075	1/24/80 <i>J. Dan</i>



NOTES :

- MATERIALS:
  - I-A INSULATION SLEEVE; HEAT SHRINKABLE, RADIATION CROSSLINKED MODIFIED POLYVINYLIDENE FLUORIDE, TRANSPARENT BLUE.
  - I-B SOLDER PREFORM; SOLDER PREFORM WITH FLUX TYPE: Sb5 SRAP PER QQ-S-571.
  - I-C MELTABLE INSERTS; LOW OUTGASSING IMMERSION RESISTANT THERMOPLASTIC
  - I-D CARRIER STRIP; ADHESIVE COATED HIGH TEMPERATURE TAPE.
- A CTA-0026 ASSEMBLY CONSISTS OF 10 EACH CTA-0025 SOLDER SLEEVE WIRE TERMINATORS.
- THESE SLEEVES ARE DESIGNED TO ATTACH "20 THROUGH"26 GAGE TIN PLATED OR SILVER PLATED CONDUCTORS TO TERMINALS OF A **Raychem** MTC100 SERIES WAFER.

© Raychem Corporation 1979

**CONNECTOR SPECIFICATION CONTROL DRAWING**

If this document is printed it becomes uncontrolled.  
Check with the web for latest revision.

DO NOT SCALE THIS DRAWING

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES BRACKETED DIMENSIONS ( ) ARE METRIC AND TOLERANCES ARE:  .XXX: ± ( M. M. ) .XX: ± ( M. M. ) Δ: ±	DRAWN	SA. LOPEZ	5/19/79	<b>Raychem</b> <small>RAYCHEM CORPORATION 300 CONSTITUTION DRIVE MENLO PARK, CALIFORNIA 94025</small>
	CHECKED	<i>RAY</i>		
	APPROVED	<i>RAY</i>	5/31/79	TITLE SOLDER PAK ASSEMBLY, DOUBLE MELTABLE INSERT - 10 SLEEVES TEMP RATING 150°C(Sb5) MTC100 SERIES
	APPROVED	<i>E. Stedler</i>	6/5/79	
	APPROVED	<i>HO</i>	6/11/79	SIZE <b>B</b> CODE IDENT NO. 06090 DWG. NO. CTA-0026
	PROJECT	6448 - 7055		WEIGHT SHEET 1 OF 1