

Data sheet | Item number: 2002-1493

Separator plate; 2 mm thick; oversized; gray

[www.wago.com/2002-1493](http://www.wago.com/2002-1493)



Color:

## Data

### Physical data

Width	2 mm / 0.079 inches
Height	69.45 mm / 2.734 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Depth	33.4 mm / 1.315 inches
-------	------------------------

**Mechanical Data**

Mounting type	snap-on type
---------------	--------------

**Material Data**

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.105 MJ
Weight	2.4 g

**Commercial data**

Product Group	22 (TOPJOB S)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4045454654283
Customs tariff number	85389099990

**Environmental Product Compliance**

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

**Approvals / Certificates****Declarations of conformity and manufacturer's declarations**

Logo	Approval	Additional Approval Text	Certificate name
	<b>Railway</b> WAGO GmbH & Co. KG	-	Railway Ready

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Required accessories

### End plate

#### Through terminal block

**Item no.: 2002-1401**

4-conductor through terminal block; 2.5 mm<sup>2</sup>; suitable for Ex e II applications; side and center marking; [www.wago.com/2002-1401](http://www.wago.com/2002-1401)  
for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray

**Item no.: 2002-1402**

4-conductor through terminal block; 2.5 mm<sup>2</sup>; suitable for Ex e II applications; side and center marking; [www.wago.com/2002-1402](http://www.wago.com/2002-1402)  
for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; orange

**Item no.: 2002-1405**

4-conductor through terminal block; 2.5 mm<sup>2</sup>; suitable for Ex e II applications; side and center marking; [www.wago.com/2002-1405](http://www.wago.com/2002-1405)  
for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; black

**Item no.: 2002-1406**

4-conductor through terminal block; 2.5 mm<sup>2</sup>; suitable for Ex e II applications; side and center marking; [www.wago.com/2002-1406](http://www.wago.com/2002-1406)  
for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; yellow

**Item no.: 2002-1404**

4-conductor through terminal block; 2.5 mm<sup>2</sup>; for Ex e II and Ex i applications; side and center marking; [www.wago.com/2002-1404](http://www.wago.com/2002-1404)  
for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; blue

**Item no.: 2002-1403**

4-conductor through terminal block; 2.5 mm<sup>2</sup>; suitable for Ex e II applications; side and center marking; [www.wago.com/2002-1403](http://www.wago.com/2002-1403)  
for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; red

**Item no.: 2001-1401**

4-conductor through terminal block; 1.5 mm<sup>2</sup>; suitable for Ex e II applications; side and center marking; [www.wago.com/2001-1401](http://www.wago.com/2001-1401)  
for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,50 mm<sup>2</sup>; gray

**Item no.: 2001-1403**

4-conductor through terminal block; 1.5 mm<sup>2</sup>; suitable for Ex e II applications; side and center marking; [www.wago.com/2001-1403](http://www.wago.com/2001-1403)  
for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,50 mm<sup>2</sup>; red

**Item no.: 2001-1406**

4-conductor through terminal block; 1.5 mm<sup>2</sup>; suitable for Ex e II applications; side and center marking; [www.wago.com/2001-1406](http://www.wago.com/2001-1406)  
for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,50 mm<sup>2</sup>; yellow

**Item no.: 2001-1405**

4-conductor through terminal block; 1.5 mm<sup>2</sup>; suitable for Ex e II applications; side and center marking; [www.wago.com/2001-1405](http://www.wago.com/2001-1405)  
for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,50 mm<sup>2</sup>; black

**Item no.: 2001-1402**

4-conductor through terminal block; 1.5 mm<sup>2</sup>; suitable for Ex e II applications; side and center marking; [www.wago.com/2001-1402](http://www.wago.com/2001-1402)  
for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,50 mm<sup>2</sup>; orange

**Item no.: 2001-1404**

4-conductor through terminal block; 1.5 mm<sup>2</sup>; for Ex e II and Ex i applications; side and center marking; [www.wago.com/2001-1404](http://www.wago.com/2001-1404)  
for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,50 mm<sup>2</sup>; blue

**Item no.: 2201-1401**

4-conductor through terminal block; with push-button; 1.5 mm<sup>2</sup>; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,50 mm<sup>2</sup>; gray [www.wago.com/2201-1401](http://www.wago.com/2201-1401)

**Item no.: 2201-1404**

4-conductor through terminal block; with push-button; 1.5 mm<sup>2</sup>; with test port; suitable for Ex i

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,50 mm²; blue	<a href="http://www.wago.com/2201-1404">www.wago.com/2201-1404</a>
<b>Item no.: 2202-1401</b> 4-conductor through terminal block; with push-button; 2,5 mm²; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; gray	<a href="http://www.wago.com/2202-1401">www.wago.com/2202-1401</a>
<b>Item no.: 2202-1404</b> 4-conductor through terminal block; with push-button; 2,5 mm²; with test port; suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; blue	<a href="http://www.wago.com/2202-1404">www.wago.com/2202-1404</a>
<b>Item no.: 2202-1403</b> 4-conductor through terminal block; with push-button; 2,5 mm²; with test port; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; red	<a href="http://www.wago.com/2202-1403">www.wago.com/2202-1403</a>
<b>Item no.: 2202-1405</b> 4-conductor through terminal block; with push-button; 2,5 mm²; with test port; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; black	<a href="http://www.wago.com/2202-1405">www.wago.com/2202-1405</a>
<b>Item no.: 2202-1409</b> 4-conductor through terminal block; with push-button; 2,5 mm²; with test port; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; light gray	<a href="http://www.wago.com/2202-1409">www.wago.com/2202-1409</a>
<b>Item no.: 2202-1401/000-001</b> 4-conductor through terminal block; with push-button; 2,5 mm²; with test port; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; green	<a href="http://www.wago.com/2202-1401/000-001">www.wago.com/2202-1401/000-001</a>
<b>Item no.: 2002-1401/000-014</b> 4-conductor through terminal block; 2,5 mm²; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; brown	<a href="http://www.wago.com/2002-1401/000-014">www.wago.com/2002-1401/000-014</a>
<b>Item no.: 2202-1406</b> 4-conductor through terminal block; with push-button; 2,5 mm²; with test port; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; yellow	<a href="http://www.wago.com/2202-1406">www.wago.com/2202-1406</a>
<b>Item no.: 2202-1402</b> 4-conductor through terminal block; with push-button; 2,5 mm²; with test port; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; orange	<a href="http://www.wago.com/2202-1402">www.wago.com/2202-1402</a>
<b>Item no.: 2202-1401/000-014</b> 4-conductor through terminal block; with push-button; 2,5 mm²; with test port; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; brown	<a href="http://www.wago.com/2202-1401/000-014">www.wago.com/2202-1401/000-014</a>
Shield terminal block	
<b>Item no.: 2002-1408</b> 4-conductor shield terminal block; 2,5 mm²; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm²; white	<a href="http://www.wago.com/2002-1408">www.wago.com/2002-1408</a>
<b>Item no.: 2001-1408</b> 4-conductor shield terminal block; 1,5 mm²; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,50 mm²; white	<a href="http://www.wago.com/2001-1408">www.wago.com/2001-1408</a>

Subject to changes. Please also observe the further product documentation!



## Double potential terminal block

**Item no.: 2002-1441**

Double potential terminal block; 2.5 mm<sup>2</sup>; with double, center marker slot; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/2002-1441](http://www.wago.com/2002-1441)

**Item no.: 2001-1441**

Double potential terminal block; 1.5 mm<sup>2</sup>; with double, center marker slot; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,50 mm<sup>2</sup>; gray [www.wago.com/2001-1441](http://www.wago.com/2001-1441)

**Item no.: 2201-1441**

Double potential terminal block; with push-button; 1.5 mm<sup>2</sup>; with double, center marker slot; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,50 mm<sup>2</sup>; gray [www.wago.com/2201-1441](http://www.wago.com/2201-1441)

**Item no.: 2202-1441**

Double potential terminal block; with push-button; 2.5 mm<sup>2</sup>; with double, center marker slot; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/2202-1441](http://www.wago.com/2202-1441)

## Component terminal block with LED

**Item no.: 2002-1421/1000-413**

Component terminal block; 4-conductor; LED (red); 24 VDC; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/2002-1421/1000-413](http://www.wago.com/2002-1421/1000-413)

**Item no.: 2002-1421/1000-434**

Component terminal block; 4-conductor; LED (red); 24 VDC; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/2002-1421/1000-434](http://www.wago.com/2002-1421/1000-434)

**Item no.: 2001-1421/1000-413**

Component terminal block; 4-conductor; LED (red); 24 VDC; for DIN-rail 35 x 15 and 35 x 7.5; 1.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 1,50 mm<sup>2</sup>; gray [www.wago.com/2001-1421/1000-413](http://www.wago.com/2001-1421/1000-413)

**Item no.: 2001-1421/1000-434**

Component terminal block; 4-conductor; LED (red); 24 VDC; for DIN-rail 35 x 15 and 35 x 7.5; 1.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 1,50 mm<sup>2</sup>; gray [www.wago.com/2001-1421/1000-434](http://www.wago.com/2001-1421/1000-434)

## Component terminal block with diode

**Item no.: 2002-1411/1000-410**

Component terminal block; 4-conductor; with diode 1N4007; anode, left side; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/2002-1411/1000-410](http://www.wago.com/2002-1411/1000-410)

**Item no.: 2002-1411/1000-411**

Component terminal block; 4-conductor; with diode 1N4007; anode, right side; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/2002-1411/1000-411](http://www.wago.com/2002-1411/1000-411)

**Item no.: 2001-1411/1000-410**

Component terminal block; 4-conductor; with diode 1N4007; anode, left side; for DIN-rail 35 x 15 and 35 x 7.5; 1.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 1,50 mm<sup>2</sup>; gray [www.wago.com/2001-1411/1000-410](http://www.wago.com/2001-1411/1000-410)

**Item no.: 2001-1411/1000-411**

Component terminal block; 4-conductor; with diode 1N4007; anode, right side; for DIN-rail 35 x 15 and 35 x 7.5; 1.5 mm<sup>2</sup>; Push-in CAGE CLAMP®; 1,50 mm<sup>2</sup>; gray [www.wago.com/2001-1411/1000-411](http://www.wago.com/2001-1411/1000-411)

## Ground terminal block

**Item no.: 2002-1407**

4-conductor ground terminal block; 2.5 mm<sup>2</sup>; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm<sup>2</sup>; green-yellow [www.wago.com/2002-1407](http://www.wago.com/2002-1407)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



<b>Item no.: 2001-1407</b> 4-conductor ground terminal block; 1.5 mm <sup>2</sup> ; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2001-1407">www.wago.com/2001-1407</a>
<b>Item no.: 2201-1407</b> 4-conductor ground terminal block; with push-button; 1.5 mm <sup>2</sup> ; with test port; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2201-1407">www.wago.com/2201-1407</a>
<b>Item no.: 2202-1407</b> 4-conductor ground terminal block; with push-button; 2.5 mm <sup>2</sup> ; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 2,50 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/2202-1407">www.wago.com/2202-1407</a>
Other	
<b>Item no.: 2001-1401/000-053</b> 4-conductor through terminal block; 1.5 mm <sup>2</sup> ; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,50 mm <sup>2</sup> ; dark gray-yellow	<a href="http://www.wago.com/2001-1401/000-053">www.wago.com/2001-1401/000-053</a>
<b>Item no.: 2201-1401/000-053</b> 4-conductor through terminal block; with push-button; 1.5 mm <sup>2</sup> ; with test port; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,50 mm <sup>2</sup> ; dark gray-yellow	<a href="http://www.wago.com/2201-1401/000-053">www.wago.com/2201-1401/000-053</a>

## Downloads

### Documentation

#### Bid Text

2002-1493 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
2002-1493 doc - Datei	2017 年4月27 日	doc 24.1 kB	Download

#### Additional Information

		pdf 2.3 MB	Download
--	--	---------------	----------

## CAD/CAE-Data

### CAD data

2D/3D Models 2002-1493		URL	Download
------------------------	--	-----	----------

### CAE data

EPLAN Data Portal 2002-1493		URL	Download
ZUKEN Portal 2002-1493		URL	Download

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



---

WSCAD Universe 2002-1493

[URL](#)

[Download](#)

---

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 2002-1493

[URL](#)

[Download](#)

Seperator plate; 2 mm thick; oversized; gray

---

## Installation Notes

### Product family

#### TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.