



- NOTES:
- HOUSING MAT'L: LCP, GLASS FILLED, UL 94V-0, BLACK
CONTACT MAT'L: NA
FINISH: NA
 - PRODUCT SPECIFICATION: PS-45424-001
 - PACKAGING SPECIFICATION: PK-45481-001
 - THIS MODULE INTERLOCKS WITH ALL STANDARD MOLEX POWER DOCK MODULES.
 - DATUM -A- IS THE CONNECTOR MOUNTING SURFACE.
 - THE PRIMARY SHIPPING CARTON WILL BE LABELED "COMPLIANT TO RoHS DIRECTIVE 2000/95/EC AND ELV ANNEX II OF DIRECTIVE 2000/53/EC".
 - THIS MODULE MAY BE USED IN A VERTICAL OR RIGHTN ANGLE POSITION



VERTICAL OR RIGHT ANGLE
PD511 OR PD512



EC NO: UCP2006-0462 DRWN:KSAMIEC 2005/09/02 CHK'D: 2005/09/02 APPR:APATEL 2005/09/12	QUALITY SYMBOLS ▴ - 0 ▽ - 0	GENERAL TOLERANCES (UNLESS SPECIFIED)		SCALE 2:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION	REVISE ON CAD ONLY			
			mm	INCH	DIMENSION STYLE MM ONLY		TITLE			
		4 PLACES	± ---	± ---	DRAWN BY SAMIEC	DATE 2004/03/26	POWER DOCK MODULE VERT OR RTAN SPACER 250 V PD511 OR PD512			
		3 PLACES	± ---	± ---	CHECKED BY SAMIEC	DATE 2004/03/26	MOLEX INCORPORATED			
			2 PLACES	± 0.25	± ---	APPROVED BY MARGULIS	DATE 2004/03/26	MATERIAL NO. 45549-0001	DOCUMENT NO. SD-45549-001	SHEET NO. 1 OF 1
			1 PLACE	± 0.50	± ---	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
			ANGULAR ±1/2°							
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS							