

FOAM FILLER MATERIAL  
NUMBER 96720-0001  
SEE NOTE 4

PACKAGING TRAY  
(SEE CHART)  
(1) EMPTY  
(4) FULL


STRETCH WRAP  
8525-0003  
SEE NOTE 5

PRIMARY CARTON 96707-1003  
OR 96707-0003

LABEL TO BE  
LOCATED AS SHOWN

NOTES:

- PARTS TO BE ORIENTED IN PACKAGING TRAYS AS SHOWN.
- REFER TO CHART FOR PACKAGING TRAY MATERIAL NUMBER.
- 96707-1003 OR 96707-0003 PRIMARY SHIPPING CARTON TO BE SEALED WITH 2.0 INCH WIDE TAPE.
- USE FOAM FILLER AS REQUIRED TO TAKE UP EXCESS SPACE INSIDE CARTON.
- STRETCH WRAP SHOULD BE USED IN THE AREAS SHOWN. WRAP STACK WITH A MINIMUM OF 3-5 WRAPS.



PART ORIENTATION IN TRAY

<b>FUNCTIONAL SYMBOLS</b> $\frac{E}{A} = 0$ $\frac{E}{C} = 0$ $\frac{E}{P} = 0$ <b>DIVISIONAL SYMBOLS</b>	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC: ADDED P/NO 2209			
	DIMENSION UNITS	SCALE	EC NO: 738930			DRWN: ABHIRK 2023/02/10 CHK'D: SUVAR 2023/02/16 APPR: HTHYAGARAJ 2023/02/20
	mm	1:1	DRWN: BANDURA 2006/04/19 APPR: APATEL 2006/05/18			
	GENERAL TOLERANCES (UNLESS SPECIFIED)		INITIAL REVISION:			DOCUMENT NUMBER: PK-45984-001 DOC TYPE: PDD DOC PART: 001 REVISION: N4
	MM	INCH	4 PLACES ± ± 3 PLACES ± ± 2 PLACES ± 0.13 ± 1 PLACE ± 0.25 ± 0 PLACES ± ± ANGULAR TOL ± 0.5 °		MATERIAL NUMBER: SEE TABLE CUSTOMER: GENERAL MARKET SHEET NUMBER: 1 OF 4	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING: A1-SIZE SERIES: 45984		

STANDARD RECEPTACLES USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER SUFFIX	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(1) 45984-21**	11, 12, 13, 23	12	13	65	260
	21, 22, 23	16	12	60	240
	31, 32, 33	20	11	55	220
	41, 42, 43	24	10	50	200
	51, 52, 53	28	9	45	180
	61, 62, 63	32	9	45	180
	71, 72, 73	36	8	40	160
	81, 82, 83	40	7	35	140
(2) 45984-41**	11, 12, 13	12	9	45	180
	21, 22, 23	16	8	40	160
	31, 32, 33	20	8	40	160
	41, 42, 43	24	7	35	140
	51, 52, 53	28	7	35	140
	61, 62, 63	32	6	30	120
	71, 72, 73	36	6	30	120
	81, 82, 83	40	6	30	120
(3) 45984-61**	11, 12, 13	12	6	30	120
	21, 22, 23	16	6	30	120
	31, 32, 33	20	6	30	120
	41, 42, 43	24	5	25	100
	51, 52, 53	28	5	25	100
	61, 62, 63	32	5	25	100
	71, 72, 73	36	5	25	100
	81, 82, 83	40	5	25	100
(4) 45984-81**	11, 12, 13	12	5	25	100
	21, 22, 23	16	5	25	100
	31, 32, 33	20	5	25	100
	41, 42, 43	24	4	20	80
	51, 52, 53	28	4	20	80
	61, 62, 63	32	4	20	80
	71, 72, 73	36	4	20	80
	81, 82, 83	40	4	20	80
(5) 45984-11**	11, 12, 13	12	4	20	80
	21, 22, 23	16	4	20	80
	31, 32, 33	20	4	20	80
	41, 42, 43	24	4	20	80
	51, 52, 53	28	3	15	60
	61, 62, 63	32	3	15	60
	71, 72, 73	36	3	15	60
	81, 82, 83	40	3	15	60

RECEPTACLES WITH PEGS USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER SUFFIX	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(1) 45984-23**	11, 12, 13	12	11	55	220
	21, 22, 23	16	10	50	200
	31, 32, 33	20	9	45	180
	41, 42, 43	24	8	40	160
	51, 52, 53	28	8	40	160
	61, 62, 63	32	7	35	140
	71, 72, 73	36	7	35	140
	81, 82, 83	40	6	30	120
(2) 45984-43**	11, 12, 13	12	7	35	140
	21, 22, 23	16	7	35	140
	31, 32, 33	20	7	35	140
	41, 42, 43	24	6	30	120
	51, 52, 53	28	6	30	120
	61, 62, 63	32	6	30	120
	71, 72, 73	36	5	25	100
	81, 82, 83	40	5	25	100
(3) 45984-63**	11, 12, 13	12	6	30	120
	21, 22, 23	16	5	25	100
	31, 32, 33	20	5	25	100
	41, 42, 43	24	5	25	100
	51, 52, 53	28	5	25	100
	61, 62, 63	32	4	20	80
	71, 72, 73	36	4	20	80
	81, 82, 83	40	4	20	80
(4) 45984-83**	11, 12, 13	12	5	25	100
	21, 22, 23	16	4	20	80
	31, 32, 33	20	4	20	80
	41, 42, 43	24	4	20	80
	51, 52, 53	28	4	20	80
	61, 62, 63	32	4	20	80
	71, 72, 73	36	4	20	80
	81, 82, 83	40	3	15	60
(5) 45984-13**	11, 12, 13	12	4	20	80
	21, 22, 23	16	4	20	80
	31, 32, 33	20	3	15	60
	41, 42, 43	24	3	15	60
	51, 52, 53	28	3	15	60
	61, 62, 63	32	3	15	60
	71, 72, 73	36	3	15	60
	81, 82, 83	40	3	15	60

STANDARD PLUGS USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER SUFFIX	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(1) 45985-21**	11, 12, 13	12	13	65	260
	21, 22, 23	16	12	60	240
	31, 32, 33	20	11	55	220
	41, 42, 43	24	10	50	200
	51, 52, 53	28	9	45	180
	61, 62, 63	32	8	40	160
	71, 72, 73	36	8	40	160
	81, 82, 83	40	7	35	140
(2) 45985-41**	11, 12, 13	12	9	45	180
	21, 22, 23	16	8	40	160
	31, 32, 33	20	7	35	140
	41, 42, 43	24	7	35	140
	51, 52, 53	28	7	35	140
	61, 62, 63	32	6	30	120
	71, 72, 73	36	6	30	120
	81, 82, 83	40	6	30	120
(3) 45985-61**	11, 12, 13	12	6	30	120
	21, 22, 23	16	6	30	120
	31, 32, 33	20	6	30	120
	41, 42, 43	24	5	25	100
	51, 52, 53	28	5	25	100
	61, 62, 63	32	5	25	100
	71, 72, 73	36	5	25	100
	81, 82, 83	40	4	20	80
(4) 45985-81**	11, 12, 13	12	5	25	100
	21, 22, 23	16	5	25	100
	31, 32, 33	20	5	25	100
	41, 42, 43	24	4	20	80
	51, 52, 53	28	4	20	80
	61, 62, 63	32	4	20	80
	71, 72, 73	36	4	20	80
	81, 82, 83	40	4	20	80
(5) 45985-11**	11, 12, 13	12	4	20	80
	21, 22, 23	16	4	20	80
	31, 32, 33	20	4	20	80
	41, 42, 43	24	4	20	80
	51, 52, 53	28	3	15	60
	61, 62, 63	32	3	15	60
	71, 72, 73	36	3	15	60
	81, 82, 83	40	3	15	60

PLUGS WITH GUIDES AND/OR PEGS USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER SUFFIX	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(1) 45985-22** 45985-23** 45985-24**	11, 12, 13	12	10	50	200
	21, 22, 23	16	9	45	180
	31, 32, 33, 09	20	8	40	160
	41, 42, 43	24	8	40	160
	51, 52, 53	28	7	35	140
	61, 62, 63	32	7	35	140
	71, 72, 73	36	6	30	120
	81, 82, 83	40	6	30	120
(2) 45985-42** 45985-43** 45985-44**	11, 12, 13	12	7	35	140
	21, 22, 23	16	7	35	140
	31, 32, 33	20	6	30	120
	41, 42, 43	24	6	30	120
	51, 52, 53	28	6	30	120
	61, 62, 63	32	5	25	100
	71, 72, 73	36	5	25	100
	81, 82, 83	40	5	25	100
(3) 45985-62** 45985-63** 45985-64**	11, 12, 13	12	5	25	100
	21, 22, 23	16	5	25	100
	31, 32, 33	20	5	25	100
	41, 42, 43	24	5	25	100
	51, 52, 53	28	5	25	100
	61, 62, 63	32	4	20	80
	71, 72, 73	36	4	20	80
	81, 82, 83	40	4	20	80
(4) 45985-82** 45985-83** 45985-84**	11, 12, 13	12	4	20	80
	21, 22, 23	16	4	20	80
	31, 32, 33	20	4	20	80
	41, 42, 43	24	4	20	80
	51, 52, 53	28	4	20	80
	61, 62, 63	32	4	20	80
	71, 72, 73	36	4	20	80
	81, 82, 83	40	3	15	60
(5) 45985-12** 45985-13** 45985-14**	11, 12, 13	12	4	20	80
	21, 22, 23	16	4	20	80
	31, 32, 33	20	3	15	60
	41, 42, 43	24	3	15	60
	51, 52, 53	28	3	15	60
	61, 62, 63	32	3	15	60
	71, 72, 73	36	3	15	60
	81, 82, 83	40	3	15	60

RECEPTACLES WITH GUIDES/GUIDES & PEGS USE PACKAGING TRAY 46077-0004					
NUMBER OF BAYS	MATERIAL NUMBER SUFFIX	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(1) 45984-22** 45984-24**	11, 12, 13	12	11	55	220
	21, 22, 23	16	10	50	200
	31, 32, 33, 09	20	9	45	180
	41, 42, 43	24	8	40	160
	51, 52, 53	28	8	40	160
	61, 62, 63	32	7	35	140
	71, 72, 73	36	7	35	140
	81, 82, 83	40	6	30	120
(2) 45984-42** 45984-44**	11, 12, 13	12	7	35	140
	21, 22, 23	16	7	35	140
	31, 32, 33	20	7	35	140
	41, 42, 43	24	6	30	120
	51, 52, 53	28	6	30	120
	61, 62, 63	32	6	30	120
	71, 72, 73	36	5	25	100
	81, 82, 83	40	5	25	100
(3) 45984-62** 45984-64**	11, 12, 13	12	6	30	120
	21, 22, 23	16	5	25	100
	31, 32, 33	20	5	25	100
	41, 42, 43	24	5	25	100
	51, 52, 53	28	5	25	100
	61, 62, 63	32	4	20	80
	71, 72, 73	36	4	20	80
	81, 82, 83	40	4	20	80
(4) 45984-82** 45984-84**	11, 12, 13	12	5	25	100
	21, 22, 23	16	4	20	80
	31, 32, 33	20	4	20	80
	41, 42, 43	24	4	20	80
	51, 52, 53	28	4	20	80
	61, 62, 63	32	4	20	80
	71, 72, 73	36	4	20	80
	81, 82, 83	40	3	15	60
(5) 45984-12** 45984-14**	11, 12, 13	12	4	20	80
	21, 22, 23	16	4	20	80
	31, 32, 33	20	3	15	60
	41, 42, 43	24	3	15	60
	51, 52, 53	28	3	15	60
	61, 62				

STANDARD POWER RECEPTACLES					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(1)	45984-2911	2	25	125	500
	45984-2921	2	25	125	500
	45984-2931	2	25	125	500
(2)	45984-4911	4	13	65	260
	45984-4921	4	13	65	260
	45984-4931	4	13	65	260
(3)	45984-6911	6	8	40	160
	45984-6921	6	8	40	160
	45984-6931	6	8	40	160
(4)	45984-8911	8	6	30	120
	45984-8921	8	6	30	120
	45984-8931	8	6	30	120
(5)	45984-1911	10	5	25	100
	45984-1921	10	5	25	100
	45984-1931	10	5	25	100

POWER RECEPTACLES w/GUIDES/GUIDES & PEGS					
USE PACKAGING TRAY 46077-0004					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(1)	45984-2912	2	17	85	340
	45984-2914	2	17	85	340
	45984-2922	2	17	85	340
	45984-2924	2	17	85	340
	45984-2932	2	17	85	340
	45984-2934	2	17	85	340
(2)	45984-4912	4	9	45	180
	45984-4914	4	9	45	180
	45984-4922	4	9	45	180
	45984-4924	4	9	45	180
	45984-4932	4	9	45	180
	45984-4934	4	9	45	180
(3)	45984-6912	6	7	35	140
	45984-6914	6	7	35	140
	45984-6922	6	7	35	140
	45984-6924	6	7	35	140
	45984-6932	6	7	35	140
	45984-6934	6	7	35	140
(4)	45984-8912	8	5	25	100
	45984-8914	8	5	25	100
	45984-8922	8	5	25	100
	45984-8924	8	5	25	100
	45984-8932	8	5	25	100
	45984-8934	8	5	25	100
(5)	45984-1912	10	4	20	80
	45984-1914	10	4	20	80
	45984-1922	10	4	20	80
	45984-1924	10	4	20	80
	45984-1932	10	4	20	80
	45984-1934	10	4	20	80

POWER RECEPTACLES WITH PEGS					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(1)	45984-2913	2	17	85	340
	45984-2923	2	17	85	340
	45984-2933	2	17	85	340
(2)	45984-4913	4	9	45	180
	45984-4923	4	9	45	180
	45984-4933	4	9	45	180
(3)	45984-6913	6	7	35	140
	45984-6923	6	7	35	140
	45984-6933	6	7	35	140
(4)	45984-8913	8	5	25	100
	45984-8923	8	5	25	100
	45984-8933	8	5	25	100
(5)	45984-1913	10	4	20	80
	45984-1923	10	4	20	80
	45984-1933	10	4	20	80

STANDARD POWER PLUGS					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
(1)	45985-2911	2	25	125	500
	45985-2921	2	25	125	500
	45985-2931	2	25	125	500
	45985-2008	2	25	125	500
(2)	45985-4911	4	13	65	260
	45985-4921	4	13	65	260
	45985-4931	4	13	65	260
(3)	45985-6911	6	8	40	160
	45985-6921	6	8	40	160
	45985-6931	6	8	40	160
(4)	45985-8911	8	6	30	120
	45985-8921	8	6	30	120
	45985-8931	8	6	30	120
(5)	45985-1911	10	5	25	100
	45985-1921	10	5	25	100
	45985-1931	10	5	25	100

POWER PLUGS w/PEGS/GUIDES/GUIDES & PEGS						
USE PACKAGING TRAY 46077-0003						
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)	
(1)	45985-2912	2	15	75	300	
	45985-2913	2	15	75	300	
	45985-2914	2	15	75	300	
	45985-2922	2	15	75	300	
	45985-2923	2	15	75	300	
	45985-2924	2	15	75	300	
	45985-2932	2	15	75	300	
	45985-2933	2	15	75	300	
	45985-2934	2	15	75	300	
	(2)	45985-4912	4	9	45	180
		45985-4913	4	9	45	180
		45985-4914	4	9	45	180
45985-4922		4	9	45	180	
45985-4923		4	9	45	180	
45985-4924		4	9	45	180	
45985-4932		4	9	45	180	
45985-4933		4	9	45	180	
45985-4934		4	9	45	180	
(3)		45985-6912	6	7	35	140
		45985-6913	6	7	35	140
		45985-6914	6	7	35	140
	45985-6922	6	7	35	140	
	45985-6923	6	7	35	140	
	45985-6924	6	7	35	140	
	45985-6932	6	7	35	140	
	45985-6933	6	7	35	140	
	45985-6934	6	7	35	140	
	(4)	45985-8912	8	5	25	100
		45985-8913	8	5	25	100
		45985-8914	8	5	25	100
45985-8922		8	5	25	100	
45985-8923		8	5	25	100	
45985-8924		8	5	25	100	
45985-8932		8	5	25	100	
45985-8933		8	5	25	100	
45985-8934		8	5	25	100	
(5)		45985-1912	10	4	20	80
		45985-1913	10	4	20	80
		45985-1914	10	4	20	80
	45985-1922	10	4	20	80	
	45985-1923	10	4	20	80	
	45985-1924	10	4	20	80	
	45985-1932	10	4	20	80	
	45985-1933	10	4	20	80	
	45985-1934	10	4	20	80	

SIGNAL RECPT. WITH GUIDES/GUIDES & PEGS					
USE PACKAGING TRAY 46077-0004					
PART NUMBER	MATERIAL NUMBER SUFFIX	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
45984-02** 45984-04**	11, 12, 13	12	18	90	360
	21, 22, 23	16	16	80	320
	31, 32, 33	20	14	70	280
	41, 42, 43	24	13	65	260
	51, 52, 53	28	11	55	220
	61, 62, 63	32	10	50	200
	71, 72, 73	36	9	45	180
	81, 82, 83	40	9	45	180

SIGNAL RECPT. STANDARD & w/PEGS					
REFER TO PK-45984-002					
PART NUMBER	MATERIAL NUMBER SUFFIX	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
45984-01** 45984-03**	11, 12, 13	12	REFER TO PK-45984-002		
	21, 22, 23	16			
	31, 32, 33	20			
	41, 42, 43	24			
	51, 52, 53	28			
	61, 62, 63	32			
	71, 72, 73	36			
81, 82, 83	40				

STANDARD SIGNAL PLUGS					
USE PACKAGING TRAY 46077-0003					
PART NUMBER	MATERIAL NUMBER SUFFIX	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
45985-01**	11, 12, 13	12	25	125	500
	21, 22, 23	16	21	105	420
	31, 32, 33	20	18	90	360
	41, 42, 43	24	16	80	320
	51, 52, 53	28	14	70	280
	61, 62, 63	32	13	65	260
	71, 72, 73	36	11	55	220
	81, 82, 83	40	10	50	200

SIGNAL PLUGS w/PEGS/GUIDES/GUIDES & PEGS					
USE PACKAGING TRAY 46077-0003					
PART NUMBER	MATERIAL NUMBER SUFFIX	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
45985-02** 45985-03** 45985-04**	11, 12, 13	12	16	80	320
	21, 22, 23	16	14	70	280
	31, 32, 33	20	12	60	240
	41, 42, 43	24	11	55	220
	51, 52, 53	28	10	50	200
	61, 62, 63	32	10	50	200
	71, 72, 73	36	9	45	180
	81, 82, 83	40	8	40	160

FUNCTIONAL SYMBOLS E/A = 0 E/C = 0 E/P = 0	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
	DIMENSION UNITS	SCALE	CURRENT REV DESC: ADDED P/NO 2209		
	mm	1:1			
	GENERAL TOLERANCES (UNLESS SPECIFIED)				
	4 PLACES ±	MM	INCH		
	3 PLACES ±				
2 PLACES ±	0.13				
1 PLACE ±	0.25				
0 PLACES ±					
DIVISIONAL SYMBOLS	ANGULAR TOL ±	0.5°			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	
			A1-SIZE	45984	
		SEE TABLE		GENERAL MARKET	
				SHEET NUMBER 3 OF 4	


molex			
PACKAGING SPECIFICATION LOW PROFILE HYBRID 45984 & 45985 SERIES			
PACKAGING DESIGN DRAWING			
DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION
PK-45984-001	PDD	001	N4

STANDARD RECEPTACLES					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
3	45984-0003	24	5	25	100
5	45984-0007	16	4	20	80
2	45984-0008	24	7	35	140
2	45984-0017	24	7	35	140
2	45984-0019	16	8	40	160
5	45984-0025	16	4	20	80

RECEPTACLES WITH PEGS					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
2	45984-0005	24	6	30	120
4	45984-0010	12	5	25	100
4	45984-0009	24	4	20	80
2	45984-0011	24	6	30	120

RECEPTACLES WITH GUIDES/GUIDES & PEGS					
USE PACKAGING TRAY 46077-0004					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF CIRCUITS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
4	45984-0002	24	4	20	80
4	45984-0009	24	4	20	80
3	45984-0018	24	5	25	100
2	45984-0020	16	7	35	140
2	45984-0023	16	7	35	140

PLUGS WITH GUIDES AND/OR PEGS					
USE PACKAGING TRAY 46077-0003					
NUMBER OF BAYS	MATERIAL NUMBER	NUMBER OF SIGNALS	PARTS PER CHANNEL	PARTS PER TRAY	STANDARD PACK QUANTITY PER PRIMARY CARTON (SPQ)
4	45985-0002	24	4	20	80
3	45985-0004	12	6	30	120
2	45985-0005	24	6	30	120
4	45985-0006	40	3	15	60
4	45985-0007	20	4	20	80
3	45985-0008	12	5	25	100
5	45985-0009	32	3	15	60
6	45985-0010	24	6	30	120
2	45985-0012	20	6	30	120
2	45985-0013	12	7	35	140
2	45985-0014	12	7	35	140
3	45985-0015	12	5	25	100
2	45985-0016	16	7	35	140
2	45985-0017	40	5	25	100
4	45985-0018	40	3	15	60
4	45985-0020	12	4	20	80
4	45985-0021	40	3	15	60
2	45985-0022	12	7	35	140
3	45985-0023	20	5	25	100
4	45985-0027	12	4	20	80
2	45985-0028	16	7	35	140
2	45985-0030	16	7	35	140

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION		CURRENT REV DESC: ADDED P/NO 2209		
	DIMENSION UNITS	SCALE			
DIVISIONAL SYMBOLS	mm	1:1			EC NO: 738930 DRWN: ABHIRK CHK'D: SUVARS APPR: HTHYAGARAJ 2023/02/10 2023/02/16 2023/02/20
	GENERAL TOLERANCES (UNLESS SPECIFIED)				
		MM	INCH		
	4 PLACES ±	±	±		
	3 PLACES ±	±	±		
	2 PLACES ±	0.13	±		
	1 PLACE ±	0.25	±		
	0 PLACES ±	±	±		
	ANGULAR TOL	± 0.5 °			
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				
	THIRD ANGLE PROJECTION				
	DRAWING				
	SERIES				
	A1-SIZE				
	45984				
	SEE TABLE				
	CUSTOMER				
	GENERAL MARKET				
	SHEET NUMBER				
	4 OF 4				