


Thermofit[®] Molded Parts
 Specification Control Drawing
 Limited Distribution

Part Number : 202D9XX-X-88
 Description : Boot, Straight With Lip

NOTES

- All dimensions are in $\frac{\text{inches}}{\text{[millimeters]}}$
- Dimensions appearing in table are as follows:
 a - As Supplied
 b - After Unrestricted Recovery
- Coating is optional. As supplied dimensions appearing in table are for uncoated parts. When coating is added, entry diameters will be reduced by .06 max.
- Drain holes added.



| PART NUMBER | H | | J | | | P | S | T | U | JO | HW | JW |
|--------------|----------------|----------------|--|--|--------------|----------------|--------------|----------------|---------------|----------------|--------------|----------------|
| | Min | Max | Min | Min | Max | ±10% | Ref | Ref | ±10% | ±10% | ±20% | ±20% |
| | a | b | $\begin{matrix} -3 \\ -4 \\ -8, -25 \\ a \end{matrix}$ | $\begin{matrix} -12 \\ -100 \\ a \end{matrix}$ | b | b | b | b | b | b | b | b |
| 202D921-X-88 | .76 [19,3] | .51 [13,0] | .25 [6,3] | .18 [4,5] | .08 [2,1] | 2.37 [60,2] | .12 [3,0] | .04 [1,0] | .47 [12,0] | 1.48 [37,6] | .06 [1,5] | .045 [1,14] |
| 202D932-X-88 | 1.03 [26,1] | .75 [19,1] | .30 [7,6] | .22 [5,5] | .10 [2,6] | 2.92 [74,2] | .12 [3,0] | .04 [1,0] | .47 [12,0] | 1.77 [45,0] | .07 [1,8] | .045 [1,14] |
| 202D953-X-88 | 1.35 [34,2] | 1.02 [26,0] | .38 [9,6] | .26 [6,6] | .12 [3,1] | 3.32 [84,3] | .12 [3,0] | .04 [1,0] | .47 [12,0] | 2.01 [51,1] | .07 [1,8] | .045 [1,14] |
| 202D963-X-88 | 1.72 [43,6] | 1.34 [34,1] | .45 [11,4] | .31 [7,8] | .14 [3,6] | 3.92 [99,6] | .12 [3,0] | .065 [1,65] | .47 [12,0] | 2.27 [57,7] | .07 [1,8] | .045 [1,14] |

Raychem

RAYCHEM CORPORATION
 300 CONSTITUTION DRIVE
 MENLO PARK, CALIFORNIA 94025

Revision : A
 Date : 1/20/99

Part Number : 202D9XX-X-88
 Description : Boot, Straight With Lip

Thermofit[®] Molded Parts
 Specification Control Drawing
 Limited Distribution

Part Number : 202D9XX-X-88
 Description : Boot, Straight

| MATERIAL DASH NO. | MATERIAL DESCRIPTION | RT SPEC | COATING SLASH NO. | COATING S NO. | COATING DESCRIPTION |
|-------------------|-----------------------------------|---------|-------------------|---------------|---------------------|
| -3 | Polyolefin, Semi-rigid | RT-301 | /42;/86 | S-1017;S-1048 | Adhesive |
| -4 | Polyolefin, Flexible | RT-1304 | /42;/86 | S-1017;S-1048 | Adhesive |
| -8 | Polyolefin, Space | RT-1308 | N/A | | |
| -12 | *VITON, Flexible | RT-1312 | N/A | | |
| -25 | Elastomer, Fluid Resistant | RT-1325 | N/A | | |
| -100 | Polyolefin Semi-flexible ZEROFLEX | RT-1323 | N/A | | |

*VITON is a Registered Trademark of Dupont

ORDERING INFORMATION

202D9XX -XX -88 /XX

Base part number _____

Material dash number _____
 (See Compatibility Chart)

Modification number _____
 (If necessary, see front of scd binder for a complete list)

Adhesive slash number _____
 (If necessary, see Compatibility Chart)

THIS DRAWING IS SUBJECT TO CHANGE WITHOUT NOTICE; CONSULT YOUR NEAREST FIELD REPRESENTATIVE FOR CURRENT REVISION

Raychem

RAYCHEM CORPORATION
 300 CONSTITUTION DRIVE
 MENLO PARK, CALIFORNIA 94025

Revision : A
 Date : 1/20/99

Part Number : 202D9XX-X-88
 Description : Boot, Straight With Lip
 CAD FILE MP99018