4-level end plate; plain; 7.62 mm thick; gray/gray

www.wago.com/727-213



Picture differs from the item.	
	Color:

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/727-213



#### Data

# Physical data

Width	7.62 mm / 0.3 inches
Height	126 mm / 4.961 inches
Depth	44.3 mm / 1.744 inches

#### **Mechanical Data**

Marking	nlain
Walking	plain

### **Material Data**

Note (material data)

Information on material specifica	ations can be found here
-----------------------------------	--------------------------

Color	gray/gray
Material group	1
Insulation material	Polyamide (PA66)
Flammability class per UL94	VO
Fire load	0.215 MJ
Weight	7.2 g

# **Environmental requirements**

Processing temperature	-35 +85 °C
Continuous operating temperature	-60 +105 ℃

### Commercial data

eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	25 pcs
Packaging type	box
Country of origin	DE
GTIN	4055143776523
Customs tariff number	85389099990

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



## **Environmental Product Compliance**

RoHS Compliance Status Compliant, No Exemption

## Required accessories

Common po	tential terminal block	
	Item no.: 727-227	
	4-level same potential terminal block; with locking clips; all clamping units internally commoned; with	www.wago.com/727-227
	2.3 mm Ø test port; for 35 x 7.5 mounting rail; 1.5 mm²; 1,50 mm²; light gray	
	Item no.: 727-226	
	4-level same potential terminal block; without locking clips; all clamping units internally commoned;	www.wago.com/727-226
	with 2.3 mm Ø test port; for 35 x 7.5 mounting rail; 1.5 mm <sup>2</sup> ; 1,50 mm <sup>2</sup> ; orange	
	Item no.: 727-235	
	4-level same potential terminal block; with locking clips; all clamping units internally commoned; with	www.wago.com/727-235
	2.3 mm Ø test port; for 35 x 15 mounting rail; 1.5 mm <sup>2</sup> ; 1,50 mm <sup>2</sup> ; orange	-
	Item no.: 727-236	
	4-level same potential terminal block; without locking clips; all clamping units internally commoned;	www.wago.com/727-236
	with 2.3 mm Ø test port; for 35 x 15 mounting rail; 1.5 mm <sup>2</sup> ; 1,50 mm <sup>2</sup> ; orange	Ü
	Item no.: 727-237	
	4-level same potential terminal block; with locking clips; all clamping units internally commoned; with	www.wago.com/727-237
	2.3 mm Ø test port; for 35 x 15 mounting rail; 1.5 mm²; 1,50 mm²; light gray	Ü
	Item no.: 727-228	
	4-level same potential terminal block; without locking clips; all clamping units internally commoned;	www.wago.com/727-228
	with 2.3 mm Ø test port; for 35 x 7.5 mounting rail; 1.5 mm <sup>2</sup> ; 1,50 mm <sup>2</sup> ; light gray	3
	Item no.: 727-238	
	4-level same potential terminal block; without locking clips; all clamping units internally commoned;	www.wago.com/727-238
	with 2.3 mm Ø test port; for 35 x 15 mounting rail; 1.5 mm²; 1,50 mm²; light gray	g
	Item no.: 727-225	
	4-level same potential terminal block; with locking clips; all clamping units internally commoned; with	www.wago.com/727-225
	2.3 mm Ø test port; for 35 x 7.5 mounting rail; 1.5 mm²; 1,50 mm²; orange	J
Terminal blo	ck for matrix patching	
	Item no.: 727-219	
	4-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm Ø test	www.wago.com/727-219
	port; for 35 x 7.5 mounting rail; 1.5 mm <sup>2</sup> ; 1,50 mm <sup>2</sup> ; gray	g
	Item no.: 727-221	
	4-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm Ø test	www.wago.com/727-22
	port; for 35 x 7.5 mounting rail; 1.5 mm <sup>2</sup> ; 1,50 mm <sup>2</sup> ; white	g
	Item no.: 727-224	
	4-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm Ø	www.wago.com/727-224
	test port; for 35 x 7.5 mounting rail; 1.5 mm <sup>2</sup> ; 1,50 mm <sup>2</sup> ; blue	3
	Item no.: 727-223	
	4-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm Ø test	www.wago.com/727-221
	port; for 35 x 7.5 mounting rail; 1.5 mm <sup>2</sup> ; 1,50 mm <sup>2</sup> ; blue	
	Item no.: 727-230	
	4-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm Ø	/ma=
	1. 1876. Commiss. Secont of matrix paterning, warroat rooming onpo, one potential per rever, with 2.5 min p	www.wago.com/727-230

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/727-213



test port; for 35 x 15 mounting rail; 1.5 mm²; 1,50 mm²; gray
Item no.: 727-233 4-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm Ø test www.wago.com/727-2
port; for 35 x 15 mounting rail; 1.5 mm²; 1,50 mm²; blue
Item no.: 727-222
4-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm $\emptyset$ www.wago.com/727-2 test port; for 35 x 7.5 mounting rail; 1.5 mm <sup>2</sup> ; 1,50 mm <sup>2</sup> ; white
Item no.: 727-229
4-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm Ø test www.wago.com/727-2 port; for 35 x 15 mounting rail; 1.5 mm²; 1,50 mm²; gray
Item no.: 727-232
4-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm Ø www.wago.com/727-2 test port; for 35 x 15 mounting rail; 1.5 mm²; 1,50 mm²; white
Item no.: 727-231
4-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm $\emptyset$ test www.wago.com/727-2 port; for 35 x 15 mounting rail; 1.5 mm <sup>2</sup> ; 1,50 mm <sup>2</sup> ; white
Item no.: 727-234
4-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm Ø www.wago.com/727-2 test port; for 35 x 15 mounting rail; 1.5 mm²; 1,50 mm²; blue
Item no.: 727-220
4-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm $\emptyset$ www.wago.com/727-2 test port; for 35 x 7.5 mounting rail; 1.5 mm <sup>2</sup> ; 1,50 mm <sup>2</sup> ; gray

### Downloads

### Documentation

**Additional Information** 

pdf Download 2.3 MB

### CAD/CAE-Data

CAD data

2D/3D Models 727-213 URL Download

CAE data

ZUKEN Portal 727-213 URL Download

EPLAN Data Portal 727-213 URL Download

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO GmbH & Co. KG Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/727-213



## **Environmental Product Compliance**

**Compliance Search** 

Environmental Product Compliance 727-213 4-level end plate; plain; 7.62 mm thick; gray/gray URL

Download

#### **Installation Notes**

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$ 

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.