

Datasheet revision 1.2

www.chipquik.com

COSOLV55-1L

# **Co-Solvent High Evaporating Rinse Agent 1L**


## Product Highlights

Powerful Co-Solvent Rinsing Agent High Evaporating Rate Low Surface Tension to Clean Under Small Parts Environmentally-Friendly Low Ozone Depletion, Low Toxicity RoHS 3 and REACH compliant

Specifications
Boiling Point:
Flash Point:
Vapor Pressure:
Heat of Vaporization:
Liquid Density:
Kinematic Viscosity:
Specific Heat:
Surface Tension:
Dielectric Strength (0.1" gap):
Global Warming Potential:
Ozone Depletion Potential:
Color:
Miscibility in Water:
Net Weight:
Net Volume:
Packaging:

#### 55 °C None 27.5 kPa 160 kJ/kg 1.40 g/cm<sup>3</sup> (at 20°C) $0.41 \text{ cSt} (\text{mm}^2/\text{s})$ 1248 J/kg·K 14 mN/m >10 kV 285 GWP 0 Clear Not miscible 1.40kg 1L 1L Jug (1.40kg net weight)\* \*Packaged and Sold by Weight

## **Co-solvent De-fluxing Process:**



5 minutes submerged 30 second drip dry above **COSOLV55**<sup>™</sup> at 50°C 5 minutes submerged 30 second drip dry above

**Storage and Handling** 

Store refrigerated or at room temperature 3-25°C (37-77°F).

## Transportation

This product has no shipping restrictions. Shipping below 0°C (32°F) or above 25°C (77°F) for normal transit times by ground or air will not impact this product's stated shelf life.

**Conforms to the following Industry Standards:** RoHS 3 Directive (EU) 2015/863: