






PRODUCT NUMBER SEE SHEET 2



spec ref	*	dr	Eddy Zeng	2014/01/24	projection	MM	size	A3	scale	3:2													
tolerance std	ASME Y14.5	eng	Rainbow Zhan	2015/09/28			ecn no	ELX-DG-22054-1															
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Fancy Zhang	2015/09/29			product family	PwrBlade+	rel level	Released													
surface	<table border="1"> <tr> <td>linear</td> <td>0.X</td> <td>±0.5</td> </tr> <tr> <td></td> <td>0.XX</td> <td>±0.25</td> </tr> <tr> <td></td> <td>0.XXX</td> <td>±0.10</td> </tr> <tr> <td>angular</td> <td>0°</td> <td>±2°</td> </tr> </table>	linear	0.X	±0.5		0.XX	±0.25		0.XXX	±0.10	angular	0°	±2°	appr	Pei-Ming Zheng	2015/09/29	www.fci.com	cat. no.	8HP + 60S RA PF HEADER	dwg no	10106125-8015001	rev	B
linear	0.X	±0.5																					
	0.XX	±0.25																					
	0.XXX	±0.10																					
angular	0°	±2°																					
Product - Customer Drw							sheet 1 of 3																

PRODUCT NO.	ROWS	HIGH POWER								SIGNAL																
		E1	P1	P2	P3	P4	P5	P6	P7	P8	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	E2
10106125-8015001LF	DCBA	HE	HE	HE	HE	HE	HE	HE	HE	SD	SD	SD	SD	SD	SD	SD	SD	SD	SD	SD	SD	SD	SD	SD	SD	SD
		SC	SC	SC	SC	SC	SC	SC	SC	SB	SB	SB	SB	SB	SB	SB	SB	SB	SB	SB	SB	SB	SB	SB	SB	SB
		SA	SA	SA	SA	SA	SA	SA	SA	SA	SA	SA	SA	SA	SA	SA	SA	SA	SA	SA	SA	SA	SA	SA	SA	SA



CODE	DESCRIPTION
HE	STD HIGH POWER CONTACT (3.05)
SA	STD SIGNAL CONTACT, ROW A (3.05)
SB	STD SIGNAL CONTACT, ROW B (3.05)
SC	STD SIGNAL CONTACT, ROW C (3.05)
SD	STD SIGNAL CONTACT, ROW D (3.05)

dr	Eddy Zeng	2014/01/24	projection	MM	size	A3	scale	3:2
eng	Rainbow Zhan	2015/09/28			ecn no	ELX-DG-22054-1	rel level	Released
chr	Fancy Zhang	2015/09/29						
appr	Pei-Ming Zheng	2015/09/29	product family	PwrBlade+				
			title 8HP + 60S RA PF HEADER		dwg no 10106125-8015001		rev B	
www.fci.com			cat. no.		Product - Customer Drw			sheet 2 of 3




Copyright FCI.

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02±0.07MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.



Copyright FCI.

dr	Eddy Zeng	2014/01/24	projection 	MM 	size	A3	scale	3:2	
eng	Rainbow Zhan	2015/09/28			ecn no	ELX-DG-22054-1			
chr	Fancy Zhang	2015/09/29			product family	PwrBlade+		rel level	Released
appr	Pei-Ming Zheng	2015/09/29							
		title 8HP + 60S RA PF HEADER			dwg no 10106125-8015001		rev B		
www.fci.com		cat. no.		Product - Customer Drw			sheet 3 of 3		