



TE Internal #: 160344-2

Ring Terminals & Spade Terminals, Ring Tongue, 20 – 16 AWG

Wire Size, .5 – 1.5 mm² Wire Size, 1022 – 2583 CMA Wire Size, Stud Size M3

[View on TE.com >](#)

Terminals & Splices > Ring Terminals & Spade Terminals



Ring & Spade Terminal Type: **Ring Tongue**

Wire Size: **1022 – 2583 CMA**

Stud Size: **M3**

Features

Product Type Features

Shape Description	Circular/Oval
Stud Size	M3
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support

Configuration Features

Number of Holes	1
-----------------	---

Body Features

Product Weight	.312 g
----------------	--------

Contact Features

Contact Base Material	Brass
Ring & Spade Terminal Type	Ring Tongue
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Tin
Contact Underplating Material	None



Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions

	.075 in
Wire Size	1022 – 2583 CMA
Stud Diameter	3.2 mm[.126 in]
Tongue Thickness	.51 mm[.02 in]
Product Length	11.68 mm[.46 in]
Barrel Inside Diameter	1.9 mm, 2.15 mm[.075 in][.085 in]
Compatible Insulation Diameter (Max)	2.79 mm[.11 in]
Compatible Insulation Diameter Range	1.9 – 2.8 mm[.075 – .11 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C[-40 – 230 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Quantity	15000
Packaging Method	Strip/Reel

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC

Free












Solder Process Capability

Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts

 <p>TE Part # 62638-1 RING TONGUE 22-20 AWG TPBR</p>	 <p>TE Part # 2-2150381-1 OCEAN_2.0_APPLICATOR-E-120F140F</p>	 <p>TE Part # 2-2150381-2 OCEAN_2.0_APPLICATOR-E-120F140F</p>	 <p>TE Part # 2-4150048-2 OCEAN-2.0-APPLICATOR-E-120F1400</p>
 <p>TE Part # 2150381-1 OCEAN_2.0_APPLICATOR-E-120F140F</p>	 <p>TE Part # 2150381-2 OCEAN_2.0_APPLICATOR-E-120F140F</p>	 <p>TE Part # 626235-2 RING TONGUE 22-18 AWG 0.50 X 9.144 BR</p>	 <p>TE Part # 7-2150381-1 OCEAN_2.0_APPLICATOR-E-120F140F</p>
 <p>TE Part # 7-2150381-2 OCEAN_2.0_APPLICATOR-E-120F140F</p>	 <p>KIT TE Part # 7-2150381-7 OCEAN_2.0_SPARE_PART_KIT-120F140F</p>	 <p>TE Part # 7-4150048-2 OCEAN-2.0-APPLICATOR-E-120F1400</p>	

Customers Also Bought



TE Part #1-1614782-7
BDS 2 A 100 4R7 10%



TE Part #8296870003
RPS-10-2/2.0-9



TE Part #HD36-24-16PN-059
PLG,16P,AL,N, CBL CLMP BT, DRAIN,
12,P,MC



TE Part #160252-2
RING TONGUE IS AUTOMATIC 0.5-
1.43MM2TPBR



TE Part #160018-2
RING TONGUE 176 20-16 AWG 0.251
NIBR



TE Part #7421224003
RNF-3000-4.5/1.5-0-SP



TE Part #7-180984-5
250 FASTON BOOT FLAG REC. 1P
BLACK



TE Part #2150082-1
OCEAN_2.0_APPLICATION-E-090F130F



TE Part #7-2150082-7
OCEAN_2.0_SPARE_PART_KIT-
090F130F



TE Part #2-1393561-1
V42254A 112V109=SUB D SCHRAUBE

Documents

Product Drawings

[RING TONGUE 20-16 AWG .025 X .840](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_160344-2_G.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_160344-2_G.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_160344-2_G.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications



[Application Specification](#)

English

[Product Environmental Compliance](#)

[Product Compliance Document](#)

English

[Product Compliance Document](#)

English