End plate; 0.7 mm thick; orange

www.wago.com/2000-2292



Color:

Data

Physical data

Width 0.7 mm / 0.028 inches

Height 70 mm / 2.756 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/2000-2292



Depth 51.7 mm / 2.035 inches

Mechanical Data

Mounting type snap-on type

Material Data

Note (material data)

Information on material specifications can be found here

Color	orange
Material group	T
Insulation material	Polyamide (PA66)
Flammability class per UL94	VO
Fire load	0.062 MJ
Weight	2.1 g

Commercial data

Product Group	22 (TOPJOB S)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	25 pcs
Packaging type	box
Country of origin	DE
GTIN	4050821037200
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status Compliant, No Exemption

Approvals / Certificates

Declarations of conformity and manufacturer's declarations

			Certificate
Logo	Approval	Additional Approval Text	name
	Railway	-	Railway
	WAGO GmbH & Co. KG		Ready

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Required accessories

End plate

Through terminal block	
Item no.: 2000-2201	
Double-deck terminal block; Through/through terminal block; L/L; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm²; gray	www.wago.com/2000-220
Item no.: 2000-2239 Double-deck terminal block; 4-conductor through terminal block; N; with marker carrier; suitable for Ex i applications; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm²; blue	www.wago.com/2000-223
Item no.: 2000-2257 Double-deck terminal block; Ground conductor/through terminal block; 1 mm²; PE/L; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm²; gray	www.wago.com/2000-225
Item no.: 2000-2258 Double-deck terminal block; Shield/through terminal block; 1 mm 2 ; Shielding/L; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP 0 ; 1,00 mm 2 ; gray	www.wago.com/2000-225
Item no.: 2000-2248 Double-deck terminal block; Shield/through terminal block; 1 mm²; with marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm²; gray	www.wago.com/2000-224
Item no.: 2000-2232 Double-deck terminal block; Through/through terminal block; N/L; with marker carrier; Blue conductor entry lower deck; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm²; gray	www.wago.com/2000-223
Item no.: 2000-2234 Double-deck terminal block; Through/through terminal block; N/N; with marker carrier; suitable for Ex i applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm²; blue	www.wago.com/2000-223
Item no.: 2000-2233 Double-deck terminal block; Through/through terminal block; L/N; with marker carrier; Blue conductor entry upper deck; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm²; gray	www.wago.com/2000-223
Item no.: 2000-2238 Double-deck terminal block; 4-conductor through terminal block; L; with marker carrier; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm²; gray	www.wago.com/2000-223
Item no.: 2000-2209 Double-deck terminal block; 4-conductor through terminal block; N; without marker carrier; suitable for Ex i applications; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm²; blue	www.wago.com/2000-220
Item no.: 2000-2218 Double-deck terminal block; Shield/through terminal block; 1 mm²; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm²; gray	www.wago.com/2000-221
Item no.: 2000-2228 Double-deck terminal block; Shield/through terminal block; 1 mm²; Shielding/L; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm²; gray	www.wago.com/2000-222
Item no.: 2000-2217 Double-deck terminal block; Ground conductor/through terminal block; 1 mm²; PE/N; without marker	www.wago.com/2000-221

 $\label{thm:condition} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/2000-2292



С	earrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm²; gray	
	tem no.: 2000-2227 Double-deck terminal block; Shield/through terminal block; 1 mm²; PE/L; without marker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm²; gray	www.wago.com/2000-2227
C	tem no.: 2000-2231 Double-deck terminal block; Through/through terminal block; L/L; with marker carrier; for DIN-rail 35 x 5 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm²; gray	www.wago.com/2000-2231
	tem no.: 2000-2202 Double-deck terminal block; Through/through terminal block; N/L; without marker carrier; Blue conductor entry lower deck; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm²; gray	www.wago.com/2000-2202
С	tem no.: 2000-2208 Couble-deck terminal block; 4-conductor through terminal block; L; without marker carrier; internal commoning; conductor entry with violet marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm²; gray	www.wago.com/2000-2208
	tem no.: 2000-2203 Double-deck terminal block; Through/through terminal block; L/N; without marker carrier; Blue conductor entry upper deck; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm²; gray	www.wago.com/2000-2203
	tem no.: 2000-2204 Double-deck terminal block; Through/through terminal block; N/N; without marker carrier; suitable for Ex i applications; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm²; blue	www.wago.com/2000-2204
D a	tem no.: 2000-2201/352-000 Double-deck terminal block; Through/through terminal block; L/L; without marker carrier; for KNX applications; Conductor entry (lower deck), black marking; Conductor entry (upper deck), red marking; or DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm²; gray	www.wago.com/2000-2201 /352-000
D a	tem no.: 2000-2201/353-000 Double-deck terminal block; Through/through terminal block; L/L; without marker carrier; for KNX applications; Conductor entry (lower deck), yellow marking; Conductor entry (upper deck), white narking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm²; gray	www.wago.com/2000-2201 /353-000
Ground termin	nal block	
	tem no.: 2000-2247 Double-deck terminal block; Ground conductor/through terminal block; 1 mm²; PE/N; with marker earrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm²; gray	www.wago.com/2000-2247
	tem no.: 2000-2237 Double-deck terminal block; 4-conductor ground terminal block; 1 mm²; PE; internal commoning; with narker carrier; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm²; green-yellow	www.wago.com/2000-2237
	tem no.: 2000-2207 Double-deck terminal block; 4-conductor ground terminal block; 1 mm²; PE; without marker carrier; nternal commoning; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm²; green-yellow	www.wago.com/2000-2207

Downloads Documentation

Bid Text

2000-22922019年2月19日xmlDownloadX81 - Datei2.6 kB

 $\label{thm:continuity} \textbf{Subject to changes. Please also observe the further product documentation!}$

WAGO GmbH & Co. KG Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/2000-2292



2000-2292 doc - Datei	2017 年4月27日	doc 24.1 kB	Download
Additional Information		pdf 2.3 MB	Download

CAD/CAE-Data

CAE data

2D/3D Models 2000-2292	URL	Download
CAD data		
ZUKEN Portal 2000-2292	URL	Download
WSCAD Universe 2000-2292	URL	Download
EPLAN Data Portal 2000-2292	URL	Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 2000-2292 URL Download End plate; 0.7 mm thick; orange

Installation Notes

Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

Show all products from the family

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.