## 2013393-1 - ACTIVE

Dynamic Series | Dynamic Multiple Enclosure Series

TE Internal #: 2013393-1 Housing, Housing for Male Terminals, Wire-to-Wire, 32 Position, Crimp, 4 Row, Black, Mating Retention, Wire & Cable, Dynamic Multiple Enclosure Series

#### View on TE.com >

Connectors > PCB Connectors > Wire-to-Board Connectors > Wire-to-Board Connector Assemblies & Housings >



Inside Enclosure: Component To Outside Enclosure, Wire-to-Wire

Connector Product Type: Housing

Connector & Housing Type: Housing for Male Terminals

Connector System: Wire-to-Wire

Number of Positions: 32

Termination Method to Wire & Cable: Crimp

All Inside Enclosure: Component To Outside Enclosure, Wire-to-Wire (10)



#### Features

#### **Product Type Features**

Connector Product Type	Housing		
Connector & Housing Type	Housing for Male Terminals		
Connector System	Wire-to-Wire		
Sealable	No		
Connector & Contact Terminates To	Wire & Cable		
Configuration Features			
Number of Positions	32		
Number of Rows	4		
Body Features			
Primary Product Color	Black		
Termination Features			

#### 2013393-1

Housing, Housing for Male Terminals, Wire-to-Wire, 32 Position, Crimp, 4 Row, Black, Mating Retention, Wire & Cable, Dynamic Multiple Enclosure Series



Termination Method to Wire & Cable	Crimp	
Mechanical Attachment		
Mating Retention	With	
Dimensions		
Row-to-Row Spacing	3.5 mm[.137 in]	
Usage Conditions		
Operating Temperature Range	-30 – 105 °C[-22 – 221 °F]	
Operation/Application		
Circuit Application	Signal	
<b>Product Compliance</b> For compliance documentation, visit the product page on TE.com>		
EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	07/2006 Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE	

2023 (235) Does not contain REACH SVHC

Not Low Halogen - contains Br or Cl > 900 ppm.

Not applicable for solder process capability

Halogen Content

Solder Process Capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

### **Compatible Parts**


#### 2013393-1

Housing, Housing for Male Terminals, Wire-to-Wire, 32 Position, Crimp, 4 Row, Black, Mating Retention, Wire & Cable, Dynamic Multiple Enclosure Series





## Also in the Series | Dynamic Multiple Enclosure Series




# Customers Also Bought



-ETE	= TE		-ETE
TE Part #3-178129-6 Receptacle and Tab Housing: 5.08 mm Pitch, 250-600V	TE Part #3-917807-2 Receptacle and Tab Housing: 5.08 or 10.16 mm pitch, 250-600V	TE Part #2-178288-3 DYNAMIC D3100 REC HSG 3P (SGL) Y	TE Part #2822346-1 ECONO-J MK-2 PLUG ASSY 6P
1.			



### Documents



#### 2013393-1

Housing, Housing for Male Terminals, Wire-to-Wire, 32 Position, Crimp, 4 Row, Black, Mating Retention, Wire & Cable, Dynamic Multiple Enclosure Series



English

Customer View Model ENG\_CVM\_CVM\_2013393-1\_B.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_2013393-1\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages 1-1773732-4\_DYNAMIC\_SERIES\_CATALOG\_ENGLISH

Japanese

1-1773732-4\_DYNAMIC\_SERIES\_CATALOG\_ENGLISH

English

**Product Specifications** 

Application Specification

English

**Product Environmental Compliance** 

Product Compliance

English

**Product Compliance** 

English

. .

Instruction Sheets

Instruction Sheet (non U.S.)

English

MULTIPLE ENCLOSURE 65M D1100 32POS

Japanese

Instruction Sheet (non U.S.)

Japanese