



AE-QFN36U-T – DIP38/QFN36 universal adapter with clam shell socket



Supported Devices:

Click the device programmer model below to get an appropriate list of the devices supported by this programmer with this adapter:

- ChipProg-481, ChipProg-G41
- ChipProg-48
- ChipProg-40

DIP38/QFN36 universal adapter with clam shell socket. Device package dimensions: 6.0 x 6.0 x 0.9 mm, 0.5 mm pitch.

Adapter connection table:

| DIP-38 | QFN-36 |
|--------|--------|
| 1 | E_PAD |
| 2 | 1 |
| 3 | 2 |
| 4 | 3 |

| | |
|----|----|
| 5 | 4 |
| 6 | 5 |
| 7 | 6 |
| 8 | 7 |
| 9 | 8 |
| 10 | 9 |
| 11 | 10 |
| 12 | 11 |
| 13 | 12 |
| 14 | 13 |
| 15 | 14 |
| 16 | 15 |
| 17 | 16 |
| 18 | 17 |
| 19 | 18 |
| 20 | 19 |
| 21 | 20 |
| 22 | 21 |
| 23 | 22 |
| 24 | 23 |

| | |
|----|-------|
| 25 | 24 |
| 26 | 25 |
| 27 | 26 |
| 28 | 27 |
| 29 | 28 |
| 30 | 29 |
| 31 | 30 |
| 32 | 31 |
| 33 | 32 |
| 34 | 33 |
| 35 | 34 |
| 36 | 35 |
| 37 | 36 |
| 38 | E_PAD |