647676-4 - ACTIVE

### **Economy Power**

TE Internal #: 647676-4 Rectangular Power Connectors, Header, Plug, Wire-to-Board, 4 Position, 3.96 mm [.156 in] Centerline, Printed Circuit Board, UL 94V-0, Economy Power

### View on TE.com >

Connectors > Power Connectors > Rectangular Power > Rectangular Power Connectors



Rectangular Power Connector Type: Header

Connector & Housing Type: Plug

Connector System: Wire-to-Board

Number of Positions: 4

Centerline (Pitch): 3.96 mm [.156 in ]

### Features

**Connectivity** 

### Product Type Features

Header Type	Partially Shrouded Header			
Rectangular Power Connector Type				
Connector & Housing Type	Plug			
Connector System	Wire-to-Board			
Sealable	No			
Connector & Contact Terminates To	Printed Circuit Board			
Configuration Features				
Number of Positions	4			
Number of Positions PCB Mount Orientation	4 Right Angle, Vertical			
PCB Mount Orientation	Right Angle, Vertical			
PCB Mount Orientation Number of Power Positions	Right Angle, Vertical			
PCB Mount Orientation Number of Power Positions Number of Rows	Right Angle, Vertical			

**C** For support call+1 800 522 6752

Rectangular Power Connectors, Header, Plug, Wire-to-Board, 4 Position, 3.96 mm [. 156 in] Centerline, Printed Circuit Board, UL 94V-0, Economy Power



Low 8.6 mm[.33 in] Inline Tin Brass 7.5 A Without
Inline Tin Brass 7.5 A Without
Inline Tin Brass 7.5 A Without
Tin Brass 7.5 A Without
Brass 7.5 A Without
7.5 A Without
Without
Pin
Tin
2.03 µm[80 µin]
5.34 mm[.21 in]
Through Hole - Solder
With
With
Without
Without
Latch
Board Mount
3.96 mm[.156 in]
White
Nylon 66
9.4 mm[.37 in]
15.37 mm[.605 in]
15.84 mm[.624 in]
-25 – 105 °C[-13 – 221 °F]

**L** For support call+1 800 522 6752

Rectangular Power Connectors, Header, Plug, Wire-to-Board, 4 Position, 3.96 mm [. 156 in] Centerline, Printed Circuit Board, UL 94V-0, Economy Power



Circuit Application	Power				
Industry Standards					
UL Flammability Rating	UL 94V-0				
Glow Wire Rating	Standard Part - Not Glow Wire				
Packaging Features					
Packaging Quantity	1000				
Packaging Method	Bag				
Product Compliance					
For compliance documentation, visit the product page on TE.com>					
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	Compliant				
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU EU ELV Directive 2000/53/EC	Compliant Compliant No Restricted Materials Above Threshold				
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	Compliant				

homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**

Rectangular Power Connectors, Header, Plug, Wire-to-Board, 4 Position, 3.96 mm [. 156 in] Centerline, Printed Circuit Board, UL 94V-0, Economy Power







# Also in the Series | Economy Power



Power Contacts(8)	Rectangular Connector Housings(1)	Rectangular Power Connectors(302)	Wire-to-Board Connector Assemblies
			& Housings(142)



# **Customers Also Bought**



Rectangular Power Connectors, Header, Plug, Wire-to-Board, 4 Position, 3.96 mm [. 156 in] Centerline, Printed Circuit Board, UL 94V-0, Economy Power





### Documents

### Product Drawings 3.96 EP HDR ASSY 4P R/A

English

### **CAD** Files

Customer View Model ENG\_CVM\_CVM\_647676-4\_B.2d\_dxf.zip

English

### 3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_647676-4\_B.3d\_igs.zip

English

Customer View Model

### ENG\_CVM\_CVM\_647676-4\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

### Datasheets & Catalog Pages 1-1773885-9 Economy Power Connectors

English

**Product Specifications** 

Application Specification

English

**Application Specification** 

Japanese

Agency Approvals

UL Report

English