

1.5/2.8 Connector System

TE Internal #: 1326031-1 Automotive Terminals, Tab, Mating Tab Width 2.8 mm [.11 in], Tab Thickness .8 mm [.031 in], 22 AWG Wire Size, 1.5/2.8 Connector System

View on TE.com >



Terminals & Splices > Automotive Terminals > 1.5/2.8 CONNECTOR SYSTEM, RECPT AND TAB



Terminal Type: Tab Mating Tab Width: 2.8 mm [.11 in] Mating Tab Thickness: .8 mm [.031 in] Terminal Transmits: 0 – 24 A (Low Power) Wire Size: 22 AWG

All 1.5/2.8 CONNECTOR SYSTEM, RECPT AND TAB (40)

Features

Product Type Features

Sealable

Yes

Body Features

Terminal Seal Type

Single Wire Seal (SWS)

Contact Features

Contact Size	2.8mm
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Crimp Type	F-Crimp
Terminal Type	Tab
Mating Tab Width	2.8 mm[.11 in]
Mating Tab Thickness	.8 mm[.031 in]
Interface Plating	Tin (Sn)
Termination Features	
Termination Method to Wire & Cable	Crimp
Product Terminates To	Wire
Dimensions	

C For support call+1 800 522 6752

1326031-1

Automotive Terminals, Tab, Mating Tab Width 2.8 mm [.11 in], Tab Thickness .8 mm [. 031 in], 22 AWG Wire Size, 1.5/2.8 Connector System



Compatible Insulation Diameter Range	1.2 – 2.7 mm[.047 – .106 in]
Wire Size	.35 mm ²
Wire Size Search	22 AWG
Usage Conditions	
Insulation Option	Uninsulated
Operation/Application	
Compatible With Wire Base Material	Copper
Packaging Features	
Packaging Quantity	3000
Packaging Method	Package
Other	
Customer Preferred Contact	No
Terminal Transmits	0 – 24 A (Low Power)
Product Compliance	
For compliance documentation, visit the product page on TE.com>	

For compliance documentation, visit the product page on TE.com>

Compliant

EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on

1326031-1

Automotive Terminals, Tab, Mating Tab Width 2.8 mm [.11 in], Tab Thickness .8 mm [. 031 in], 22 AWG Wire Size, 1.5/2.8 Connector System




requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts




Also in the Series | 1.5/2.8 Connector System









Customers Also Bought



1326031-1

Automotive Terminals, Tab, Mating Tab Width 2.8 mm [.11 in], Tab Thickness .8 mm [. 031 in], 22 AWG Wire Size, 1.5/2.8 Connector System





Documents

Product Drawings 2.8MM BLD, SEAL, 22AWG

English

CAD Files

Customer View Model

ENG_CVM_1326031-1_F.3d_igs.zip

English

Customer View Model

ENG_CVM_1326031-1_F.3d_stp.zip

English

Customer View Model

ENG_CVM_1326031-1_F.2d_dxf.zip

English

3D PDF

English

By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Product Specifications Application Specification

English