

HDC kits

HDC-KIT-HA 16.120

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 16
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com



The RockStar® kits normally consist of a male insert, a female insert, a plug housing, a bulkhead housing and a cable gland.

Weidmüller offers a range of standard plug-in connector combinations with metric or PG cable entry threads, with screw connection or PUSH IN connection.

General ordering data

Order No.	1884300000
Type	HDC-KIT-HA 16.120
Version	RockStar® HDC kits-Heavy Duty Connectors, Kit, HA, Size: 5, Poles: 16, Screw connection, 250 V, 16 A, diecast aluminium, PG
GTIN (EAN)	4032248488582
Qty.	1 pc(s).

HDC kits
HDC-KIT-HA 16.120**Weidmüller Interface GmbH & Co. KG**
Klingenbergstraße 16
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com**Technical data****Dimensions and weights**

Net weight 430 g

Temperatures

Continuous operating temp., min. -40 °C Continuous operating temp., max. 100 °C

General data

Cable gland	PG	Connection type PE	Screw connection
Material	diecast aluminium	No. of poles	16
Rated current (DIN EN 61984)	16 A	Rated voltage (DIN EN 61984)	250 V
Series	HA	Size	5

Version

Blade size, slotted (screw connection)	SD 0.6 x 3.5	Conductor cross-section, max.	2.5 mm ²
Conductor cross-section, min.	0.5 mm ²	Material	diecast aluminium
Max. torque for main contact	0.55 Nm	Min. torque for main contact	0.5 Nm
Size	5	Surface finish	Powder coating
Type of connection	Screw connection	Volume resistance	≤ 2mΩ
Wire connection cross section AWG, max.	AWG 14	Wire connection cross section AWG, min.	AWG 20

Classifications

ETIM 3.0	EC000437	UNSPSC	30-21-18-01
eClass 4.1	27-14-08-05	eClass 5.1	27-14-34-19
eClass 6.2	27-26-07-03	eClass 7.1	27-44-05-15

Product information

Descriptive text ordering data Metal enclosures

ApprovalsApprovals
ROHS Conform