



Insulated cross-connector, No. of poles: 2, Mounting type: Plug in, Width: 9.1 mm, Rated cross-section: 2.5 mm², Colour: Blue

RAL: Ähnlich 5005

Business data

| Article number | <u>3710.5</u> |
|--|---------------------------|
| Article name | ZQI 2,5/2 BU |
| GTIN (EAN) | 4044211108458 |
| Packaging unit | 50 |
| Quantity unit | PC |
| Weight per piece (not including packaging) | 1.09 g |
| Weight per piece (including packaging) | 1.12 g |
| Unit of weight | G |
| Customs number | 85389099 |
| Country of origin | CZ |
| Prio-Article | 3710.8 |
| Product description | Insulated cross-connector |
| | |



Technical data

| Dimensions | |
|----------------------------------|---------------------|
| Length | 4.5 mm |
| Width | 9.1 mm |
| Pitch size | 5 mm |
| Ratings | |
| Voltage with partition, max. | 800 V |
| Voltage without partition, max. | 800 V |
| Rated current | 24 A |
| Rated cross-section | 2.5 mm ² |
| Contamination degree | 3 |
| Connection data | |
| No. of poles | 2 |
| Materials | |
| Material | Copper alloy |
| Surface | Tin-plated |
| Insulation housing | Polyamide 6.6 |
| Flammability class UL 94 | V-2 |
| Working temperature, min. | -40 °C |
| Working temperature, max. | 105 °C |
| Further technical data | |
| Mounting type | Plug in |
| Insulation available | \checkmark |
| Touch protection is available | \checkmark |
| Number of bridged terminals | 2 |
| Environmental Product Compliance | |
| REACH Conform | Yes |
| REACH Candidate Substance Note | No |
| RoHS Conform | Yes |

Media





Accessories

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------------------|---------------|-------------------|
| 3568.2 | ZRKD 2,5/LED1(RD)/24V DC BG | 4044211059125 | 100 ST |



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------------------|---------------|-------------------|
| 3569.2 | ZRKD 2,5/LED2(RD)/24V DC BG | 4044211059132 | 100 ST |



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|-------------------|
| 3572.2 | ZRKD 2,5/D3 BG | 4044211059163 | 100 |

Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige






Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|-------------------|
| <u>3574.2</u> | ZRKD 2,5/D5 BG | 4044211059187 | 100 ST |







| | Article number | Article name | GTIN (EAN) | Packaging unit |
|-------------------|--|--|---|--|
| | 3653.2 | ZRKS 2,5/2A/2S BG | 4044211177683 | 100 |
| | • | terminal, Tension-spring connector cross-section: 2.5 mm², Width: | •••• | ing rail TS |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3652.2 | ZRKS 2,5/2A/1S BG | 4044211177676 | 100 |
| | • | terminal, Plug-in connection, Mo , Colour: Beige | ounting type: Mounting rail | |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3655.2 | ZRKS 2,5/2S BG | 4044211177706 | 100 |
| K ema eur | • | terminal, Tension-spring connec m², Width: 25.5 mm, Colour: Be Article name | •••••• | n, Rated cross Packaging unit |
| | 17485.2 | ZST 2,5/5/1A/Q BG | 4044211205249 | |
| | 11400.2 | 201 2,0/0/ 1/ (20 | 1011211200210 | 50 ST |
|)() | Feed-through | terminal, Tension-spring connec m², Width: 56.1 mm, Colour: Be Article name | ction, Mounting type: Plug ir | n, Rated cross Packaging |
|)—() | Feed-through section: 2.5 m | terminal, Tension-spring connec m², Width: 56.1 mm, Colour: Be | ction, Mounting type: Plug ir ige | n, Rated cross |
| | Feed-through section: 2.5 m Article number <u>17491.2</u> Feed-through | terminal, Tension-spring connec m², Width: 56.1 mm, Colour: Be Article name | ction, Mounting type: Plug ir ige GTIN (EAN) 4044211205300 ction, Mounting type: Plug ir | n, Rated cross Packaging unit 10 ST |
|)() | Feed-through section: 2.5 m Article number <u>17491.2</u> Feed-through | terminal, Tension-spring connec m², Width: 56.1 mm, Colour: Be Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring connec | ction, Mounting type: Plug ir ige GTIN (EAN) 4044211205300 ction, Mounting type: Plug ir | n, Rated cross Packaging unit 10 ST |
|)() | Feed-through section: 2.5 m Article number <u>17491.2</u> Feed-through section: 2.5 m | terminal, Tension-spring connec m ² , Width: 56.1 mm, Colour: Be Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring connec m ² , Width: 76.5 mm, Colour: Be | ction, Mounting type: Plug ir ige GTIN (EAN) 4044211205300 ction, Mounting type: Plug ir ige | n, Rated cross Packaging unit 10 ST n, Rated cross Packaging |
|)())() [0[| Feed-through section: 2.5 m Article number <u>17491.2</u> Feed-through section: 2.5 m Article number <u>17495.2</u> Feed-through | terminal, Tension-spring connec m ² , Width: 56.1 mm, Colour: Be Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring connec m ² , Width: 76.5 mm, Colour: Be Article name | ction, Mounting type: Plug ir ige GTIN (EAN) 4044211205300 ction, Mounting type: Plug ir ige GTIN (EAN) 4044211205348 ction, Mounting type: Plug ir | n, Rated cross Packaging unit 10 ST n, Rated cross Packaging unit 10 ST |
|) | Feed-through section: 2.5 m Article number <u>17491.2</u> Feed-through section: 2.5 m Article number <u>17495.2</u> Feed-through | terminal, Tension-spring connec m ² , Width: 56.1 mm, Colour: Be Article name ZST 2,5/11/1A/Q BG terminal, Tension-spring connec m ² , Width: 76.5 mm, Colour: Be Article name ZST 2,5/15/1A/Q BG | ction, Mounting type: Plug ir ige GTIN (EAN) 4044211205300 ction, Mounting type: Plug ir ige GTIN (EAN) 4044211205348 ction, Mounting type: Plug ir | n, Rated cross Packaging unit 10 ST n, Rated cross Packaging unit 10 ST |



| | Article number | Article name | GTIN (EAN) | Packaging unit |
|---------------|---|---|---|--|
| | 3650.2 | ZRKS 2,5/1A/1S BG | 4044211177652 | 100 |
| | • | terminal, Tension-spring connectors cross-section: 2.5 mm², Width: | •••• | ing rail TS |
| ji the second | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3651.2 | ZRKS 2,5/1A/2S BG | 4044211177669 | 100 |
| | • | terminal, Tension-spring conne m², Width: 45.9 mm, Colour: B | •••••• | n, Rated cross |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 17489.2 | ZST 2,5/9/1A/Q BG | 4044211205287 | 25 ST |
| | • | terminal, Tension-spring conne | •••••• | n, Rated cross |
| <u></u> | • | terminal, Tension-spring conne m², Width: 51 mm, Colour: Beig Article name | •••••• | |
| <u>_</u> | section: 2.5 m | m², Width: 51 mm, Colour: Bei | ge | Packaging |
| | section: 2.5 m Article number <u>17490.2</u> Feed-through t | m², Width: 51 mm, Colour: Beig Article name | ge GTIN (EAN) 4044211205294 ection, Mounting type: Plug ir | Packaging unit 25 ST n, Rated cross Packaging |
| | section: 2.5 m Article number <u>17490.2</u> Feed-through t section: 2.5 m | m², Width: 51 mm, Colour: Beig Article name ZST 2,5/10/1A/Q BG terminal, Tension-spring conne m², Width: 5.1 mm, Colour: Be | ge GTIN (EAN) 4044211205294 ection, Mounting type: Plug ir ige | Packaging unit 25 ST |
| | section: 2.5 mi Article number <u>17490.2</u> Feed-through t section: 2.5 mi <u>Article number</u> <u>3673.2</u> Feed-through t section: 2.5 mi | m², Width: 51 mm, Colour: Beig Article name ZST 2,5/10/1A/Q BG terminal, Tension-spring conne m², Width: 5.1 mm, Colour: Be Article name ZST 2,5/1A/Q/Z BG terminal, Tension-spring conne m², Width: 20.4 mm, Colour: B | ge GTIN (EAN) 4044211205294 ection, Mounting type: Plug in ige GTIN (EAN) 4044211177843 ection, Mounting type: Plug in eige | Packaging unit 25 ST n, Rated cross Packaging unit 100 |
| | section: 2.5 mi Article number <u>17490.2</u> Feed-through t section: 2.5 mi Article number <u>3673.2</u> Feed-through t | m², Width: 51 mm, Colour: Beig Article name ZST 2,5/10/1A/Q BG terminal, Tension-spring conne m², Width: 5.1 mm, Colour: Be Article name ZST 2,5/1A/Q/Z BG terminal, Tension-spring conne | ge GTIN (EAN) 4044211205294 ection, Mounting type: Plug in ige GTIN (EAN) 4044211177843 ection, Mounting type: Plug in | Packaging unit 25 ST n, Rated cross Packaging unit 100 |

| <u>NEUR</u> | Article number | Article name | GTIN (EAN) | Packaging unit |
|-------------|----------------|-------------------|---------------|-------------------|
| | 17487.2 | ZST 2,5/7/1A/Q BG | 4044211205263 | 25 ST |



| | • | terminal, Plug-in connection, Mountin , Colour: Beige | g type: Mounting rail ⊺ | rs 35/7.5, |
|----------|---|---|---|---|
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3654.2 | ZRKS 2,5/4S BG | 4044211177690 | 100 |
| R | - | terminal, Tension-spring connection, m², Width: 10.2 mm, Colour: Beige | Mounting type: Plug ir | n, Rated cross- |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| 0 00 | 17482.2 | ZST 2,5/2/1A/Q BG | 4044211205218 | 50 ST |
| rnr | • | terminal, Tension-spring connection, m², Width: 15.3 mm, Colour: Beige | Mounting type: Plug ir | n, Rated cross- |
| EAC | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 17483.2 | ZST 2,5/3/1A/Q BG | 4044211205225 | 50 ST |
| | • | terminal, Tension-spring connection, m², Width: 40.8 mm, Colour: Beige | Mounting type: Plug ir | n, Rated cross- |
| KEUR | Article number | Article name | GTIN (EAN) | Packaging |
| KEUR | Article number | Article name ZST 2,5/8/1A/Q BG | GTIN (EAN) 4044211205270 | Packaging unit 25 ST |
| KEWA | 17488.2 Feed-through 1 | | 4044211205270 | unit 25 ST n, Rated cross- |
| KEWA | 17488.2 Feed-through 1 | ZST 2,5/8/1A/Q BG terminal, Tension-spring connection, | 4044211205270 | unit 25 ST |
| KEWA | 17488.2 Feed-through t section: 2.5 m | ZST 2,5/8/1A/Q BG terminal, Tension-spring connection, m ² , Width: 61.2 mm, Colour: Beige | 4044211205270 Mounting type: Plug ir | unit 25 ST n, Rated cross- Packaging |
| KEWA | 17488.2 Feed-through t section: 2.5 m Article number 17492.2 Feed-through t | ZST 2,5/8/1A/Q BG terminal, Tension-spring connection, m ² , Width: 61.2 mm, Colour: Beige Article name | 4044211205270 Mounting type: Plug ir GTIN (EAN) 4044211205317 | unit 25 ST n, Rated cross- Packaging unit 10 ST |
| KEUR | 17488.2 Feed-through t section: 2.5 m Article number 17492.2 Feed-through t | ZST 2,5/8/1A/Q BG terminal, Tension-spring connection, m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection, | 4044211205270 Mounting type: Plug ir GTIN (EAN) 4044211205317 | unit 25 ST n, Rated cross- Packaging unit 10 ST |
| KEUR | 17488.2Feed-through t section: 2.5 mitArticle number17492.2Feed-through t section: 2.5 mit | ZST 2,5/8/1A/Q BG terminal, Tension-spring connection, m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection, m ² , Width: 5.1 mm, Colour: Beige | 4044211205270 Mounting type: Plug in GTIN (EAN) 4044211205317 Mounting type: Plug in | unit 25 ST n, Rated cross- Packaging unit 10 ST n, Rated cross- Packaging |
| | 17488.2Feed-through t section: 2.5 mmArticle number17492.2Feed-through t section: 2.5 mmArticle number3672.2Feed-through t section: 3672.2 | ZST 2,5/8/1A/Q BG terminal, Tension-spring connection, m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection, m ² , Width: 5.1 mm, Colour: Beige Article name | 4044211205270 Mounting type: Plug in GTIN (EAN) 4044211205317 Mounting type: Plug in GTIN (EAN) 4044211177836 | unit 25 ST A, Rated cross- Packaging unit 10 ST A, Rated cross- Packaging unit 100 |
| KEWA | 17488.2Feed-through t section: 2.5 mmArticle number17492.2Feed-through t section: 2.5 mmArticle number3672.2Feed-through t section: 3672.2 | ZST 2,5/8/1A/Q BG terminal, Tension-spring connection, m ² , Width: 61.2 mm, Colour: Beige Article name ZST 2,5/12/1A/Q BG terminal, Tension-spring connection, m ² , Width: 5.1 mm, Colour: Beige Article name ZST 2,5/1A/Q BG terminal, Tension-spring connection, | 4044211205270 Mounting type: Plug in GTIN (EAN) 4044211205317 Mounting type: Plug in GTIN (EAN) 4044211177836 | unit 25 ST A, Rated cross- Packaging unit 10 ST A, Rated cross- Packaging unit 100 |



| 10-10- | | al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm², Widt | . | <i>.</i> |
|--------|--|--|--|---|
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3528.2 | ZIZA 1,5/3 BG | 4044211058722 | 100 ST |
| AIZA | | al / actuator terminal / block variant, rail TS 35/7.5, Rated cross-section | | • |
| 547 | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3529.2 | ZIZA 1,5/3/B BG | 4044211058739 | 50 |
| | | al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm², Widt | . | <i>.</i> |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3530.2 | ZIZA 1,5/3/LED(RD)/24V BG | 4044211058746 | 50 ST |
| | | | | 0001 |
| | | al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm², Widt | • | type: Mounting |
| | | • | • | type: Mounting |
| ADA A | rail TS 35/7.5, | Rated cross-section: 1.5 mm ² , Widt | h: 5.1 mm, Colour: Beig | type: Mounting ge Packaging |
| | rail TS 35/7.5, Article number 3533.2 Initiator termina | Rated cross-section: 1.5 mm², Widt | h: 5.1 mm, Colour: Beig GTIN (EAN) 4044211058784 Tension-spring connec | type: Mounting ge Packaging unit 100 ST |
| | rail TS 35/7.5, Article number <u>3533.2</u> Initiator termina type: Mounting | Rated cross-section: 1.5 mm², Widt Article name ZIZA 1,5/4 BG al / actuator terminal / block variant, | h: 5.1 mm, Colour: Beig GTIN (EAN) 4044211058784 Tension-spring connec | type: Mounting ge Packaging unit 100 ST |
| | rail TS 35/7.5, Article number <u>3533.2</u> Initiator termina type: Mounting Beige | Rated cross-section: 1.5 mm², Widt Article name ZIZA 1,5/4 BG al / actuator terminal / block variant, rail TS 35/7.5, Rated cross-section | h: 5.1 mm, Colour: Beig GTIN (EAN) 4044211058784 Tension-spring connect 1.5 mm², Width: 5.1 m | type: Mounting ge Packaging unit 100 ST ction, Mounting m, Colour: Packaging |
| | rail TS 35/7.5, Article number <u>3533.2</u> Initiator termina type: Mounting Beige Article number <u>3535.2</u> Initiator termina | Rated cross-section: 1.5 mm², Widt Article name ZIZA 1,5/4 BG al / actuator terminal / block variant, rail TS 35/7.5, Rated cross-section Article name | h: 5.1 mm, Colour: Beig GTIN (EAN) 4044211058784 Tension-spring connect 1.5 mm², Width: 5.1 m GTIN (EAN) 4044211058807 g connection, Mounting | type: Mounting Packaging unit 100 ST tion, Mounting m, Colour: Packaging unit 50 ST type: Mounting |
| | rail TS 35/7.5, Article number <u>3533.2</u> Initiator termina type: Mounting Beige Article number <u>3535.2</u> Initiator termina | Rated cross-section: 1.5 mm², Widt Article name ZIZA 1,5/4 BG al / actuator terminal / block variant, rail TS 35/7.5, Rated cross-section Article name ZIZA 1,5/4/B/LED(RD)/24V BG al / actuator terminal, Tension-spring | h: 5.1 mm, Colour: Beig GTIN (EAN) 4044211058784 Tension-spring connect 1.5 mm², Width: 5.1 m GTIN (EAN) 4044211058807 g connection, Mounting | type: Mounting Packaging unit 100 ST tion, Mounting m, Colour: Packaging unit 50 ST type: Mounting |



##INVERSE##CONTA-CONNECT

| | al / actuator terminal, Tension-spring o Rated cross-section: 1.5 mm², Width: | | · · · · |
|--|---|---------------|---------------------------------------|
| Article number | Article name | GTIN (EAN) | Packaging unit |
| 3644.2 | ZIZA 1,5/3/17 POL/LED(RD)/24V | 4044211108403 | 1 ST |
| | al / actuator terminal / block variant, To rail TS 35/7.5, Rated cross-section: 1 | | · · · · · · · · · · · · · · · · · · · |
| Article number | Article name | GTIN (EAN) | Packaging unit |
| 3531.2 | ZIZA 1,5/3/B/LED(RD)/24V BG | 4044211058760 | 50 ST |
| | al / actuator terminal, Tension-spring c Rated cross-section: 1.5 mm², Width: | | ••• |
| Article number | Article name | GTIN (EAN) | Packaging unit |
| 3536.2 | ZIZA 1,5/4/LED(RD)/24V BG | 4044211058814 | 100 ST |
| Initiator terminal / actuator terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 1.5 mm ² , Width: 45.9 mm, Colour: Multi-coloured | | | |
| Article number | Article name | GTIN (EAN) | Packaging unit |
| 3544.2 | ZIZA 1,5/3/8 POL | 4044211058852 | 5 ST |
| | al / actuator terminal, Tension-spring c Rated cross-section: 1.5 mm², Width: | | ••• |
| Article number | Article name | GTIN (EAN) | Packaging unit |
| 3547.2 | ZIZA 1,5/3/10 POL/LED(RD)/24V | 4044211058883 | 5 ST |
| | al / actuator terminal, Tension-spring o Rated cross-section: 1.5 mm ² , Width: | | |
| Article number | Article name | GTIN (EAN) | Packaging unit |
| 3553.2 | ZIZA 1,5/3/10 POL/LED(RD)/24V/PE | 4044211058944 | 5 ST |



| | | al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm², Width | - | •• |
|--------------------|-----------------|--|---------------------------------------|-------------------|
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3555.2 | ZIZA 1,5/3/16 POL/LED(RD)/24V/PE | 4044211058968 | 1 ST |
| | | al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm², Width | · · · · · · · · · · · · · · · · · · · | ••• |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3556.2 | ZIZA 1,5/4/8 POL/PE | 4044211058975 | 5 ST |
| | | al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm², Width | · · · · · · · · · · · · · · · · · · · | ••• |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| Plane une s | 3559.2 | ZIZA 1,5/4/10 POL/LED(RD)/24V/PE | 4044211059002 | 5 ST |
| | rail TS 35/7.5, | al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm ² , Width | n: 91.8 mm, Colour: Mu | ••• |
| | Article number | Article name | GTIN (EAN) | unit |
| | 3560.2 | ZIZA 1,5/4/16 POL/PE | 4044211059019 | 1 ST |
| | | al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm², Width | · · · · · · · · · · · · · · · · · · · | ••• |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3642.2 | ZIZA 1,5/3/9 POL/LED(RD)/24V | 4044211108410 | 1 ST |
| | | al / actuator terminal / block variant, g rail TS 35/7.5, Rated cross-section: | | |
| | Article number | Article name | GTIN (EAN) | Packaging |

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------|---------------|-------------------|
| 3534.2 | ZIZA 1,5/4/B BG | 4044211058791 | 50 ST |



| INVERSE##CO | NTA-CONNECT | | | |
|-------------|----------------|---|---------------|-------------------|
| | | al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm², Width | • | ••• |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3545.2 | ZIZA 1,5/3/8 POL/LED(RD)/24V | 4044211058869 | 5 ST |
| | | al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm², Width | | ••• |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3548.2 | ZIZA 1,5/3/16 POL | 4044211058890 | 1 ST |
| | | al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm², Width | • | i-coloured |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3550.2 | ZIZA 1,5/3/8 POL/PE | 4044211058913 | 5 ST |
| | | al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm², Width | • | ••• |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3552.2 | ZIZA 1,5/3/10 POL/PE | 4044211058937 | 5 ST |
| | | al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm², Width | • | ••• |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3557.2 | ZIZA 1,5/4/8 POL/LED(RD)/24V/PE | 4044211058982 | 5 ST |
| | | al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm², Width | • | ••• |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3561.2 | ZIZA 1,5/4/16 POL/LED(RD)/24V/PE | 4044211059026 | 1 ST |
| | | al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm², Width | • | ••• |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3641.2 | ZIZA 1,5/3/9 POL | 4044211108380 | 5 ST |



##INVERSE##CONTA-CONNECT

| | | al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm², Widt | | ••• |
|---|----------------|--|---------------|-------------------|
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3643.2 | ZIZA 1,5/3/17 POL | 4044211108397 | 1 ST |
| | - | h terminal for direct mount, ATEX-c Mounting surface, Rated cross-sec | | |
| C Dad 0 | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 1729.2 | ZSRK 2,5/2A-D Ex BG | 4044211129699 | 100 ST |
| | | al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm², Widt | | ••• |
| | Article number | Article name | GTIN (EAN) | unit |
| | <u>3546.2</u> | ZIZA 1,5/3/10 POL | 4044211058876 | 5 ST |
| | | al / actuator terminal, Tension-spring Rated cross-section: 1.5 mm², Widt | | ulti-coloured |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3549.2 | ZIZA 1,5/3/16 POL/LED(RD)/24V | 4044211058906 | 1 ST |
| | | al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm², Widt | | ••• |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3551.2 | ZIZA 1,5/3/8 POL/LED(RD)/24V/PE | 4044211058920 | 5 ST |
| | | al / actuator terminal, Tension-sprin Rated cross-section: 1.5 mm², Widt | | ••• |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| the second se | 3558.2 | | | |



| KD-GX | Article number | Article name | GTIN (EAN) | Packaging unit |
|---------|---|---|---|----------------------------|
| | 3588.2 | ZSRK 2,5/2A-D BG | 4044211151966 | 100 |
| REAL ST | • | terminal for direct mount, Tensio ace, Rated cross-section: 2.5 mn | | • • • |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3638.2 | ZSLN 2,5/2A-D BKYE | 4044211080570 | 100 ST |
| | • | terminal for direct mount, Tensio ace, Rated cross-section: 2.5 mn Article name | | 0 11 |
| | 3639.2 | ZSLN 2,5/2A-RC BKYE | 4044211080556 | 100 ST |
| | Article number 3640.2 Feed-through | Article name ZSLN 2,5/2A-D/F BKYE terminal for direct mount, Tensio ace, Rated cross-section: 2.5 mn | GTIN (EAN) 4044211080563 on-spring connection, Moun | Packaging unit 50 ST |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3587.2 | ZSRK 2,5/2A-RC BG | 4044211151942 | 100 |
| | Feed-through | terminal for direct mount, Tensio | | • • • |
| | Mounting surfa | ace, Rated cross-section: 2.5 mn | | |
| | Mounting surfa | ace, Rated cross-section: 2.5 mn Article name | GTIN (EAN) | Packaging unit |
| | | | | |
| | Article number 3595.2 Fuse-disconne | Article name | GTIN (EAN) 4044211059545 nection, Mounting type: Mo | unit 50 |
| | Article number 3595.2 Fuse-disconne | Article name ZSRK 2,5/2A/D/F BG ect terminal, Tension-spring conr | GTIN (EAN) 4044211059545 nection, Mounting type: Mo | 50 |



##INVERSE##CONTA-CONNECT

| | | ect terminal, Tension-spring connectio cross-section: 2.5 mm ² , Width: 5.1 mr | •••• | unting rail TS |
|------------|----------------|--|---------------|-------------------|
| STORE OF | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3621.2 | ZTRK 2,5/3A/ZS BG | 4044211059859 | 100 |
| | | ect terminal, Tension-spring connectio cross-section: 2.5 mm², Width: 5.1 mr | •••• | unting rail TS |
| STATE OF | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3626.2 | ZTRK 2,5/4A/ZS BG | 4044211059903 | 100 |
| | | ade terminal, Tension-spring connecti cross-section: 2.5 mm², Width: 5.1 mr | | |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3605.2 | ZTRK 2,5/4A/MT BG | 4044211059699 | 100 |
| | | , Tension-spring connection, Mountin 2.5 mm², Width: 5.1 mm, Colour: Beig | | S 35/7.5, Rate |
| a second a | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3611.2 | ZTRK 2,5/4A/OT BG | 4044211059750 | 100 |
| 10.00 pr. | | tiator terminal Multi-wire terminal, Te g rail TS 35/7.5, Rated cross-section: | | • |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3590.2 | ZIKD 2,5 BG | 4044211059460 | 50 |
| | | tiator terminal Multi-wire terminal, Te g rail TS 35/7.5, Rated cross-section: | | |

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|--------------------|---------------|-------------------|
| 3592.2 | ZIKD 2,5/PE/L/L BG | 4044211059507 | 50 |



| | | tiator terminal Multi-wire terminal, g rail TS 35/7.5, Rated cross-sectior | | • |
|--------------------------------|--|--|---|--|
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3594.2 | ZIKD 2,5/PE/L/N BG | 4044211059538 | 50 ST |
| Contraction of the Contraction | | ade terminal, Tension-spring connector cross-section: 2.5 mm², Width: 5.1 r | ÷ | ounting rail TS |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3603.2 | ZTRK 2,5/2A/MT BG | 4044211059675 | 100 |
| | | ade terminal, Tension-spring connector construction: 2.5 mm², Width: 5.1 r | • • • • • | ounting rail TS |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3604.2 | ZTRK 2,5/3A/MT BG | 4044211059682 | 100 |
| | | | | |
| Comus Cors | | , Tension-spring connection, Mount 2.5 mm², Width: 5.1 mm, Colour: B | • • • • | rs 35/7.5, Rate |
| | | | • • • • | ΓS 35/7.5, Rate Packaging unit |
| | cross-section: | 2.5 mm ² , Width: 5.1 mm, Colour: B | eige | Packaging |
| | cross-section: Article number <u>3609.2</u> Basic terminal | 2.5 mm², Width: 5.1 mm, Colour: B Article name | eige GTIN (EAN) 4044211059736 ing type: Mounting rail T | Packaging unit 100 |
| | cross-section: Article number <u>3609.2</u> Basic terminal | 2.5 mm ² , Width: 5.1 mm, Colour: B Article name ZTRK 2,5/2A/OT BG , Tension-spring connection, Mount | eige GTIN (EAN) 4044211059736 ing type: Mounting rail T | Packaging unit 100 |
| | cross-section: Article number <u>3609.2</u> Basic terminal cross-section: | 2.5 mm², Width: 5.1 mm, Colour: B Article name ZTRK 2,5/2A/OT BG , Tension-spring connection, Mount 2.5 mm², Width: 5.1 mm, Colour: B | eige GTIN (EAN) 4044211059736 ing type: Mounting rail T eige | Packaging unit 100 TS 35/7.5, Rate Packaging |
| | cross-section: Article number <u>3609.2</u> Basic terminal cross-section: Article number <u>3610.2</u> Three-level ini | 2.5 mm², Width: 5.1 mm, Colour: B Article name ZTRK 2,5/2A/OT BG , Tension-spring connection, Mount 2.5 mm², Width: 5.1 mm, Colour: B Article name | eige GTIN (EAN) 4044211059736 ing type: Mounting rail T eige GTIN (EAN) 4044211059743 Tension-spring connect | Packaging unit 100 TS 35/7.5, Rate Packaging unit 100 ion, Mounting |
| | cross-section: Article number <u>3609.2</u> Basic terminal cross-section: Article number <u>3610.2</u> Three-level init type: Mounting | 2.5 mm², Width: 5.1 mm, Colour: B Article name ZTRK 2,5/2A/OT BG , Tension-spring connection, Mount 2.5 mm², Width: 5.1 mm, Colour: B Article name ZTRK 2,5/3A/OT BG tiator terminal Multi-wire terminal, | eige GTIN (EAN) 4044211059736 ing type: Mounting rail T eige GTIN (EAN) 4044211059743 Tension-spring connect | Packaging unit 100 TS 35/7.5, Rate Packaging unit 100 ion, Mounting |




| Article number | Article name | GTIN (EAN) | Packaging unit |
|---|--|---|---|
| 3564.2 | ZRKD 2,5/N/DU | 4044211059088 | 100 ST |
| | erminal, Tension-spring conne cross-section: 2.5 mm², Width | C 1 1 | ng rail TS |
| Article number | Article name | GTIN (EAN) | Packaging unit |
| 3566.2 | ZRKD 2,5/N/PE | 4044211059101 | 100 ST |
| | erminal, Tension-spring conne cross-section: 2.5 mm², Width Article name | C 1 1 | ng rail TS Packaging unit |
| 3575.2 | ZRKD 2,5/ZBA BG | 4044211059194 | 100 |
| | tiator terminal Multi-wire tern g rail TS 35/7.5, Rated cross-s | | • |
| type: Mounting | • | | nm, Colour: Packaging |
| type: Mounting Beige | g rail TS 35/7.5, Rated cross-s | ection: 2.5 mm ² , Width: 5.1 m | • |
| type: Mounting Beige Article number 3591.2 Ex double-leve Mounting rail | Article name ZIKD 2,5/SV BG el terminal ATEX-certified, Ter FS 35/7.5, Rated cross-section | GTIN (EAN) 4044211059484 nsion-spring connection, Moun n: 2.5 mm², Width: 5.1 mm, C | nm, Colour: Packaging unit 50 nting type: olour: Beige |
| type: Mounting Beige Article number 3591.2 Ex double-leve | Article name ZIKD 2,5/SV BG el terminal ATEX-certified, Ter | GTIN (EAN) 4044211059484 | nm, Colour: Packaging unit 50 nting type: |
| type: Mounting Beige Article number 3591.2 Ex double-leve Mounting rail | Article name ZIKD 2,5/SV BG el terminal ATEX-certified, Ter FS 35/7.5, Rated cross-section | GTIN (EAN) 4044211059484 nsion-spring connection, Moun n: 2.5 mm², Width: 5.1 mm, C | nm, Colour: Packaging unit 50 nting type: olour: Beige Packaging |
| type: Mounting Beige Article number <u>3591.2</u> Ex double-leve Mounting rail | Article name ZIKD 2,5/SV BG el terminal ATEX-certified, Ter TS 35/7.5, Rated cross-section Article name | GTIN (EAN) 4044211059484 nsion-spring connection, Moun n: 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211110949 ection, Mounting type: Mountin | nm, Colour: Packaging unit 50 nting type: olour: Beige Packaging unit 100 |
| type: Mounting Beige Article number <u>3591.2</u> Ex double-leve Mounting rail | Article name ZIKD 2,5/SV BG el terminal ATEX-certified, Ter TS 35/7.5, Rated cross-section Article name ZRKD 2,5 Ex BG erminal, Tension-spring conne | GTIN (EAN) 4044211059484 nsion-spring connection, Moun n: 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211110949 ection, Mounting type: Mountin | nm, Colour: Packaging unit 50 nting type: olour: Beige Packaging unit 100 |



##INVERSE##CONTA-CONNECT

| | Rated cross-se | | | |
|---------|---|---|--|---|
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3563.2 | ZRKD 2,5/SV BG | 4044211059064 | 100 |
| - N - C | | erminal, Tension-spring connec cross-section: 2.5 mm², Width: | 0,11 | ng rail TS |
| 0, | Article number | Article name | GTIN (EAN) | Packaging unit |
| | 3565.2 | ZRKD 2,5/DU/PE | 4044211059095 | 100 ST |
| | | erminal, Tension-spring connec cross-section: 2.5 mm², Width: | 0,11 | 0 |
| | Article number | Article name | GTIN (EAN) | Packaging unit |
| | | | | um |
| | <u>3576.2</u> | ZRKD 2,5/SV/ZBA BG | 4044211059217 | 100 |
| | Double-level to | ZRKD 2,5/SV/ZBA BG erminal, Tension-spring connec cross-section: 2.5 mm², Width: | ction, Mounting type: Mountir | 100 |
| | Double-level to | erminal, Tension-spring connec | ction, Mounting type: Mountir | 100 |
| | Double-level to 35/7.5, Rated | erminal, Tension-spring connec cross-section: 2.5 mm², Width: | ction, Mounting type: Mountin 5.1 mm, Colour: Beige | 100 ng rail TS Packaging |
| | Double-level to 35/7.5, Rated Article number 3577.2 Double-level to | erminal, Tension-spring connec cross-section: 2.5 mm², Width: Article name | ction, Mounting type: Mountin 5.1 mm, Colour: Beige GTIN (EAN) 4044211059231 ction, Mounting type: Mountin | 100 ng rail TS Packaging unit 100 ST |
| | Double-level to 35/7.5, Rated Article number 3577.2 Double-level to | erminal, Tension-spring connec cross-section: 2.5 mm², Width: Article name ZRKD 2,5/N/DU/ZBA erminal, Tension-spring connec | ction, Mounting type: Mountin 5.1 mm, Colour: Beige GTIN (EAN) 4044211059231 ction, Mounting type: Mountin | 100 ng rail TS Packaging unit 100 ST |
| | Double-level to 35/7.5, Rated Article number <u>3577.2</u> Double-level to 35/7.5, Rated | erminal, Tension-spring connect cross-section: 2.5 mm², Width: Article name ZRKD 2,5/N/DU/ZBA erminal, Tension-spring connect cross-section: 2.5 mm², Width: | ction, Mounting type: Mountin 5.1 mm, Colour: Beige GTIN (EAN) 4044211059231 ction, Mounting type: Mountin 5.1 mm, Colour: Beige | 100 ng rail TS Packaging unit 100 ST ng rail TS Packaging |
| | Double-level to 35/7.5, Rated Article number <u>3577.2</u> Double-level to 35/7.5, Rated Article number <u>3578.2</u> Double-level to | erminal, Tension-spring connect cross-section: 2.5 mm², Width: Article name ZRKD 2,5/N/DU/ZBA erminal, Tension-spring connect cross-section: 2.5 mm², Width: Article name | ction, Mounting type: Mountin 5.1 mm, Colour: Beige GTIN (EAN) 4044211059231 ction, Mounting type: Mountin 5.1 mm, Colour: Beige GTIN (EAN) 4044211059248 | 100 ng rail TS Packaging unit 100 ST ng rail TS Packaging unit 100 ST |
| | Double-level to 35/7.5, Rated Article number <u>3577.2</u> Double-level to 35/7.5, Rated Article number <u>3578.2</u> Double-level to | erminal, Tension-spring connec cross-section: 2.5 mm², Width: Article name ZRKD 2,5/N/DU/ZBA erminal, Tension-spring connec cross-section: 2.5 mm², Width: Article name ZRKD 2,5/DU/PE/ZBA erminal, Tension-spring connec | ction, Mounting type: Mountin 5.1 mm, Colour: Beige GTIN (EAN) 4044211059231 ction, Mounting type: Mountin 5.1 mm, Colour: Beige GTIN (EAN) 4044211059248 | 100 ng rail TS Packaging unit 100 ST ng rail TS Packaging unit 100 ST |

Double-level terminal Tension-spring connection Mounting type: Mounting rail TS35/7.5



| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|-------------------|
| 1704.2 | ZRK 2,5/2A Ex BG | 4044211058401 | 100 |



| | Article number | Article name | GTIN (EAN) | Packaging unit |
|----------|--|---|--|---|
| | 3501.2 | ZRK 2,5/3A BG | 4044211151690 | 100 |
| rar | • | terminal, Tension-spring connector cross-section: 2.5 mm², Width: { | • • • • | ing rail TS |
| EHC | Article number | Article name | GTIN (EAN) | Packaging unit |
| | <u>1169.2</u> | ZSRK 2,5/2A/SAS BG | 4044211128647 | 100 |
| | | gh terminal ATEX-certified, Tens IS 15/5.5, Rated cross-section: | | |
| KD-GX | | | | |
| <u> </u> | Article number | Article name | GTIN (EAN) | Packaging unit |
| 20-06 | 1700.2 | ZSRK 2,5/2A/15 Ex BG | 4044211059354 | unit 100 |
| | 1700.2 Ex feed-throug | | 4044211059354 sion-spring connection, Mou | unit 100 Inting type: olour: Beige Packaging |
| | 1700.2 Ex feed-throug Mounting rail T | ZSRK 2,5/2A/15 Ex BG gh terminal ATEX-certified, Tens IS 35/7.5, Rated cross-section: | 4044211059354 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C | unit 100 Inting type: olour: Beige |
| | 1700.2 Ex feed-throug Mounting rail T Article number 1702.2 Ex feed-throug | ZSRK 2,5/2A/15 Ex BG gh terminal ATEX-certified, Tens TS 35/7.5, Rated cross-section: Article name | 4044211059354 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059316 sion-spring connection, Mou | unit 100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige |
| | 1700.2 Ex feed-throug Mounting rail 1 Article number 1702.2 Ex feed-throug Mounting rail 1 | ZSRK 2,5/2A/15 Ex BG gh terminal ATEX-certified, Tens TS 35/7.5, Rated cross-section: Article name ZSRK 2,5/2A Ex BG gh terminal ATEX-certified, Tens TS 35/7.5, Rated cross-section: | 4044211059354 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059316 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C | unit 100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige Packaging |
| | 1700.2 Ex feed-throug Mounting rail T Article number 1702.2 Ex feed-throug Mounting rail T Article number 1702.2 Ex feed-throug Mounting rail T Article number 1705.2 Feed-through | ZSRK 2,5/2A/15 Ex BG gh terminal ATEX-certified, Tens TS 35/7.5, Rated cross-section: Article name ZSRK 2,5/2A Ex BG gh terminal ATEX-certified, Tens TS 35/7.5, Rated cross-section: Article name | 4044211059354 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059316 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211110925 ction, Mounting type: Mount | unit 100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige |
| | 1700.2 Ex feed-throug Mounting rail T Article number 1702.2 Ex feed-throug Mounting rail T Article number 1702.2 Ex feed-throug Mounting rail T Article number 1705.2 Feed-through | ZSRK 2,5/2A/15 Ex BG gh terminal ATEX-certified, Tens TS 35/7.5, Rated cross-section: Article name ZSRK 2,5/2A Ex BG gh terminal ATEX-certified, Tens TS 35/7.5, Rated cross-section: Article name ZRK 2,5/3A Ex BG terminal, Tension-spring connect | 4044211059354 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211059316 sion-spring connection, Mou 2.5 mm², Width: 5.1 mm, C GTIN (EAN) 4044211110925 ction, Mounting type: Mount | unit 100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige Packaging unit 100 Inting type: olour: Beige |

| Ĵ | Article number | Article name | GTIN (EAN) | Packaging unit |
|---|----------------|----------------|---------------|-------------------|
| | 3583.2 | ZSRK 2,5/2A BG | 4044211151874 | 100 |



##INVERSE##CONTA-CONNECT



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|-------------------|
| 3585.2 | ZSRK 2,5/2A/15 BG | 4044211151904 | 100 |

Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-------------------|---------------|-------------------|
| 1703.2 | ZSRK 2,5/3A Ex BG | 4044211059620 | 100 |

Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|------------------|---------------|-------------------|
| 1706.2 | ZRK 2,5/4A Ex BG | 4044211058463 | 100 |



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| | Article number | Article name | GTIN (EAN) | Packaging unit |
|--|----------------|-------------------|---------------|-------------------|
| | 3599.2 | ZSRK 2,5/3A/15 BG | 4044211152024 | 100 |



Ex feed-through terminal ATEX-certified, Tension-spring connection, Mounting type: Mounting rail TS 15/5.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------------|---------------|-------------------|
| 1701.2 | ZSRK 2,5/3A/15 Ex BG | 4044211059590 | 100 |

Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|---------------|---------------|-------------------|
| 3502.2 | ZRK 2,5/4A BG | 4044211151713 | 100 |



##INVERSE##CONTA-CONNECT



Feed-through terminal, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|-------------------|
| 3600.2 | ZSRK 2,5/3A BG | 4044211152031 | 100 |

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|-----------------------------|---------------|-------------------|
| 3568.2 | ZRKD 2,5/LED1(RD)/24V DC BG | 4044211059125 | 100 ST |

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|-------------------|
| 3570.2 | ZRKD 2,5/D1 BG | 4044211059149 | 100 |

##INVERSE##CONTA-CONNECT



Double-level terminal with electronic components, Tension-spring connection, Mounting type: Mounting rail TS 35/7.5, Rated cross-section: 2.5 mm², Width: 5.1 mm, Colour: Beige

| Article number | Article name | GTIN (EAN) | Packaging unit |
|----------------|----------------|---------------|-------------------|
| 3572.2 | ZRKD 2,5/D3 BG | 4044211059163 | 100 |