

CRIMPFOX-M CX-8/DIE - Crimp insert

1212749

<https://www.phoenixcontact.com/pc/products/1212749>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Die, for CRIMPFOX-M, for coaxial connectors

Your advantages

- Die for CRIMPFOX universal pliers

Commercial data

Item number	1212749
Packing unit	1 pc
Minimum order quantity	1 pc
Product key	BH313Y
Catalog page	Page 436 (C-3-2019)
GTIN	4046356858083
Weight per piece (including packing)	78.2 g
Weight per piece (excluding packing)	78.2 g
Customs tariff number	82032000
Country of origin	SE

CRIMPFOX-M CX-8/DIE - Crimp insert



1212749

<https://www.phoenixcontact.com/pc/products/1212749>

Technical data

Product properties

Product type	Die
Compression	HEX crimp
Outside diameter	8.23 mm
Internal diameter	1.72 mm

Material specifications

Color	black
-------	-------

CRIMPFOX-M CX-8/DIE - Crimp insert



1212749

<https://www.phoenixcontact.com/pc/products/1212749>

Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/pc/products/1212749>



EAC

Approval ID: RU x-DE.xx08.B.02974

CRIMPFOX-M CX-8/DIE - Crimp insert



1212749

<https://www.phoenixcontact.com/pc/products/1212749>

Classifications

ECLASS

ECLASS-11.0	21043852
ECLASS-12.0	21043852
ECLASS-13.0	21043852

ETIM

ETIM 8.0	EC001282
----------	----------

UNSPSC

UNSPSC 21.0	27111500
-------------	----------

CRIMPFOX-M CX-8/DIE - Crimp insert

1212749

<https://www.phoenixcontact.com/pc/products/1212749>



Accessories

CRIMPFOX-C D - Crimping pliers

1212734

<https://www.phoenixcontact.com/pc/products/1212734>



Basic pliers, for accommodating dies for various type of contacts, unlockable pressure lock, lateral entry

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

PHOENIX CONTACT GmbH & Co. KG
Flachsmarktstraße 8
D-32825 Blomberg
+49 (0) 5235-3 00
info@phoenixcontact.com