

HOUSING - BRASS, GOLD PLATING FERRULE - COPPER, GOLD PLATING

BODY - BERYLLIUM COPPER, GOLD PLATING

CONTACT - BRASS, GOLD PLATING

INSULATOR - PTFE, NATURAL

2. ELECTRICAL:

NOTES:

A. IMPEDANCE: 50 OHM, NOMINAL

B. FREQUENCY RANGE: 0-6 GHz

C. VSWR (RETURN LOSS): 1.060 (-30.7 dB) MAX. @ 0-2.5 GHZ

D. D.W.V: 1000 VRMS, MIN.


3. MECHANICAL:

A. DURABILITY: 500 CYCLES MIN. B. TEMPERATURE RANGE: -55°C TO +155°C

4. CRIMPED FERRULE HEX CRIMP SIZE .128"


5. CONTACT PIN TO SOLDER


6. SHOWS CABLE ENTRY DIMENSIONS.




THIRD ANGLE PROJ. 🕀 🖯

RECOMMENDED CABLE STRIPPING DIM'S





SCALE 5.000



CUSTOMER OUTLINE DRAWING

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE: <0.5mm 0.5 - 6mm 6 - 30mm 30 - 120mm ANGLES ±0.05mm ±0.1mm ±0.2mm ±0.3mm ±1°	MATERIAL	DRAWN R.MAO	DATE 08-Apr-15	TITLE MCX CRIMP PLUG	Amphenol
NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they		ENGINEER S.DUAN	DATE 08-Apr-15	(FOR RG-178B/U,196A/U	Connex
are given by Amphenol Corp. the furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights to permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to	MCVII2IAI-000-3CT30C-50	APPROVED	DATE		DRAWING NO. 252127
	CONFIGURATION LEVEL: In Work	S.HSIEH CAD FILE	08-Apr-15	SCALE: 7.0:1.0 SHEET 3 OF 3 DWG SIZE REV	ITEM NO. 252127
or disclosed by said drawings, specifications, or other data.	FINISH	1		В	PART NO. 252127