

## 4-Outlet Power Strip with USB-A Charging - BS1363A Outlets, 220-250V, 13A, 1.8 m Cord, BS1363A Plug, White

MODEL NUMBER: PS4B18USBW



4-outlet power strip with USB-A ports distributes electricity to home and office electronics and charges your mobile devices.

### Features

**35.6 cm Power Strip Delivers Electricity to 4 Devices at the Same Time** Compatible with standard electrical equipment, this Protect It!® power strip features four BS1363A outlets and a durable white plastic housing. It is ideal for powering almost anything with a compatible plug, including computers and mobile devices to appliances and power tools.

**Charges 2 Mobile Devices with 2.1A of Shared Power** In addition to AC outlets, this power strip provides USB charging for up to two mobile devices, including smartphones, tablets and e-readers. The USB-A ports eliminate the need for AC adapters for charging cords, leaving outlets available for AC equipment.

**Designed to Give You Flexibility in Placing the Power Strip Where It's Most Needed** The power strip features a space-saving right-angle BS1363A plug that helps you connect to a wall outlet located behind furniture that is placed flush against the wall. The plug is attached to a 1.8-meter power cord, which gives you more choices in placing the power strip away from the connected AC outlet.

**Vertical or Horizontal Mounting for Desks and Workbenches** Keyhole-shaped mounting slots on the back of the power strip allow you to permanently install it on any flat surface, including walls, with user-supplied hardware.

**Premium Safety Features Designed for Protecting Your Valuable Equipment** The PS4B18USBW features an on/off switch with diagnostic LED that provides one-touch control over all connected devices. A built-in 13-amp circuit breaker immediately shuts down the entire power strip in case of an overload to prevent equipment damage.

## Specifications

### OVERVIEW

### Highlights

- 4 BS1363A outlets distribute power to appliances, tools, lighting and other electronics
- 1.8 m cord with BS1363A plug offers flexible placement in relation to an AC wall outlet
- 2 USB-A ports share 2.1A of power for charging phones, tablets and other mobile devices
- Rear keyhole slots enable mounting to desk or workbench for easy access to outlets
- 13A circuit breaker shuts down all UK outlets for safety in case of overload

### Applications

- Distribute power to computer equipment and other devices in an office, workbench, retail or telecom environment
- Mount a power strip to the edge of a desk or workbench for easy access to outlets
- Charge a smartphone and tablet without taking up available AC outlets

### Package Includes

- PS4B18USBW 4-Outlet Power Strip, British BS1363A Outlets, White

|  |  |
|--|--|
| UPC Code                                     | 037332251602   |
| Product Type                                 | Power Strip  |
| Charging Form Factor                         | Strip  |
| Device Compatibility                         | Phone; Tablet; Amazon Kindle   |
| <b>INPUT</b>                                 |  |
| Nominal Input Voltage(s) Supported           | 230V AC  |
| Recommended Electrical Service               | 230V (220-250V)  |
| Voltage Compatibility (VAC)                  | 220-250  |
| Input Plug Type                              | British  |
| Input Cord Length (ft.)                      | 5.9  |
| Right-Angle Plug                             | Yes  |
| Input Cord Length (m)                        | 1.80   |
| Integrated Cord Clip                         | No   |
| <b>OUTPUT</b>                                |  |
| Frequency Compatibility                      | 50 / 60 Hz   |
| Output Receptacles                           | (4) British BS 1363A   |
| Circuit Breaker (amps)                       | 13   |
| Overload Protection                          | Combo power switch and circuit breaker   |
| Outlet Orientation                           | Right-angled   |
| Right-Angle Outlets                          | Yes  |
| <b>USER INTERFACE, ALERTS &amp; CONTROLS</b> |  |
| Diagnostic LED(s)                            | Yes  |
| Switches                                     | Two position power switch  |
| <b>CHARGING</b>                              |  |
| Number of Charging Ports                     | 2  |
| Charging Method                              | USB  |
| Charging Port Type                           | USB A (FEMALE)   |
| Charging Ports / Amps                        | (2) 2.1A   |
| <b>SURGE / NOISE SUPPRESSION</b>             |  |
| Protection Modes                             | Includes full normal mode (H-N) and common mode (N-G/H-G) line surge suppression |
| Automatic Shut-Off                           | No   |

| <b>DATALINE SURGE SUPPRESSION</b>    |                                |
|--------------------------------------|--------------------------------|
| Cable (Coax) Protection              | No                             |
| Network (Ethernet) Protection        | No                             |
| Telephone/DSL Protection             | No                             |
| <b>PHYSICAL</b>                      |                                |
| Color                                | White                          |
| Material of Construction             | Plastic                        |
| Power Cord Color                     | White                          |
| Housing Color                        | White                          |
| Mounting Holes or Slots              | Yes                            |
| Receptacle Color                     | White                          |
| Shipping Dimensions (hwd / in.)      | 14.00 x 3.40 x 2.90            |
| Shipping Dimensions (hwd / cm)       | 35.56 x 8.64 x 7.37            |
| Shipping Weight (lbs.)               | 0.98                           |
| Shipping Weight (kg)                 | 0.44                           |
| Unit Dimensions (hwd / in.)          | 14.000 x 3.000 x 2.600         |
| Unit Dimensions (hwd / cm)           | 11.6 x 2.9 x 2.9               |
| Unit Weight (lbs.)                   | 0.81                           |
| Unit Weight (kg)                     | 0.37                           |
| <b>FEATURES &amp; SPECIFICATIONS</b> |                                |
| Rotatable Outlets                    | No                             |
| Antimicrobial                        | No                             |
| Built-In Circuit Breaker             | Yes                            |
| <b>STANDARDS &amp; COMPLIANCE</b>    |                                |
| Product Compliance                   | RoHS; CE (Europe); REACH; UKCA |
| <b>WARRANTY &amp; SUPPORT</b>        |                                |
| Product Warranty Period (Worldwide)  | Lifetime limited warranty      |



1000 Eaton Boulevard  
Cleveland, OH 44122  
United States



© 2023 Eaton. All Rights Reserved.  
Eaton is a registered trademark. All other trademarks  
are the property of their respective owners.