

SH-PCB 6 - Shield connection clamp

1322664

<https://www.phoenixcontact.com/us/products/1322664>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Shield connection, Shield connection clamp, connection method: Spring-cage connection, product range: Accessories, width: 11 mm

Your advantages

- Safe discharge of interference signals
- Low transfer impedance due to large-surface shield connection
- Convenient mounting of the cable shielding
- As components, it is not possible to certify shield connections in accordance with the requirements of the directive and standards for electrical equipment in potentially explosive areas. As such, shield-connection clamps can be used in potentially explosive areas even without an appropriate approval or identification

Commercial data

Item number	1322664
Packing unit	1 pc
Minimum order quantity	50 pc
Sales key	AA18
Product key	AARZZA
GTIN	4063151610524
Weight per piece (including packing)	2.872 g
Weight per piece (excluding packing)	2.22 g
Customs tariff number	85369010
Country of origin	DE

SH-PCB 6 - Shield connection clamp



1322664

<https://www.phoenixcontact.com/us/products/1322664>

Technical data

Product properties

Product type	Shield connection
Product family	Accessories
Number of positions	1

Dimensions

Width	11 mm
Height	22.95 mm
Installed height	20.35 mm
Length of the solder pin	2.6 mm
Length	8 mm
Length of the solder pin	2.6 mm
Hole diameter	2.3 mm
Clamping range	3 mm ... 6 mm

SH-PCB 6 - Shield connection clamp



1322664

<https://www.phoenixcontact.com/us/products/1322664>

Classifications

ECLASS

ECLASS-11.0	27141150
ECLASS-12.0	27141150
ECLASS-13.0	27250309

ETIM

ETIM 8.0	EC002020
----------	----------

UNSPSC

UNSPSC 21.0	39121400
-------------	----------

SH-PCB 6 - Shield connection clamp



1322664

<https://www.phoenixcontact.com/us/products/1322664>

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e No hazardous substances above threshold values
------------	---

Phoenix Contact 2023 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com