




MVK TYPE TERMINALS ARE MANUFACTURED FROM THERMOPLASTIC RAW MATERIAL. GREY BEING THE MAIN COLOR.

MVK SERIES

MINI TERMINAL BLOCKS
FOR USE WITH
15MM WIDE DIN RAIL

MVK 2.5

WIDTH 5 MM
304 429



TORQUE: 1.2 NM

COLORS	TERMINALS	END PLATE
	PART NUMBER	PART NUMBER
	MVK 2.5	NPP
GREY	304 429	444 429
BEIGE	304 420	444 420
	MVK 4	NPP
GREY	304 439	444 429
BEIGE	304 430	444 420



ELECTRICAL RATINGS

TSE / CE (EN 60947-7-1 / EN60947-7-2)
UL
ATEX

CONNECTION DATA

SOLID STRAND, SCREW CON. - FINE STRAND, SCREW CON.
AWG CONDUCTOR / FINE STRAND WITH FERRULE
INSULATION STRIPPING LENGTH / TORQUE

ORDERING DATA

POLYAMIDE 66
GREY
YELLOW-GREEN

END BRACKET

THICKNESS 8MM
KD 5
GREY



END PLATE - DISCONNECT PLATE

WIDTH 1.5 MM -
POLYAMIDE 66
GREY
YELLOW-GREEN



SMALL PARTITION

GREY



CROSS CONNECTION



TEST PLUG-SOC. / INS. TEST SOC.

TF ITK T5K



WARNING LABEL

IP WITH SYMBOL
WITHOUT SYMBOL



GROUP MARKING

GE GE2 GREY



TECHNICAL DATA

- MAX.CLAMPING RANGE / MAX. TECHNICAL DATA
- RATED IMPULSE VOLTAGE / POLLUTION SEVERITY
- INSULATION MATERIAL GROUP / GAUGE PIN CODE ACCORDING TO IEC 60947-1
- PROTECTION CLASS / PROTECTION CONDUCTOR TYPE

MARKING TAGS

SEE PAGES 104 & 105 FOR FURTHER DETAIL

VOLTAGE/CURRENT/CROSS-SECTION

400 V ~ / 24 A / 2.5 MM²
300 V ~ / 20 A / AWG 26-12
400 V ~ / 23 A

0.5 - 4 MM² / 0.5 - 4 MM²
16 - 8 / 0.5 - 2.5 MM²
12 MM / 1.2 NM

TYPE	PART. NO.	QTY.
MVK 2.5	304 429	100

KD 5	495 069	100
------	----------------	-----

NPP MVK	444 429	100
---------	----------------	-----

AD1	467 919	100
-----	----------------	-----

UK 2.5/2	476 222	25
----------	----------------	----

UK 2.5/3	476 223	20
----------	----------------	----

UK 2.5/4	476 224	15
----------	----------------	----

UK 2.5/10	476 229	5
-----------	----------------	---

TF (Ø2)	493 020	5
---------	----------------	---

IP 2 S	498 130	25
--------	----------------	----

IP 2	498 140	25
------	----------------	----

GE	496 119	50
----	----------------	----

GE 2	496 250	25
------	----------------	----

0.2 - 4 MM ² / 4 MM ² / 32 A
--

6 kV / 3

1 / B3

IP 20 / -
