

**Description:** 2.4-2.5GHz SMA Stubby Antenna

Fixed Stubby Low Profile

Ingress Protection IP65

RoHS Compliant Product

Connector Type: See page 2

Monopole Antenna

## **Series: External Stubby**

PART NUMBER: W1095X

Features:

Gain 1 dBi

UV Protection



All dimensions are in mm / inches

#### Issue: 1843

For more information:

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100

Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551

Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0

Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



## **Applications:**

- WiFi, Zigbee, BLE/BT, WLAN (2.4-2.5GHz)
- Metering, Security, IoT **Applications**
- Mining, Utility, and Industrial **Applications**
- Outdoor Networking
- Data Transmission
- Access Points





**Series: External Stubby** 

Description: 2.4-2.5GHz SMA Stubby Antenna

#### PART NUMBER: W1095X

## **ELECTRICAL SPECIFICATIONS**

Antenna Type	Monopole
Frequency	2400-2500MHz
Nominal Impedance	50 Ω
VSWR	2.5:1
Radiation Pattern	Omni
Gain	1dBi
Efficiency	50%
Polarization	Vertical

MECHANICAL SPECIFICATIONS		
Overall Length	50.8mm	
Weight	4.1g	
Antenna Color / Material	Black	
Connector type	SMA Male (W1095)	
	RA SMA Male (W1095K)	
	RA RP SMA Male (W1095KRP)	

### **ENVIRONMENTAL SPECIFICATIONS**

Operating Temperature Storage Temperature IP Rating RoHS Compliant -40°C~+85°C -40°C~+85°C IP65 Yes

Issue: 1843

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION


2




Description: 2.4-2.5GHz SMA Stubby Antenna

**Series: External Stubby** 

PART NUMBER: W1095X



# W1095K / W1095KRP



Issue: 1843

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



3




Series: External Stubby

Description: 2.4-2.5GHz SMA Stubby Antenna

PART NUMBER: W1095X

## **TEST SETUP**



Antenna is a monopole antenna. All data in this document is tested without any additional ground plane. Antenna in free space.

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Description: 2.4-2.5GHz SMA Stubby Antenna

Series: External Stubby

PART NUMBER: W1095X

### CHARTS



#### Issue: 1843

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

5




Series: External Stubby

Description: 2.4-2.5GHz SMA Stubby Antenna

PART NUMBER: W1095X

### CHARTS

# Free Space Radiation Pattern



#### Issue: 1843

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



6



Series: External Stubby

Description: 2.4-2.5GHz SMA Stubby Antenna

PART NUMBER: W1095X

PACKAGING

W1095

Pack 20pcs antenna in one PE bag, 100pcs PE bag (2000pcs Antenna) in one carton

W1095K / W1095KRP

Pack 20pcs antenna in one PE bag, 72pcs PE bag (1440pcs Antenna) in one carton



7