




REV	ECN	APP'D
-	6582	<i>JK 9/10/10</i>



WHITE MARKING  
.06 HT

DATE CODE

NOTES:

1. MATERIALS:

HOUSING: POLYETHERIMIDE, COLOR BLACK  
GROMMET: SILICONE ELASTOMER, COLOR BLUE  
INTERNAL CONTACT: COPPER ALLOY, GOLD PLATED,  
PER MIL-DTL-45204, TYPE I, GRADE C, CLASS I  
50 MICROINCH MIN. OVER NICKEL PER SAE-AMS-QQ-N-290,  
CLASS 1, 50/30 MICROINCH MIN.  
CONTACT RETAINER: STAINLESS STEEL

2. SPLICE ACCEPTS (4) MATING M39029/1-100 CONTACTS (INCLUDED)

3. PART COMPLIES TO ALL REQUIREMENTS PER SAE-AS8174.

4. RESISTOR: 39.2Ω, 1/4W, ±1%, RLR07C39R2FS

<b>DIMENSIONS</b> ANSI Y14.5M UNITS: INCHES Pro/E FILE	<b>TOLERANCES</b> .XX ±0.01 .XXX ±0.005 ANGLES ±2.0°	<b>PROJECTION</b> 	<b>Amphenol Pcd</b> SPECIFICATION DRAWING		<b>TITLE</b> WIRE SPLICE, ELECTRONIC RESISTOR, 39.2Ω, 1/4W, 1% SIZE 22	
			ENGR M. DiGIACOMO 08/12/09			
<b>ORIGINAL</b>	THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION WHICH IS THE CONFIDENTIAL PROPERTY OF AMPHENOL PCD BEVERLY, MA, USA	CHKD <i>Rick Neuman 9/10/10</i> APPD <i>JK 9/10/10</i>	SIZE <b>A</b>	DWG NO. <b>TJSE22841_C</b>	REV -	
			CODE: 58982	SCALE: 2:1	SHEET 1 OF 1	