Buchanan | Buchanan 6 Series

TE Internal #: 2-1437653-5 Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 9 Position, 9.53 mm [.375 in] Centerline, 1 Row, Buchanan 6 Series View on TE.com >



Connectors > Terminal Blocks & Strips > Barrier Strips



Barrier Strip Style: Tri-Barrier

Bottom Termination Type: Printed Circuit Pin

Connector System: Wire-to-Board

Number of Positions: 9

Centerline (Pitch): 9.53 mm [.375 in]

Features

Product Type Features

Block Style	Flat Bottom with standoffs					
Connector System	Wire-to-Board					
Connector & Contact Terminates To	Printed Circuit Board					
Configuration Features						
Number of Levels	1					
Number of Positions	9					
Number of Rows	1					
Electrical Characteristics						
Operating Voltage	300 V, 600 V					
Body Features						
Primary Product Color	Black					
Product Orientation	Vertical					
Barrier Strip Style	Tri-Barrier					
Contact Features						

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 9 Position, 9.53 mm [.375 in] Centerline, 1 Row, Buchanan 6 Series



PCB Contact Termination Area Plating Material	Tin					
Contact Base Material	Copper Alloy					
Contact Current Rating (Max)	5 A, 25 A					
Termination Features						
Bottom Termination Type	Printed Circuit Pin					
Mechanical Attachment						
Screw Head Type	Combo Phil-Slot					
Screw Plating Material	Zinc Chromate					
Screw Material	Steel					
Top Termination Type	Wire Clamp Combo Head					
Mounting Options	None					
Thread Size	6-32					
Connector Mounting Type	Board Mount					
Housing Features						
Housing Material	Thermoplastic					
Centerline (Pitch)	9.53 mm[.375 in]					

Dimensions

Product Length	87.27 mm[3.436 in]
Wire Size	.326 – 3.31 mm²
Operation/Application	
Circuit Application	Power
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	100
Packaging Method	Package
Other	
Terminal Blocks & Strips Comment	Do not order screw and captive clamp in combination with other top hardware., Other options available upon request, consult our Product Information Center.

Product Compliance

C For support call+1 800 522 6752

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 9 Position, 9.53 mm [.375 in] Centerline, 1 Row, Buchanan 6 Series



For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on

requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach


Compatible Parts



Also in the Series | Buchanan 6 Series

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 9 Position, 9.53 mm [.375 in] Centerline, 1 Row, Buchanan 6 Series





Customers Also Bought



MELF SMA_A 100K 0.1% 15PPM 0207	44006RC, THERM, ROHS	20C249=SPRING,HOLD-DOWN,R10,.0	MTA 50/100/156 PNEUMATIC TOOL
1W			FRAME



Documents

Product Drawings 6PCV-09-006=6PCV ASSEMBLY

English

CAD Files

Customer View Model

ENG_CVM_CVM_2-1437653-5_P.2d_dxf.zip

English

3D PDF

C For support call+1 800 522 6752

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 9 Position, 9.53 mm [.375 in] Centerline, 1 Row, Buchanan 6 Series



3D

Customer View Model ENG_CVM_CVM_2-1437653-5_P.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2-1437653-5_P.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages 1-1773458-2_BARRIER_STRIPS_QUICK_REFERENCE_GUIDE

English