



REVISIONS



| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|-----|---|-----------|-----|------|
| | BA | NEW RELEASE | 20-Sep-08 | SM | St.P |
| | BA1 | UPDATE NAME, DIMENSION AND SCHEDULE ADDED | 30MAR2023 | DM | AP |
| | | | | | |
| | | | | | |

FOR FURTHER INFORMATION SEE DATA SHEET FOR CFR SERIES-CARBON FILM FIXED RESISTORS



RoHS Compliant





| | | | | | |
|---|---------------|------------------|-----------------------------|-----------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN | 20SEP2008 | |  TE Connectivity |
| DIMENSIONS: | | CHK | 20SEP2008 | | |
| mm | | APVD | 20SEP2008 | | |
|  | | NAME | STEPHEN.P | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | PRODUCT SPEC | CARBON FILM FIXED RESISTORS | | |
| 0 PLC | ± 0.2 | APPLICATION SPEC | TYPE CFR SERIES | | |
| 1 PLC | ± 0.1 | | SIZE | CAGE CODE | DRAWING NO |
| 2 PLC | \pm | | A3 | 00779 | C=1623931 |
| 3 PLC | \pm | | RESTRICTED TO | | |
| 4 PLC | \pm | | - | | |
| ANGLES | $\pm 5^\circ$ | WEIGHT | - | | |
| MATERIAL | FINISH | CUSTOMER DRAWING | SCALE | SHEET | REV |
| - | - | | 7:1 | 1 OF 3 | BA1 |
| - | - | | | | |

REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|-----|-------------|------|-----|------|
| | - | SEE SHEET 1 | - | - | - |
| | | | | | |
| | | | | | |

| SCHEDULE | | | |
|-------------|------------------|------------------|--------------|
| TCPN | CATALOGUE NUMBER | PART DESCRIPTION | PART STATUS |
| 1623931-1 | CFR25J300K | CFR25 5% 300K | DISCONTINUED |
| 1623931-2 | CFR25J300R | CFR25 5% 300R | DISCONTINUED |
| 1623931-3 | CFR25J30K | CFR25 5% 30K | DISCONTINUED |
| 1623931-4 | CFR25J30R | CFR25 5% 30R | DISCONTINUED |
| 1623931-5 | CFR25J330K | CFR25 5% 330K | PRODUCTION |
| 1623931-6 | 1623931-6 | CFR25 5% 330K | SUPERSEDED |
| 1623931-7 | CFR25J330R | CFR25 5% 330R | PRODUCTION |
| 1623931-8 | CFR25J33K | CFR25 5% 33K | PRODUCTION |
| 1623931-9 | CFR25J33R | CFR25 5% 33R | PRODUCTION |
| 1-1623931-0 | CFR25J360K | CFR25 5% 360K | DISCONTINUED |
| 1-1623931-1 | CFR25J360R | CFR25 5% 360R | DISCONTINUED |
| 1-1623931-2 | 1-1623931-2 | CFR25 5% 360R | DISCONTINUED |
| 1-1623931-3 | CFR25J36K | CFR25 5% 36K | DISCONTINUED |
| 1-1623931-4 | CFR25J36R | CFR25 5% 36R | PRODUCTION |
| 1-1623931-5 | CFR25J390K | CFR25 5% 390K | PRODUCTION |
| 1-1623931-6 | CFR25J390R | CFR25 5% 390R | PRODUCTION |
| 1-1623931-7 | 1-1623931-7 | CFR25 5% 390R | SUPERSEDED |
| 1-1623931-8 | CFR25J39K | CFR25 5% 39K | PRODUCTION |
| 1-1623931-9 | CFR25J39R | CFR25 5% 39R | PRODUCTION |
| 2-1623931-0 | CFR25J3K0 | CFR25 5% 3K0 | DISCONTINUED |
| 2-1623931-1 | CFR25J3K3 | CFR25 5% 3K3 | PRODUCTION |
| 2-1623931-2 | CFR25J3K6 | CFR25 5% 3K6 | DISCONTINUED |
| 2-1623931-3 | CFR25J3K9 | CFR25 5% 3K9 | PRODUCTION |
| 2-1623931-4 | CFR25J3M3 | CFR25 5% 3M3 | PRODUCTION |
| 2-1623931-5 | CFR25J3M9 | CFR25 5% 3M9 | PRODUCTION |
| 2-1623931-6 | CFR25J3R0 | CFR25 5% 3R0 | DISCONTINUED |
| 2-1623931-7 | CFR25J3R3 | CFR25 5% 3R3 | PRODUCTION |
| 2-1623931-8 | CFR25J3R3 | CFR25 5% 3R3 | DISCONTINUED |
| 2-1623931-9 | CFR25J3R9 | CFR25 5% 3R9 | PRODUCTION |
| 3-1623931-0 | CFR25J430K | CFR25 5% 430K | DISCONTINUED |

| SCHEDULE | | | |
|-------------|------------------|------------------|--------------|
| TCPN | CATALOGUE NUMBER | PART DESCRIPTION | PART STATUS |
| 3-1623931-1 | CFR25J430R | CFR25 5% 430R | DISCONTINUED |
| 3-1623931-2 | CFR25J43R | CFR25 5% 43R | DISCONTINUED |
| 3-1623931-3 | CFR25J470K | CFR25 5% 470K | PRODUCTION |
| 3-1623931-4 | CFR25J470R | CFR25 5% 470R | PRODUCTION |
| 3-1623931-5 | CFR25J47K | CFR25 5% 47K | PRODUCTION |
| 3-1623931-6 | 3-1623931-6 | CFR25 5% 47K | SUPERSEDED |
| 3-1623931-7 | CFR25J47R | CFR25 5% 47R | PRODUCTION |
| 3-1623931-8 | CFR25J4K7 | CFR25 5% 4K7 | PRODUCTION |
| 3-1623931-9 | CFR25J4M7 | CFR25 5% 4M7 | SUPERSEDED |
| 4-1623931-0 | CFR25J4M7 | CFR25 5% 4M7 | PRODUCTION |
| 4-1623931-1 | CFR25J4R7 | CFR25 5% 4R7 | PRODUCTION |
| 4-1623931-2 | CFR25J510K | CFR25 5% 510K | DISCONTINUED |
| 4-1623931-3 | CFR25J510R | CFR25 5% 510R | DISCONTINUED |
| 4-1623931-4 | CFR25J51K | CFR25 5% 51K | PRODUCTION |
| 4-1623931-5 | CFR25J51R | CFR25 5% 51R | DISCONTINUED |
| 4-1623931-6 | CFR25J560K | CFR25 5% 560K | PRODUCTION |
| 4-1623931-7 | CFR25J560R | CFR25 5% 560R | PRODUCTION |
| 4-1623931-8 | CFR25J56K | CFR25 5% 56K | PRODUCTION |
| 4-1623931-9 | CFR25J56R | CFR25 5% 56R | PRODUCTION |
| 5-1623931-0 | 5-1623931-0 | CFR25 5% 56R | SUPERSEDED |
| 5-1623931-1 | CFR25J5K1 | CFR25 5% 5K1 | DISCONTINUED |
| 5-1623931-2 | 5-1623931-2 | CFR25 5% 5K1 | DISCONTINUED |
| 5-1623931-3 | CFR25J5K6 | CFR25 5% 5K6 | PRODUCTION |
| 5-1623931-4 | CFR25J5M6 | CFR25 5% 5M6 | PRODUCTION |
| 5-1623931-5 | CFR25J5R1 | CFR25 5% 5R1 | DISCONTINUED |
| 5-1623931-6 | CFR25J5R6 | CFR25 5% 5R6 | PRODUCTION |
| 5-1623931-7 | CFR25J620K | CFR25 5% 620K | DISCONTINUED |
| 5-1623931-8 | CFR25J620R | CFR25 5% 620R | DISCONTINUED |
| 5-1623931-9 | CFR25J62K | CFR25 5% 62K | DISCONTINUED |
| 6-1623931-0 | CFR25J62R | CFR25 5% 62R | DISCONTINUED |



| | | | | |
|---|--|--------------------------------|---|---------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN SUBHASH.M 20SEP2008 |  TE Connectivity | |
| DIMENSIONS: mm | | CHK PRAKASH.S 20SEP2008 | | |
|  | | APVD STEPHEN.P 20SEP2008 | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | PRODUCT SPEC | NAME CARBON FILM FIXED RESISTORS TYPE CFR SERIES | |
| 0 PLC ±0.2 | | APPLICATION SPEC | SIZE | RESTRICTED TO |
| 1 PLC ±0.1 | | - | CAGE CODE | |
| 2 PLC ± | | - | DRAWING NO | |
| 3 PLC ± | | WEIGHT | A3 00779 | SCALE 5:1 |
| 4 PLC ± | | - | ©=1623931 | SHEET 2 OF 3 |
| ANGLES ± | | CUSTOMER DRAWING | REV | BA1 |
| FINISH | | | | |

REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|-----|-------------|------|-----|------|
| - | | SEE SHEET 1 | - | - | - |
| | | | | | |
| | | | | | |

SCHEDULE

| TCPN | CATALOGUE NUMBER | PART DESCRIPTION | PART STATUS |
|-------------|------------------|------------------|--------------|
| 6-1623931-1 | CFR25J680K | CFR25 5% 680K | PRODUCTION |
| 6-1623931-2 | CFR25J680R | CFR25 5% 680R | PRODUCTION |
| 6-1623931-3 | CFR25J68K | CFR25 5% 68K | PRODUCTION |
| 6-1623931-4 | CFR25J68R | CFR25 5% 68R | PRODUCTION |
| 6-1623931-5 | CFR25J6K2 | CFR25 5% 6K2 | DISCONTINUED |
| 6-1623931-6 | CFR25J6K8 | CFR25 5% 6K8 | PRODUCTION |
| 6-1623931-7 | CFR25J6M8 | CFR25 5% 6M8 | PRODUCTION |
| 6-1623931-8 | CFR25J6R8 | CFR25 5% 6R8 | PRODUCTION |
| 6-1623931-9 | CFR25J6R8 | CFR25 5% 6R8 | DISCONTINUED |
| 7-1623931-0 | CFR25J750K | CFR25 5% 750K | PRODUCTION |
| 7-1623931-1 | CFR25J750R | CFR25 5% 750R | DISCONTINUED |
| 7-1623931-2 | CFR25J75K | CFR25 5% 75K | DISCONTINUED |
| 7-1623931-3 | 7-1623931-3 | USE 7-1623931-4 | SUPERSEDED |
| 7-1623931-4 | CFR25J75R | CFR25 5% 75R | PRODUCTION |
| 7-1623931-5 | CFR25J7K5 | CFR25 5% 7K5 | DISCONTINUED |
| 7-1623931-6 | CFR25J820K | CFR25 5% 820K | PRODUCTION |
| 7-1623931-7 | CFR25J820R | CFR25 5% 820R | PRODUCTION |
| 7-1623931-8 | CFR25J82K | CFR25 5% 82K | PRODUCTION |
| 7-1623931-9 | CFR25J82R | CFR25 5% 82R | PRODUCTION |
| 8-1623931-0 | CFR25J82R | CFR25 5% 82R | SUPERSEDED |
| 8-1623931-1 | CFR25J8K2 | CFR25 5% 8K2 | PRODUCTION |
| 8-1623931-2 | CFR25J8M2 | CFR25 5% 8M2 | DISCONTINUED |
| 8-1623931-3 | CFR25J8M2 | CFR25 5% 8M2 | PRODUCTION |
| 8-1623931-4 | CFR25J8R2 | CFR25 5% 8R2 | PRODUCTION |
| 8-1623931-5 | CFR25J910K | CFR25 5% 910K | DISCONTINUED |
| 8-1623931-6 | CFR25J910R | CFR25 5% 910R | DISCONTINUED |
| 8-1623931-7 | CFR25J91K | CFR25 5% 91K | DISCONTINUED |
| 8-1623931-8 | CFR25J4K3 | CFR25 5% 4K3 | DISCONTINUED |
| 8-1623931-9 | CFR25J9K1 | CFR25 5% 9K1 | PRODUCTION |
| 9-1623931-0 | CFR25J380K | CFR25 5% 380K | DISCONTINUED |
| 9-1623931-1 | CFR25J110K | CFR25 5% 110K | PRODUCTION |

| | | | | |
|---|--|--------------------------------|--|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN SUBHASH.M 20SEP2008 |  TE Connectivity CARBON FILM FIXED RESISTORS TYPE CFR SERIES | |
| DIMENSIONS: mm | | CHK PRAKASH.S 20SEP2008 | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD STEPHEN.P 20SEP2008 | | |
|  | | PRODUCT SPEC | | |
| MATERIAL | | FINISH | APPLICATION SPEC | NAME |
| - | | - | - | CARBON FILM FIXED RESISTORS TYPE CFR SERIES |
| - | | - | WEIGHT | SIZE |
| - | | - | - | A3 |
| | | CUSTOMER DRAWING | SCALE | CAGE CODE |
| | | | 5:1 | 00779 |
| | | | SHEET | DRAWING NO |
| | | | 3 OF 3 | C=1623931 |
| | | | REV | RESTRICTED TO |
| | | | BA1 | - |