


FASTIN-FASTON | FASTIN-FASTON 250

TE Internal #: 880573 Crimp Terminal Housings, Receptacle, Receptacle, 3 Position, Straight, Natural, Polyamide, Contact Mating Retention, FASTIN-FASTON 250

View on TE.com >

Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings





Terminal Type: Receptacle

Connector & Housing Type: Receptacle

Number of Positions: 3

Terminal Orientation: Straight

Primary Product Color: Natural

Features



Product Type Features

Sealable	No	
Connector & Housing Type	Receptacle	
Configuration Features		
Number of Positions	3	
Body Features		
Primary Product Color	Natural	
Contact Features		
Terminal Type	Receptacle	
Terminal Orientation	Straight	
Contact Mating Retention	With	
Mechanical Attachment		
Mating Alignment	With	
Connector Mounting Type	Cable Mount (Free-Hanging)	

880573

Crimp Terminal Housings, Receptacle, Receptacle, 3 Position, Straight, Natural, Polyamide, Contact Mating Retention, FASTIN-FASTON 250



Housing Features	
Housing Material	Polyamide
Jsage Conditions	
Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
Packaging Features	
Packaging Method	Carton
EU RoHS Directive 2011/65/EU	Compliant
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Compliant
	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	·

Halogen Content

Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts

880573

Crimp Terminal Housings, Receptacle, Receptacle, 3 Position, Straight, Natural, Polyamide, Contact Mating Retention, FASTIN-FASTON 250





Also in the Series | FASTIN-FASTON 250



Customers Also Bought



TE Part #880645-6	TE Part #154719-1	TE Part #8-968973-2	TE Part #444017-1
PL REC 1.0-2.5MM2 0.40 X 52.32 PTPBR	250 HSG. PL MKI REC. NAT	MCP2.8 GEH ASSY 15P	HSG ASS'Y 9 POS JR
- 4- 4- 4- 4- 4- 4- 4- 4- 4- 4- 4- 4- 4-	E	E TE	
TE Part #626229	TE Part #444308-1	TE Part #880399-2	TE Part #880634-5
8 P FASTIN-ON HOUSING REC PA66	FRAME, FUSE/RELAY B	FUSE CONTACT	FF 110 REC 0.5-1.0 MM2 0.25 X 12.3

PTPBR



TE Part #444312-1 HSG 12 POSN, FUSE CONTACT

NAT

880573

Crimp Terminal Housings, Receptacle, Receptacle, 3 Position, Straight, Natural, Polyamide, Contact Mating Retention, FASTIN-FASTON 250



Documents

Product Drawings 3 WAY FASTIN-ON HOUSING REC PA66 NAT

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_880573_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_880573_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_880573_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages White Paper: Nylon Discoloration

English

Product Specifications Application Specification

English