						REVISION	9		
						REVISIONS			
			REV	ECO		DESCRIPTION	DATE	BY	APPR
			A1		RELEA	SE NEW PRODUC	T 01-SEP-20	SEVEN	ΤΟΜΜΥ
	29.2 - 29.2 - 35.7 28.4 - 29.2 - 35.7 - 29.2 		Ø5.1	Amphon ATP06-4S					
NOTES: UNLESS OTHERWISE SPECIFIED				6-4S-CAP					
1. MATERIAL: THERMOPLASTIC, COLOR:GREY		QUANTITY	PARTI	PART NUMBER DESCRIPTION					
2. RoHS COMPLIANT		UNLESS OTHER						no	
3. MOISTURE RESISTANCE: IP68 (1M OF WATER FOR		2) Tolerances are a 1 PL DEC ±0.30	as follows: Fractions ±1/64	DRAWN: CHECKED:			mpne		l
A PERIOD OF 24 HOURS , MATED CONDITION)		2 PL DEC ±0.15 3 PL DEC ±0.08 3) Note reference	Angles ±1° = 📉	ENGINEER:	ORION.LI 02S	EP20 Sin	e Systems - www.amphenol- 44724 Morley Drive		
4. TEMPERATURE RANGE: -55°C~125°C		MATERIAL SPECIFICA	TIONS:	APPROVAL: TOMMY.XIE 02SEP20			Clinton Township, MI 48036 4 POS,DUST CAP FOR PLUG,		
5. USE WITH CONNECTORS ATP06-4S* (* = MODIFICATIONS AND/OR COLORS)		PROCESS SPECIFICA	TIONS:	THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY. DESIGN FEATURES, SPECIFICATIONS AND PERFORMANCE DATA		RES, E DATA SIZE TYPE	ATP SERIES		REVISION
6. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.		NEXT ASS'Y:		SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SUP JECT TO NORMAL		RIGHTS A C-	ATP06-4S-C		∩F 1