

**Data sheet | Item number: 709-350**

Shield termination; including cable ties for shield diameters 5 mm to 10 mm;  
60 mm long

[www.wago.com/709-350](http://www.wago.com/709-350)



**Data**

**Technical data**

Main product function

Shield termination

---

**Material Data**

Fire load

0.018 MJ

---

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Weight	1.2 g
--------	-------

**Commercial data**

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002650
ETIM 7.0	EC002650
PU (SPU)	100 (25) pcs
Packaging type	Box
Country of origin	DE
GTIN	4045454306953
Customs tariff number	85444290900

**Environmental Product Compliance**

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

**Downloads****Documentation****Bid Text**

709-350 X81 - Datei	2019 年2月21 日	xml 3.0 kB	Download
709-350 docx - Datei	2019 年2月21 日	docx 14.7 kB	Download

**CAD/CAE-Data****CAE data**

WSCAD Universe 709-350	URL	Download
------------------------	-----	----------

**Environmental Product Compliance****Compliance Search**

Environmental Product Compliance 709-350	URL	Download
--	-----	----------

Subject to changes. Please also observe the further product documentation!

Shield termination; including cable ties for shield diameters 5 mm to 10 mm; 60 mm long

---

## Installation Notes


### Shield termination




Insert the shield termination into the female plug using the operating tool.



Fit the shield termination to the shield cable.



Secure both shield cable and shield termination to the strain relief plate using cable ties.



Shield termination connected to an X-COM® Female Plug

Subject to changes. Please also observe the further product documentation!

---