

THERMOMARK E.CUTTER/P - Cutter



1201336

<https://www.phoenixcontact.com/us/products/1201336>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Perforation cutter for all shrink sleeve and marking sleeve versions in continuous format for cutting custom lengths

Product description

Using the cutter and perforation cutter, shrink sleeves and marking sleeves in continuous format are perforated at custom lengths, so that these sections can be conveniently separated in sequence during subsequent mounting. This makes it possible to produce a whole strand of connected individual markers that are automatically cut off at the end. The appropriate configuration functions for this are provided in the marking software. The THERMOMARK E.CUTTER/P cutter and perforation cutter can be used with all THERMOMARK E SERIES roll printers and with the THERMOMARK ROLLMASTER 300/600.

For a detailed list of all compatible marking systems, go to "Technical data".

Your advantages

- Maximum flexibility: creation of custom individual markers from continuous materials
- Variable lengths can be cut between 3.45 mm/0.14" ... 2000 mm/78.74"
- For all shrink sleeves and marking sleeves in continuous format: WMS..., WMS-2 HF..., and WMS-OT HF...
- Perforations make it very easy for the individual markers to be separated and mounted in sequence
- Quick and easy mounting of the cutter on the printer
- The cutter can be moved out of the way for convenient material change

Commercial data

Item number	1201336
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BG03
Product key	BG122Z
GTIN	4063151265441
Weight per piece (including packing)	1,378 g
Weight per piece (excluding packing)	992 g
Customs tariff number	84439990
Country of origin	DE

THERMOMARK E.CUTTER/P - Cutter



1201336

<https://www.phoenixcontact.com/us/products/1201336>

Technical data

Product properties

Product type	Printing system accessories
Marking technology	
Device	1285306 THERMOMARK E.300
	1285310 THERMOMARK E.600
	1004303 THERMOMARK E.300 D
	1004304 THERMOMARK E.600 D
	1287026 THERMOMARK E.300 KIT
	1287031 THERMOMARK E.600 KIT
	1287038 THERMOMARK E.300 D KIT
	1287042 THERMOMARK E.600 D KIT
	1287021 THERMOMARK E.300 US
	1287029 THERMOMARK E.600 US
	1287033 THERMOMARK E.300 D US
	1287040 THERMOMARK E.600 D US
	1287020 THERMOMARK E.300 CN
	1287028 THERMOMARK E.600 CN
	1287032 THERMOMARK E.300 D CN
	1287039 THERMOMARK E.600 D CN
	1287022 THERMOMARK E.300 AR
	1287030 THERMOMARK E.600 AR
	1287034 THERMOMARK E.300 D AR
	1287041 THERMOMARK E.600 D AR
0804501 THERMOMARK ROLLMASTER 300	
0804663 THERMOMARK ROLLMASTER 600	

THERMOMARK E.CUTTER/P - Cutter



1201336

<https://www.phoenixcontact.com/us/products/1201336>

Classifications

ECLASS

ECLASS-11.0	19140620
ECLASS-12.0	19140620
ECLASS-13.0	19140620

ETIM

ETIM 8.0	EC001675
----------	----------

THERMOMARK E.CUTTER/P - Cutter



1201336

<https://www.phoenixcontact.com/us/products/1201336>

Accessories

THERMOMARK ROLLMASTER 300 - Thermal transfer printer

0804501

<https://www.phoenixcontact.com/us/products/0804501>



Thermal transfer printer for material off the roll, incl. Euro/US power cable and USB cable. Support CD includes user manuals in several languages, links to firmware, drivers, and planning and marking software. Operating instructions printed in German and English. 1 roll of labels EML (20x8)R white = 1000 labels, ink ribbon = 50 m

THERMOMARK ROLLMASTER 600 - Thermal transfer printer

0804663

<https://www.phoenixcontact.com/us/products/0804663>



Thermal transfer printer for material off the roll, incl. Euro/US power cable and USB cable. Support CD includes user manuals in several languages, links to firmware, drivers, and planning and marking software. Operating instructions printed in German and English. 1 roll of labels EML (20x8)R white = 1000 labels, ink ribbon = 50 m

Phoenix Contact 2023 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA

586 Fulling Mill Road

Middletown, PA 17057, United States

(+717) 944-1300

info@phoenixcon.com