


THIS DRAWING IS UNPUBLISHED.  
 VERTRAULICHE UNVEROEFFENTLICHTE ZEICHNUNG  
 © COPYRIGHT 2011

RELEASED FOR PUBLICATION  
 FREI FUER VEROEFFENTLICHUNG  
 - - 2011  
 ALL RIGHTS RESERVED.  
 ALLE RECHTE VORBEHALTEN.


LOC A1	DIST -	REVISIONS AENDERUNGEN				
PROJEKT NR.:	P	LTR	DESCRIPTION BESCHREIBUNG	DATE	DWN	APVD
		A	NEW DRAWING	12DEC2011	VA	DWE
		A1	SEE BALLOON (A1)	23JAN2015	SMD	DWE



NOTES:  
 Bemerkungen:

- APPLICATION TEMPERATURE:  
 CONTINUOUS: -40 °C ... +125 °C  
 SHORT TERM: 60s max. 180 °C  
 Temperaturbereich:  
 Dauer: -40 °C ... +125 °C  
 kurzzeitig: 60s max. 180 °C
- DIMENSIONS TOLERANCE ACC. ISO 3601  
 Masstoleranzen in Anlehnung an ISO 3601

(A1)



9-2177796-1	A	O-Ring, 4x1.5mm	SILIKON MVQ SHORE 50A	RED
<b>TE-PART-NO</b>	<b>REV</b>	<b>DESCRIPTION</b>	<b>MATERIAL</b>	<b>COLOUR</b>

DIESE ZEICHNUNG IST EIN KONTROLLIERTES DOKUMENT. BEMASSUNGEN UND TOLERANZEN GEMAESS GPS (ISO STANDARDS).	
THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER GPS (ISO STANDARDS).	
DIMENSIONS: MASSEINHEITEN: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: ALLGEMEINTOLERANZEN
0 PLC ± -	1 PLC ± - DIN ISO
1 PLC ± -	2 PLC ± - 2768-mK
2 PLC ± -	3 PLC ± -
3 PLC ± -	4 PLC ± -
4 PLC ± -	ANGLES/WINKEL ± -
MATERIAL SEE TABLE	FINISH/OBERFLAECHE/FARBE -

DWN Vishwa A 12DEC2011	 TE Connectivity	NAME O-Ring, 4x1.5mm	RESTRICTED TO NUR FUER -
CHK F.Wittrock 03JAN2012			
APVD D.Weyrauch 04JAN2012			
PRODUCT SPEC PRODUKTSPEZ. -	SIZE A3	CAGE CODE 00779	DRAWING NO ZEICHNUNGS-NR. G= 2177796
APPLICATION SPEC VERARBEITUNGSSPEZ. -	SCALE MASSSTAB 10:1	SHEET BLATT 1	OF VON 1
WEIGHT GEWICHT 0.03g	CUSTOMER DRAWING	/KUNDENZEICHNUNG	REV A1