


# VC-EMV-KV-PG21(11,5-15,5/13,5)

Order No.: 1854242



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=1854242>

PG21 EMC half screw connection, for size 2 - 4 metal housing, comprising rubber seal, iris spring, cone discs, and pressure screw, for size 1 housing, cable shielding clamping area: 9.5 - 13.5 [mm], cable: 11.5 - 15.5 [mm]

Commercial data	
GTIN (EAN)	 4 017918 145828
sales group	D290
Pack	1 pcs.
Customs tariff	85369010
Catalog page information	Page 374 (PC-2009)

#### Product notes

WEEE/RoHS-compliant since:  
01/01/2009



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

## Technical data

General data	
Note	Adapter screw connections are available on request for large cable dimensions, from Pg16 to Pg21 and from Pg21 to Pg29
Material, pressure screw	Nickel-plated brass
Seal material	TPE

Wrench size, union nut	30 mm
Thread type on seal side	PG21
External cable diameter	11.5 mm ... 15.5 mm
Degree of protection	IP67
Ambient temperature (operation)	-40 °C ... 125 °C

#### Certificates / Approvals

Certification GOST

---

**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact  
Technical modifications reserved;