

# HS MP VESA75/100 DCS - Connecting plate

1082303

<https://www.phoenixcontact.com/us/products/1082303>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

VESA 75/100 connection plate with M5 mounting kit for DCS 15" display support, die cast aluminum, 80 g



## Your advantages

- Secure mounting of small and large monitors and operator interfaces, thanks to the high load-bearing capacity
- Can be swiveled and tilted in three axes for optimum alignment with the field of view
- VESA interface in standard VESA 75 and VESA 100 for easy wall or aluminum profile mounting
- Item belongs to the DCS product range

## Commercial data

|                                      |               |
|--------------------------------------|---------------|
| Item number                          | 1082303       |
| Packing unit                         | 1 pc          |
| Minimum order quantity               | 1 pc          |
| Sales key                            | AC02          |
| Product key                          | ACFBAZ        |
| GTIN                                 | 4055626813936 |
| Weight per piece (including packing) | 96 g          |
| Weight per piece (excluding packing) | 80 g          |
| Customs tariff number                | 76169910      |
| Country of origin                    | DE            |

# HS MP VESA75/100 DCS - Connecting plate



1082303

<https://www.phoenixcontact.com/us/products/1082303>

## Technical data

### Product properties

|                |                   |
|----------------|-------------------|
| Product type   | Mounting material |
| Product family | DCS               |
| Type           | VESA 75/100 mm    |
| Housing type   | Terminal board    |
| Housing series | DCS               |

# HS MP VESA75/100 DCS - Connecting plate



1082303

<https://www.phoenixcontact.com/us/products/1082303>

## Classifications

### ECLASS

|             |          |
|-------------|----------|
| ECLASS-11.0 | 27182702 |
| ECLASS-13.0 | 27190605 |

### ETIM

|          |          |
|----------|----------|
| ETIM 8.0 | EC001031 |
|----------|----------|

### UNSPSC

|             |          |
|-------------|----------|
| UNSPSC 21.0 | 31261500 |
|-------------|----------|

# HS MP VESA75/100 DCS - Connecting plate

1082303

<https://www.phoenixcontact.com/us/products/1082303>

## Accessories

### HS EH-B 140,5 DCS - Holder

1082302

<https://www.phoenixcontact.com/us/products/1082302>



140.5 mm housing attachment, for max. load 10 kg, with ball joint and fastening plate 60 mm, pivotable in 15° increments, for 30 mm wall/profile bracket, material: black glass-fiber reinforced polycarbonate PC, and black anodized aluminum, 342 g

---

### HS WM-S 75 DCS - Holder

1082304

<https://www.phoenixcontact.com/us/products/1082304>



75 mm wall bracket, pivotable, with four 6.5 mm mounting holes and mounting diameter of 30 mm for housing attachment, black glass-fiber reinforced polycarbonate PC, and aluminum, 306 g

## HS MP VESA75/100 DCS - Connecting plate

1082303

<https://www.phoenixcontact.com/us/products/1082303>



## HS PM-S 40 DCS - Holder

1082305

<https://www.phoenixcontact.com/us/products/1082305>



Profile console for 40 mm aluminum profile, pivotable with mounting kit, bracket for housing attachment diameter 30 mm, material: black glass-fiber reinforced polycarbonate PC, and aluminum, 270 g

---

## DCS 15 M C O SLV C 7035 - Electronic housing

2203190

<https://www.phoenixcontact.com/us/products/2203190>



Display housing, 15", light gray, central window, front level, with ventilation slots, cutout for connection technology angle plate, and VESA mount consisting of two half shells with screws

# HS MP VESA75/100 DCS - Connecting plate



1082303

<https://www.phoenixcontact.com/us/products/1082303>

## ZYL.SCHR.SET. M5X10 DIN912 ZN - Screw set

1550721

<https://www.phoenixcontact.com/us/products/1550721>



Mounting screw, set of 4 pcs, cylinder head M5, length: 10 mm, drive type: hexagon socket, material: steel, galvanized

---

Phoenix Contact 2023 © - all rights reserved

<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)