

Data sheet | Item number: 2003-6692

End and intermediate plate; 0.8 mm thick; orange

www.wago.com/2003-6692



Data

Physical data

Width	0.8 mm / 0.031 inches
Height	110 mm / 4.331 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Depth	44.3 mm / 1.744 inches
-------	------------------------

Mechanical Data

Mounting type	snap-on type
---------------	--------------

Material Data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	orange
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.099 MJ
Weight	3.4 g

Commercial data

Product Group	22 (TOPJOB S)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4050821322108
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Required accessories**End plate**

Multilevel installation terminal block
--

Item no.: 2003-6660

Multilevel installation terminal block; with operating slots; 2.5 mm²; Carrier terminal block without knife; P1/P2/PE; brown upper-deck; black middle-deck; green-yellow lower deck; Push-in CAGE CLAMP®; 2,50 mm²; gray www.wago.com/2003-6660

Subject to changes. Please also observe the further product documentation!



Item no.: 2003-6640	Multilevel installation terminal block; with operating slots; 2.5 mm ² ; Carrier terminal block without knife; N/L/PE; Push-in CAGE CLAMP [®] ; 2,50 mm ² ; gray	www.wago.com/2003-6640
Item no.: 2003-6641	Multilevel installation terminal block; with operating slots; 2.5 mm ² ; with pivoting knife disconnect; NTi/L/PE; Push-in CAGE CLAMP [®] ; 2,50 mm ² ; gray	www.wago.com/2003-6641
Item no.: 2003-6642	Multilevel installation terminal block; with operating slots; 2.5 mm ² ; L/L; Push-in CAGE CLAMP [®] ; 2,50 mm ² ; gray	www.wago.com/2003-6642
Item no.: 2003-6646	Multilevel installation terminal block; with operating slots; 2.5 mm ² ; N/L/PE; Push-in CAGE CLAMP [®] ; 2,50 mm ² ; gray	www.wago.com/2003-6646
Item no.: 2003-6643	Multilevel installation terminal block; with operating slots; 2.5 mm ² ; Carrier terminal block without knife; P2/P1/PE; black upper deck; brown middle deck; green-yellow lower deck; Push-in CAGE CLAMP [®] ; 2,50 mm ² ; gray	www.wago.com/2003-6643
Item no.: 2003-6644	Multilevel installation terminal block; with operating slots; 2.5 mm ² ; with pivoting knife disconnect; LTi/L/PE; Push-in CAGE CLAMP [®] ; 2,50 mm ² ; gray	www.wago.com/2003-6644
Item no.: 2003-6645	Multilevel installation terminal block; with operating slots; 2.5 mm ² ; L/L/PE; Push-in CAGE CLAMP [®] ; 2,50 mm ² ; gray	www.wago.com/2003-6645
Item no.: 2003-6651	Multilevel installation terminal block; with operating slots; 2.5 mm ² ; N; Push-in CAGE CLAMP [®] ; 2,50 mm ² ; gray	www.wago.com/2003-6651
Item no.: 2003-6650	Multilevel installation terminal block; with operating slots; 2.5 mm ² ; L; Push-in CAGE CLAMP [®] ; 2,50 mm ² ; gray	www.wago.com/2003-6650
Item no.: 2003-6649	Multilevel installation terminal block; with operating slots; 2.5 mm ² ; N/L; Push-in CAGE CLAMP [®] ; 2,50 mm ² ; gray	www.wago.com/2003-6649
Item no.: 2003-6661	Multilevel installation terminal block; with operating slots; 2.5 mm ² ; Carrier terminal block without knife; L/N/PE; Push-in CAGE CLAMP [®] ; 2,50 mm ² ; gray	www.wago.com/2003-6661
Item no.: 2003-6662	Multilevel installation terminal block; with operating slots; 2.5 mm ² ; Carrier terminal block without knife; L/L/PE; green-yellow lower deck; Push-in CAGE CLAMP [®] ; 2,50 mm ² ; gray	www.wago.com/2003-6662

Downloads

Documentation

Bid Text

2003-6692	2019 年2月19 日	xml	Download
X81 - Datei		2.6 kB	
2003-6692	2017 年4月28 日	doc	Download

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



doc - Datei

24.1 kB

Additional Information

pdf
2.3 MB Download

CAD/CAE-Data

CAE data

WSCAD Universe 2003-6692 URL Download

EPLAN Data Portal 2003-6692 URL Download

ZUKEN Portal 2003-6692 URL Download

CAD data

2D/3D Models 2003-6692 URL Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 2003-6692 URL Download
End and intermediate plate; 0.8 mm thick; orange

Installation Notes

Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!