



- $\Delta 1$  HOUSING: LIQUID CRYSTAL POLYMER, COLOR BLACK.  
CONTACTS: HIGH RELIABILITY COPPER ALLOY.  
GROUND BUSES: PHOSPHOR BRONZE ALLOY, UNS C51100.
- $\Delta 2$  CONTACTS & GROUND BUSES: NICKEL UNDERPLATE ALL OVER, MATING SURFACE PLATED TO MEET LEVEL 1 PERFORMANCE REQUIREMENTS OF TE PRODUCT SPECIFICATION 108-1422, SOLDER TAILS PLATED TIN-LEAD.
- $\Delta 3$  DATE CODE MARKED IN AREA INDICATED ON SIDE OPPOSITE POSITION #1.
- $\Delta 4$  ONE GROUND BUS WITH 5 TAILS PER EACH MODULE.
- $\Delta 5$  TOLERANCE NON-ACCUMULATIVE.
- $\Delta 6$  FOR SLIP-FIT APPLICATIONS, ORIENTATION HOLE TO BE  $\phi .079 \pm .001 [2.00 \pm 0.03]$ .



PC BOARD HOLD DOWN REQUIRED IN THIS AREA FOR CONNECTORS OF 190 POSITIONS AND LARGER. SIZE, SHAPE & LOCATION AT CUSTOMERS DISCRETION.

RECOMMENDED PC BOARD LAYOUT  
(VIEWED FROM CONNECTOR SIDE)

OBSOLETE	2.000 [50.8]	4	2.450 [62.23]	2.900 [73.66]	3.000 [76.2]	190	2-767052-6
	1.000 [25.4]	2	1.450 [36.83]	1.900 [48.26]	2.000 [50.8]	114	2-767052-4
	E	D	C	B	A	NO OF POS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	J.GERACE	7-30-96	Tyco Electronics Corporation Harrisburg, Pa 17105-3608
DIMENSIONS: INCHES		CHK	P.MATAR	7-30-96	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		AP'D	A.MONK	7-30-96	RECEPTACLE ASSEMBLY, VERTICAL, .025[0.64]CL, GULL WING LEADS, MICTOR
0 PLC ± -		NAME		PRODUCT SPEC	
1 PLC ± -		108-1422		APPLICATION SPEC	
2 PLC ± -		114-11004		SIZE	
3 PLC ± .005[0.13]		CAGE CODE		DRAWING NO	RESTRICTED TO
4 PLC ± -		A1		00779	767052
ANGLES		WEIGHT		-	SCALE
FINISH		CUSTOMER DRAWING		8:1	SHEET 1 of 1