

**Data sheet | Item number: 794-5658**

WMB marking card; as card; MARKED; 100,103,...187 &101,...188 & 102...189; stretchable 5 - 5.2 mm; Vertical marking; snap-on type; white

[www.wago.com/794-5658](http://www.wago.com/794-5658)



Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Data

### Technical data

Suitable	for triple-deck terminal blocks
Marking method	Thermal transfer
Marking	100, 103, 106, ..., 187 and 101, 104, 107, ..., 188 and 102, 105, 108, ..., 189 and 190, 193, 196, 191, 194, 197, 192, 195, 198, ;
Marking (number)	1
Marking direction	Vertical marking
Marking color	black
Marking type	Numbers
Marking differentiation	Consecutive numbers per strip
Delivery form	Marker card
Delivery form configuration	10 strips with 10 markers per card
Flammability class per UL94	V2

### Physical data

Marker/strip width	5 ... 5.2 mm
Marker width	5 mm

### Mechanical Data

Smear resistance	EN 60998-1:2004
------------------	-----------------

### Material Data

Color	white
UV resistance	EN 60068-2-5:2010 Procedure B
Halogen-free	Yes
Weight	8.5 g
Fire load	0.256 MJ

### Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-14-11-37
eCl@ss 9.0	27-14-11-37
ETIM 8.0	EC000761
ETIM 7.0	EC000761

Subject to changes. Please also observe the further product documentation!



PU (SPU)	50 (5) pcs
Packaging type	Box
Country of origin	DE
GTIN	4044918960021
Customs tariff number	49119900000

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Downloads

### Environmental Product Compliance

#### Compliance Search

Environmental Product Compliance 794-5658	URL	Download
WMB marking card; as card; MARKED; 100,103,...187 & 101,...188 & 102...189; stretchable 5 - 5.2 mm; Vertical marking; snap-on type; white		

## Installation Notes

### Application




Separating a strip from the WMB or WMB marker card.




Stretching a WMB marker strip.

Subject to changes. Please also observe the further product documentation!



Separating an individual marker from the WMB marker strip – for larger terminal blocks.



Snapping a marking strip into the marker slot.

### Marking



Snapping a WMB marker strip into the marker slot of the double marker carrier.



Snapping a marking strip into the marker slot.

### Product family

**WMB Multi marking system**

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!