

Data sheet | Item number: 280-334

Separator plate; 2 mm thick; oversized; gray

[www.wago.com/280-334](http://www.wago.com/280-334)



Color:

## Data

### Physical data

Width	2 mm / 0.079 inches
Height	75 mm / 2.953 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Depth	26.4 mm / 1.039 inches
-------	------------------------

## Material Data

Note (material data)

Information on material specifications can be found here

Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.09 MJ
Weight	3 g

## Environmental requirements

Processing temperature	-35 ... +85 °C
Continuous operating temperature	-60 ... +105 °C

## Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332299480
Customs tariff number	85389099990

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Required accessories

### End plate

Through terminal block	
<b>Item no.: 280-835</b>	
4-conductor through terminal block; 2.5 mm <sup>2</sup> ; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE	<a href="http://www.wago.com/280-835">www.wago.com/280-835</a>

Subject to changes. Please also observe the further product documentation!



CLAMP®; 2,50 mm²; orange

**Item no.: 280-833**

4-conductor through terminal block; 2.5 mm²; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm²; gray [www.wago.com/280-833](http://www.wago.com/280-833)

**Item no.: 280-834**

4-conductor through terminal block; 2.5 mm²; suitable for Ex i applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm²; blue [www.wago.com/280-834](http://www.wago.com/280-834)

**Item no.: 280-633**

4-conductor through terminal block; 2.5 mm²; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm²; gray [www.wago.com/280-633](http://www.wago.com/280-633)

**Item no.: 280-634**

4-conductor through terminal block; 2.5 mm²; suitable for Ex i applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm²; blue [www.wago.com/280-634](http://www.wago.com/280-634)

**Item no.: 280-603**

4-conductor through terminal block; 2.5 mm²; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm²; orange [www.wago.com/280-603](http://www.wago.com/280-603)

**Item no.: 280-830**

4-conductor through terminal block; 2.5 mm²; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm²; red [www.wago.com/280-830](http://www.wago.com/280-830)

**Item no.: 280-832**

4-conductor through terminal block; 2.5 mm²; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm²; yellow [www.wago.com/280-832](http://www.wago.com/280-832)

**Item no.: 280-831**

4-conductor through terminal block; 2.5 mm²; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm²; black [www.wago.com/280-831](http://www.wago.com/280-831)

Shield terminal block

**Item no.: 280-678**

4-conductor shield terminal block; 2.5 mm²; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm²; white [www.wago.com/280-678](http://www.wago.com/280-678)

**Item no.: 280-838**

4-conductor shield terminal block; 2.5 mm²; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm²; white [www.wago.com/280-838](http://www.wago.com/280-838)

Double potential terminal block

**Item no.: 280-826**

Double potential terminal block; 2.5 mm²; with double, center marker slot; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm²; gray [www.wago.com/280-826](http://www.wago.com/280-826)

Disconnect terminal block for test and measurement

**Item no.: 280-649**

2-conductor disconnect/test terminal block; without pivoting knife disconnect; with touch-proof test sockets; Test socket, red; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; gray [www.wago.com/280-649](http://www.wago.com/280-649)

**Item no.: 280-829**

2-conductor disconnect/test terminal block; without pivoting knife disconnect; with touch-proof test sockets; Test socket, red; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; gray [www.wago.com/280-829](http://www.wago.com/280-829)

Disconnect terminal block

**Item no.: 280-685**

4-conductor disconnect terminal block; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm²; CAGE CLAMP®; 2,50 mm²; gray [www.wago.com/280-685](http://www.wago.com/280-685)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

**Item no.: 280-676**4-conductor disconnect terminal block; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; CAGE CLAMP®; 2,50 mm<sup>2</sup>; blue [www.wago.com/280-676](http://www.wago.com/280-676)**Item no.: 280-695**4-conductor disconnect terminal block; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; CAGE CLAMP®; 2,50 mm<sup>2</sup>; orange [www.wago.com/280-695](http://www.wago.com/280-695)**Item no.: 280-805**4-conductor disconnect terminal block; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; CAGE CLAMP®; 2,50 mm<sup>2</sup>; orange [www.wago.com/280-805](http://www.wago.com/280-805)**Item no.: 280-839**4-conductor disconnect terminal block; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; CAGE CLAMP®; 2,50 mm<sup>2</sup>; blue [www.wago.com/280-839](http://www.wago.com/280-839)**Item no.: 280-836**4-conductor disconnect terminal block; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/280-836](http://www.wago.com/280-836)

## Carrier terminal block for modules and plugs

**Item no.: 280-686**4-conductor carrier terminal block; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/280-686](http://www.wago.com/280-686)

## Component terminal block with LED

**Item no.: 280-658/281-413**Component terminal block; 4-conductor; LED (red); 24 VDC; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/280-658/281-413](http://www.wago.com/280-658/281-413)**Item no.: 280-658/281-434**Component terminal block; 4-conductor; LED (red); 24 VDC; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/280-658/281-434](http://www.wago.com/280-658/281-434)**Item no.: 280-809/281-413**Component terminal block; 4-conductor; LED (red); 24 VDC; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/280-809/281-413](http://www.wago.com/280-809/281-413)**Item no.: 280-809/281-434**Component terminal block; 4-conductor; LED (red); 24 VDC; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/280-809/281-434](http://www.wago.com/280-809/281-434)

## Component terminal block with diode

**Item no.: 280-655/281-411**Component terminal block; 4-conductor; with diode 1N4007; anode, right side; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/280-655/281-411](http://www.wago.com/280-655/281-411)**Item no.: 280-655/281-410**Component terminal block; 4-conductor; with diode 1N4007; anode, left side; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/280-655/281-410](http://www.wago.com/280-655/281-410)**Item no.: 280-815/281-411**Component terminal block; 4-conductor; with diode 1N4007; anode, right side; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray [www.wago.com/280-815/281-411](http://www.wago.com/280-815/281-411)**Item no.: 280-815/281-410**

Subject to changes. Please also observe the further product documentation!

WAGO GmbH &amp; Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Component terminal block; 4-conductor; with diode 1N4007; anode, left side; for DIN-rail 35 x 15 and 35 x 7.5; 2.5 mm<sup>2</sup>; CAGE CLAMP®; 2,50 mm<sup>2</sup>; gray

[www.wago.com/280-815/281-410](http://www.wago.com/280-815/281-410)

---

#### Ground terminal block

##### Item no.: 280-677

4-conductor ground terminal block; 2.5 mm<sup>2</sup>; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm<sup>2</sup>; green-yellow

[www.wago.com/280-677](http://www.wago.com/280-677)

##### Item no.: 280-837

4-conductor ground terminal block; 2.5 mm<sup>2</sup>; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 2,50 mm<sup>2</sup>; green-yellow

[www.wago.com/280-837](http://www.wago.com/280-837)

---

## Downloads

### Documentation

#### Bid Text

280-334 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
280-334 doc - Datei	2017 年4月28 日	doc 24.1 kB	Download

#### Additional Information

pdf  
2.3 MB

Download

---

## CAD/CAE-Data

### CAD data

2D/3D Models 280-334

URL

Download

---

### CAE data

EPLAN Data Portal 280-334

URL

Download

---

WSCAD Universe 280-334

URL

Download

---

ZUKEN Portal 280-334

URL

Download

---

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 280-334

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 280-334

[www.wago.com/280-334](http://www.wago.com/280-334)



URL

Download

Environmental Product Compliance 280-334

Separator plate; 2 mm thick; oversized; gray

---

## Installation Notes

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.