

**Data sheet | Item number: 282-391**

End and separator plate; 1.5 mm thick; without lock-out seal option; gray

[www.wago.com/282-391](http://www.wago.com/282-391)



Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Data

### Physical data

Width	1.5 mm / 0.059 inches
Height	122 mm / 4.803 inches
Depth	71.7 mm / 2.823 inches

### Material Data

Note (material data)	Information on material specifications can be found here
Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.29 MJ
Weight	9.7 g

### Environmental requirements

Processing temperature	-35 ... +85 °C
Continuous operating temperature	-60 ... +105 °C

### Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	50 (10) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332280792
Customs tariff number	85389099990

### Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Subject to changes. Please also observe the further product documentation!



## Required accessories

### End plate

Voltage transformer terminal block		
<b>Item no.: 282-860</b>	3-conductor disconnect/test terminal block; e.g., voltage transformer circuits; with touch-proof test sockets; for 4 mm Ø test plugs; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm <sup>2</sup> ; CAGE CLAMP®; 6,00 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/282-860">www.wago.com/282-860</a>
Current transformer terminal block		
<b>Item no.: 282-870</b>	3-conductor disconnect/test terminal block; e.g., current transformer circuits; with touch-proof test sockets; for 4 mm Ø test plugs; for DIN-rail 35 x 15 and 35 x 7.5; 6 mm <sup>2</sup> ; CAGE CLAMP®; 6,00 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/282-870">www.wago.com/282-870</a>

## Downloads

### Documentation

#### Bid Text

282-391 X81 - Datei	2019 年2月19 日	xml 2.7 kB	Download
282-391 doc - Datei	2017 年3月3 日	doc 24.1 kB	Download

#### Additional Information

		pdf 2.2 MB	Download
--	--	---------------	----------

## CAD/CAE-Data

### CAD data

2D/3D Models 282-391		URL	Download
----------------------	--	-----	----------

### CAE data

WSCAD Universe 282-391		URL	Download
------------------------	--	-----	----------

ZUKEN Portal 282-391		URL	Download
----------------------	--	-----	----------

EPLAN Data Portal 282-391		URL	Download
---------------------------	--	-----	----------

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.



## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 282-391

URL

Download

End and separator plate; 1.5 mm thick; without lock-out seal option; gray

---

## Installation Notes

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.