



AMP | Micro Timer II

TE Internal #: 1241732-2

Automotive Terminals, Receptacle, Mating Tab Width 1.6 mm [.063 in], Tab Thickness .6 mm [.024 in], 20 – 17 AWG Wire Size, Micro Timer II

[View on TE.com >](#)

Terminals & Splices > Automotive Terminals > TIMER, RECEPTACLE AND TAB



Terminal Type: **Receptacle**

Mating Tab Width: **1.6 mm [.063 in]**

Mating Tab Thickness: **.6 mm [.024 in]**

Terminal Transmits: **0 – 24 A (Low Power)**

Wire Size: **20 – 17 AWG**

[All TIMER, RECEPTACLE AND TAB \(348\)](#)

## Features

### Product Type Features

Receptacle Style	180°
Sealable	Yes
Primary Locking Feature	Locking Lance

### Body Features

Terminal Seal Type	Single Wire Seal (SWS)
--------------------	------------------------

### Contact Features

Contact Size	1.6mm
Contact Fabrication	Stamped & Formed
Wire Contact Termination Area Plating Material	Tin
Typical Current Rating	10 A
Crimp Type	F-Crimp
Terminal Type	Receptacle
Mating Tab Width	1.6 mm [.063 in]
Mating Tab Thickness	.6 mm [.024 in]
Interface Plating	Tin (Sn)

### Termination Features



Termination Method to Wire & Cable	Crimp
------------------------------------	-------

Product Terminates To	Wire
-----------------------	------

### Dimensions

Compatible Insulation Diameter Range	2.6 mm[.102 in]
--------------------------------------	-----------------

Wire Size	.5 – 1 mm <sup>2</sup>
-----------	------------------------

Wire Size Search	17 AWG, 18 AWG, 19 AWG, 20 AWG
------------------	--------------------------------

### Usage Conditions

Insulation Option	Uninsulated
-------------------	-------------

Operating Temperature (Max)	80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C, 130 °C[176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F][266 °F]
-----------------------------	---

Operating Temperature Range	-40 – 130 °C[-40 – 266 °F]
-----------------------------	----------------------------

### Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

### Industry Standards

Agency/Standard	IEC 664/664A (DIN VDE 0110)
-----------------	-----------------------------

### Packaging Features

Packaging Quantity	4000
--------------------	------

Packaging Method	Reel
------------------	------

### Other

Terminal Transmits	0 – 24 A (Low Power)
--------------------	----------------------

### Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------

China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
---	---

EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
--	--

Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC
-----------------	--

Free

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts



TE Part # 539960-1  
AUSZ-WKZ,MICRO TIM.



TE Part # 2305570-1  
Strip Terminal Cutter-Side Feed-No Crimp



TE Part # 5-1579018-6  
INSERTION TOOL



TE Part # 2-1579018-7  
EXTRACTION TOOL



TE Part # 2-1897726-3  
MT-2 SLD 10 PLUG ASSY GRY



TE Part # 2-2151057-1  
OCEAN\_2.0\_APPLICATION-S-080F130O



TE Part # 2-2151057-2  
OCEAN\_2.0\_APPLICATION-S-080F130O



TE Part # 2151057-1  
OCEAN\_2.0\_APPLICATION-S-080F130O



TE Part # 2151057-2  
OCEAN\_2.0\_APPLICATION-S-080F130O



TE Part # 5-2151057-1  
OCEAN\_2.0\_APPLICATION-S-080F130O



TE Part # 5-2151057-2  
OCEAN\_2.0\_APPLICATION-S-080F130O



TE Part # 7-2151057-1  
OCEAN\_2.0\_APPLICATION-S-080F130O



TE Part # 7-2151057-2  
OCEAN\_2.0\_APPLICATOR-S-080F130O



**KIT**  
REPRESENTATION ONLY


TE Part # 7-2151057-7  
OCEAN\_2.0\_SPARE\_PART\_KIT-080F130O




**KIT**  
REPRESENTATION ONLY

TE Part # 7-2151935-7  
OC-080F130O-752\_CRIMPTOOLINGKIT


## Also in the Series | Micro Timer II




Automotive Connector Caps & Covers (2)




Automotive Connector Locks & Position Assurance(1)




Automotive Housings(34)



Automotive Terminals(30)



Connector Seals & Cavity Plugs(1)



Insertion & Extraction Tools(4)

## Customers Also Bought



TE Part #1823111-1  
SINGLE WIRE SEAL, FOR WIRE 2.5 SQMM, BN



TE Part #969005-3  
TIMER, RECEPTACLE AND TAB




TE Part #1-1355877-1  
AMP MCP, RECEPTACLE AND TAB



TE Part #1563125-1  
10POS, MIXED, TAB HSG



TE Part #1-2236269-2  
24POS, MIXED, REC HSG, 20GENYMCP, ASSY, CODB



TE Part #1-2236269-1  
24POS, MIXED, REC HSG, 20GENYMCP, ASSY, CODA



TE Part #2236269-2  
24POS, MIXED, REC HSG, 20GENYMCP, ASSY, CODB



## Documents

### Product Drawings

[MT3 REC 1.6 Contact SRC Sn](#)

English

---

### CAD Files

Customer View Model

[ENG\\_CVM\\_1241732-2\\_A2.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_1241732-2\\_A2.3d\\_stp.zip](#)

English

Customer View Model

[ENG\\_CVM\\_1241732-2\\_A2.2d\\_dxf.zip](#)

English

[3D PDF](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

---

### Datasheets & Catalog Pages

[Timer Interconnection System](#)

English

---

### Product Specifications

[Application Specification](#)

German

[Application Specification](#)

English