GlobTek, Inc. www.globtek.com	Drawing Title: 11. South Africa SABS164-1 and India IS 1293, IS694, 16A type plug, 3 round prongs, Class II + dummy ground, IEC TYPE Q-SANS164-1-16A(R)	M P/N:
186 Veterans Drive,	Model No. <u>Q Blades (Interchangeable)</u>	
Northvale, NJ 07647		
Tel. (201) 784-1000	Part No./Ordering No. Q-SANS164-1-16A(R)	Rev A1
Fax (201) 784-0111		

In Addition to GlobTek Inc.'s renewed ISO9001:2008 - Quality Management System Certification, GlobTek Inc. is now certified to:

ISO13485:2003 - Medical Devices Quality Management System Certification ISO14001:2004 - Environmental Management System Certification

ISO Certificates are available online at http://www.globtek.com/iso-certificates/

The acceptance of this specification and use of the product described in this document indicates the acceptance and binding of the customer to Globtek TERMS AND CONDITIONS (attached to the end of this document), which supersede all other agreements, terms, and conditions (http://en.globtek.com/terms-and-conditions/).

Prop 65 Statement:https://en.globtek.com/prop-65-statement.pdf

Footnote:

GlobTek Inc. will not be liable for the safety and performance of these power supplies if unauthorized access and repair occurs. End user should consult applicable UL, CSA or EN standards for proper installation instruction.

Limitation of Use:

GlobTek products are intended for use with commercial, medical, and/or industrial equipment only. GlobTek product are not authorized for use as mission critical components in life support hazardous environment, nuclear or aircraft applications without prior written approval from the CEO of GlobTek Inc.

Contents of this document are subject to change without prior notice.

Customer Approval of Specification:

Please approve, sign and send back to GlobTek so we can complete order processing. A delay in receipt of this form will delay delivery schedule.

Company Name:	Customer P/N:
Quote Number:	Date:
Authorized Representative Name:	Authorized Representative Signature:

PROPRIETARY INFORMATION

GlobTek, Inc. www.globtek.com	O SANS164 1 160/D)				
186 Veterans Drive,	Model No. Q Blades (Interchangeable)				
Northvale, NJ 07647					
Tel. (201) 784-1000	Part No./Ordering No. Q-SANS164-1-16A(R)	Rev A1			
Fax (201) 784-0111					

A1 UPDATE TO NEW FORMAT DR 07/20/2021 QA AGENCY ONLINE DOCUMENTS AGENCY ONLINE DOCUMENTS https://www.globtek.com/pdf/rohs_cert/01ta0000004znKVAAY ReACH Declaration https://www.globtek.com/pdf/rohs_cert/01ta0000004znKVAAY AGENCY ONLINE DOCUMENTS REACH Declaration https://www.globtek.com/pdf/rohs_cert/01ta0000004znKVAAY AGENCY ONLINE DOCUMENTS AGENCY ONLINE DOCUMENTS AGENCY ONLINE DOCUMENTS Conflict Minerals Declaration https://www.globtek.com/pdf/conflict-minerals.pdf AGENCY ONLINE DOCUMENTS AGENCY ONLINE DOCUMENTS AGENCY ONLINE DOCUMENTS Conflict Minerals Declaration https://www.globtek.com/pdf/conflict-minerals.pdf AGENCY ONLINE DOCUMENTS AGENCY ONLINE DOCUMENTS Prop 65 Statement https://en.globtek.com/prop-65-statement.pdf AGENCY ONLINE DOCUMENTS AGENCY ONLINE DOCUMENTS IPXY rating is based on 3rd party testing and customers should check suitability and test system level IPXY rating before ordering. AGENCY online Complex AGENCY online Complex South Africa SABS164-1 and India IS 1293, IS694, 16A type plug, 3 round prongs, Class II + dummy ground, IEC TYPE M P/N: AGENCY ONLINE ONLINE COMPLEX AGENCY online Complex Generation: generation: Statement on the isomer synchrony of the plug, 3 round prongs, Class II + dummy ground, IEC TYPE M P/N: AGENCY online Complex <	A1 UPDATE TO NEW FORMAT DR 07/20/2021 QA AGENCY ONLINE DOCUMENTS RoHS/RoHS3 Declaration https://www.globtek.com/pdf/rohs_cert/01ta000004znKVAAY REACH Declaration https://www.globtek.com/pdf/iso_certificates/REACH.pdf Conflict Minerals Declaration https://www.globtek.com/pdf/conflict-minerals.pdf Prop 65 Statement https://www.globtek.com/pdf/conflict-minerals.pdf Prop 65 Statement.pdf Prop 65 Statement.pdf Prop 65 Statement.pdf Proy 7 ating before ordering. Interchangeable blade for GlobTek Q-Series Power supplies South Africa SABS164-1 and India IS 1293, IS694, 16A type plug, 3 round prongs, Class II + dummy ground, IEC TYPE M P/N: Q-SANS164-1-16A(R) Prop 65 Statement Prop 65 Statement Prop 65 Statement General Subject Conflict Africa SABS164-1 and India IS 1293, IS694, 16A type plug, 3 round prongs, Class II + dummy ground, IEC TYPE M P/N: Q-SANS164-1-16A(R) Prop 65 Statement Prop 65 Statement Prop 65 Statement Prop 65 Statement General Subject Conflict Africa SABS164-1 and India IS 1293, IS694, 16A type plug, 3 round prongs, Class II + dummy ground, IEC TYPE M P/N: Q-SANS164-1-16A(R) Prop 65 Statement Prop	REV	DESCRIPTION		SUB	DATE	APPROVED
AGENCY ONLINE DOCUMENTS RoHS/RoHS3 Declaration https://www.globtek.com/pdf/rohs_cert/01ta0000004znKVAAY REACH Declaration https://www.globtek.com/pdf/iso_certificates/REACH.pdf Conflict Minerals Declaration https://www.globtek.com/pdf/conflict-minerals.pdf Prop 65 Statement https://en.globtek.com/prop-65-statement.pdf PXY rating is based on 3rd party testing and customers should check suitability and test system level IPXY rating before ordering. nterchangeable blade for GlobTek Q-Series Power supplies South Africa SABS164-1 and India IS 1293, IS694, 16A type plug, 3 round prongs, Class II + dummy ground, IEC TYPE M P/N: Q-SANS164-1-16A(R) Flammability rating: 94V-0 Color: Black	AGENCY ONLINE DOCUMENTS RoHS/RoHS3 Declaration https://www.globtek.com/pdf/rohs_cert/01ta0000004znKVAAY REACH Declaration https://www.globtek.com/pdf/iso_certificates/REACH.pdf Conflict Minerals Declaration https://www.globtek.com/pdf/conflict-minerals.pdf Prop 65 Statement https://en.globtek.com/prop-65-statement.pdf PXY rating is based on 3rd party testing and customers should check suitability and test system level IPXY rating before ordering. nterchangeable blade for GlobTek Q-Series Power supplies South Africa SABS164-1 and India IS 1293, IS694, 16A type plug, 3 round prongs, Class II + dummy ground, IEC TYPE M P/N: Q-SANS164-1-16A(R) Flammability rating: 94V-0 Color: Black			RMAT	DR		
REACH Declaration https://www.globtek.com/pdf/iso_certificates/REACH.pdf Conflict Minerals Declaration https://www.globtek.com/pdf/conflict-minerals.pdf Prop 65 Statement https://en.globtek.com/prop-65-statement.pdf PXY rating is based on 3rd party testing and customers should check suitability and test system level IPXY rating before ordering. Interchangeable blade for GlobTek Q-Series Power supplies South Africa SABS164-1 and India IS 1293, IS694, 16A type plug, 3 round prongs, Class II + dummy ground, IEC TYPE M P/N: Q-SANS164-1-16A(R) Flammability rating: 94V-0 Color: Black	REACH Declaration https://www.globtek.com/pdf/iso_certificates/REACH.pdf Conflict Minerals Declaration https://www.globtek.com/pdf/conflict-minerals.pdf Prop 65 Statement https://en.globtek.com/prop-65-statement.pdf PXY rating is based on 3rd party testing and customers should check suitability and test system level IPXY rating before ordering. Interchangeable blade for GlobTek Q-Series Power supplies South Africa SABS164-1 and India IS 1293, IS694, 16A type plug, 3 round prongs, Class II + dummy ground, IEC TYPE M P/N: Q-SANS164-1-16A(R) Flammability rating: 94V-0 Color: Black	AGENCY	ONLINE DOCUMENTS	3	1	1	1
REACH Declaration https://www.globtek.com/pdf/iso_certificates/REACH.pdf Conflict Minerals Declaration https://www.globtek.com/pdf/conflict-minerals.pdf Prop 65 Statement https://en.globtek.com/prop-65-statement.pdf PXY rating is based on 3rd party testing and customers should check suitability and test system level IPXY rating before ordering. nterchangeable blade for GlobTek Q-Series Power supplies South Africa SABS164-1 and India IS 1293, IS694, 16A type plug, 3 round prongs, Class II + dummy ground, IEC TYPE M P/N: Q-SANS164-1-16A(R) Flammability rating: 94V-0 Color: Black	REACH Declaration https://www.globtek.com/pdf/iso_certificates/REACH.pdf Conflict Minerals Declaration https://www.globtek.com/pdf/conflict-minerals.pdf Prop 65 Statement https://en.globtek.com/prop-65-statement.pdf PXY rating is based on 3rd party testing and customers should check suitability and test system level IPXY rating before ordering. nterchangeable blade for GlobTek Q-Series Power supplies South Africa SABS164-1 and India IS 1293, IS694, 16A type plug, 3 round prongs, Class II + dummy ground, IEC TYPE M P/N: Q-SANS164-1-16A(R) Flammability rating: 94V-0 Color: Black	RoHS/Rol	HS3 Declaration	https://www.	globtek.com/pdf/rohs_c	ert/01ta0000004znKVAAY	
Prop 65 Statement <u>https://en.globtek.com/prop-65-statement.pdf</u> PXY rating is based on 3rd party testing and customers should check suitability and test system level IPXY rating before ordering. Interchangeable blade for GlobTek Q-Series Power supplies South Africa SABS164-1 and India IS 1293, IS694, 16A type plug, 3 round prongs, Class II + dummy ground, IEC TYPE M P/N: Q-SANS164-1-16A(R) Flammability rating: 94V-0 Color: Black	Prop 65 Statement <u>https://en.globtek.com/prop-65-statement.pdf</u> PXY rating is based on 3rd party testing and customers should check suitability and test system level IPXY rating before ordering. Interchangeable blade for GlobTek Q-Series Power supplies South Africa SABS164-1 and India IS 1293, IS694, 16A type plug, 3 round prongs, Class II + dummy ground, IEC TYPE M P/N: Q-SANS164-1-16A(R) Flammability rating: 94V-0 Color: Black	REACH D	eclaration	https://www.g	globtek.com/pdf/iso_ce	tificates/REACH.pdf	
IPXY rating is based on 3rd party testing and customers should check suitability and test system level IPXY rating before ordering. Interchangeable blade for GlobTek Q-Series Power supplies South Africa SABS164-1 and India IS 1293, IS694, 16A type plug, 3 round prongs, Class II + dummy ground, IEC TYPE M P/N: Q-SANS164-1-16A(R) Flammability rating: 94V-0 Color: Black	IPXY rating is based on 3rd party testing and customers should check suitability and test system level IPXY rating before ordering. Interchangeable blade for GlobTek Q-Series Power supplies South Africa SABS164-1 and India IS 1293, IS694, 16A type plug, 3 round prongs, Class II + dummy ground, IEC TYPE M P/N: Q-SANS164-1-16A(R) Flammability rating: 94V-0 Color: Black	Conflict M	inerals Declaration	https://www.g	globtek.com/pdf/conflic	-minerals.pdf	
Interchangeable blade for GlobTek Q-Series Power supplies South Africa SABS164-1 and India IS 1293, IS694, 16A type plug, 3 round prongs, Class II + dummy ground, IEC TYPE M P/N: Q-SANS164-1-16A(R) Flammability rating: 94V-0 Color: Black	Interchangeable blade for GlobTek Q-Series Power supplies South Africa SABS164-1 and India IS 1293, IS694, 16A type plug, 3 round prongs, Class II + dummy ground, IEC TYPE M P/N: Q-SANS164-1-16A(R) Flammability rating: 94V-0 Color: Black	Prop 65 S	tatement	https://en.glo	btek.com/prop-65-state	ement.pdf	
A A	U UU	lammabi	ity rating: 94V-0 ck				

GlobTek, Inc. www.globtek.com	Drawing Title: 11. South Africa SABS164-1 and India IS 1293, IS694, 16A type plug, 3 round prongs, Class II + dummy ground, IEC TYPE Q-SANS164-1-16A(R)	M P/N:
186 Veterans Drive,	Model No. <u>Q Blades (Interchangeable)</u>	
Northvale, NJ 07647		
Tel. (201) 784-1000	Part No./Ordering No. Q-SANS164-1-16A(R)	Rev A1
Fax (201) 784-0111		

PACKAGING

Packing Spec P/N:	
Box Qty:	1
Gift Box Size (mm):	
Gift Box Color:	White
Master Carton Size (mm):	TBD
Master Carton Cubic Volume (m ³):	0.00
Master GW (Kg):	kg
wt Ea. (Kg):	kg
wt Ea. (Kg):	kg
LABEL SPECS: ,	
PACK SPEC:	

PROPRIETARY INFORMATION
PROPRIETARY OF GLOBTEK, INC. ANY REPRODUCTION, DISCLOSURE OR USE OF THIS DRAWING, IN WHOLE OR IN PART, IS HEREBY PROHIBITED EXCEPT AS SPECIFIED IN
WRITING BY GLOBTEK, INC. © GlobTek, Inc. 2013 - 2023
guest /08/08/2023 3:57:33 AM