

UC-EMP (60X15)


Order No.: 0822259



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=0822259>

UniCard sheet, plastic labels, 1.2 mm thick, can be labeled with
BLUEMARK X1 and CMS-P1-PLOTTER

Commercial data

GTIN (EAN)	 4 046356 319973
sales group	B135
Pack	10 pcs.
Customs tariff	39269097
Catalog page information	Page 578 (CL-2009)

Product notes

WEEE/RoHS-compliant since:
02/06/2008



<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data

General

Color	white
Inflammability class acc. to UL 94	V2
Wipe resistance	DIN EN 61010-1 (VDE 0411-1)
Ambient temperature (operation)	-40 °C ... 120 °C
Components	free from silicone and halogen

Material	PA
Number of individual labels	4
Number of individual labels per row	1

Accessories

Item	Designation	Description
General		
5146121	P1 UC-MAG 6	Magazine, for CMS-P1-PLOTTER, for accommodating UC-EMP..., UC-EMLP...

Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact
Technical modifications reserved;