






REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN APVD
N		RESIN SUPPLIER CHANGE FOR THE HOUSING	10MAY2022	SCB PS



- 1 POINT OF MEASUREMENT FOR PLATING THICKNESS (INSIDE OF BEAMS).
- 2 TOLERANCE NON-CUMULATIVE.
- 3 THE MATING END OF THE CONTACT IS IDENTIFIED BY THE LETTER "A" STAMPED ON THE RECEPTACLE BOX.
- 4 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI

RECOMMENDED BOARD MOUNTING
(RECOMMENDED BOARD THICKNESS: .055-.103)



OBSOLETE 4	3.120	2.964	20	-2-87995-0-
	2.964	2.808	19	-1-87995-9-
	2.808	2.652	18	-1-87995-8-
	2.652	2.496	17	-1-87995-7-
	2.496	2.340	16	-1-87995-6-
	2.340	2.184	15	-1-87995-5-
	2.184	2.028	14	-1-87995-4-
	2.028	1.872	13	-1-87995-3-
	1.872	1.716	12	-1-87995-2-
	1.716	1.560	11	-1-87995-1-
	1.560	1.404	10	-1-87995-0-
	1.404	1.248	9	-87995-9-
	1.248	1.092	8	-87995-8-
	1.092	.936	7	-87995-7-
	.936	.780	6	-87995-6-
	.780	.624	5	-87995-5-
	.624	.468	4	87995-4
	.468	.312	3	-87995-3-
	.312	.156	2	87995-2
	B	A	NO OF POSN	ASSEMBLY PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN L A MAYER 17MAR86	TE TE Connectivity	
DIMENSIONS: INCHES		CHK P deJONG 17MAR86		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD P deJONG 17MAR86	NAME	
0 PLC ± -		PRODUCT SPEC 108-25,016	ASSY, MOD I, BOARD MOUNT RECP, .156CL., HIGH PRESSURE, TYPE C, FOR ROUND HOLE MOUNTING	
1 PLC ± -		APPLICATION SPEC 114-25,004	SIZE A2	CAGE CODE -
2 PLC ± -		WEIGHT -	DRAWING NO C=87995	
3 PLC ± .005		CONTACTS: .000079 MIN TIN	RESTRICTED TO -	SCALE 4:1 SHEET 1 OF 1 REV N
4 PLC ± -		FINISH	CUSTOMER DRAWING	
ANGLES ± -				