

## TLL122-N500 Adjustable float switch

Document ref.: DDS\_TLL122-N500

25-Jan-21

Rev. 1

The TLL122 is a user adjustable vertical float switch. This float switch can be tailored by the user to suit a particular application, by adjusting the length of the float switch tube. It is also possible to select the switching sense by inverting the float, giving either open on rise or close on rise operation.

Mounting is via the 1" NPT header.

The unit is supplied part assembled, with detailed instructions for the user to complete assembly to the specifications of the application and to install the unit.

<b>Part Description</b>	TLL122-N500 Adjustable float switch 1"NPT Mounting Thread, 500 mm long.
<b>Prod. Group</b>	Float Switch, Adjustable
<b>Liquid</b>	Diesel, Water
<b>Connector</b>	DIN 43650
<b>Thread</b>	1" NPT
<b>Length</b>	500 mm
<b>Materials</b>	
Header	Brass
Stem	Brass
Float	Polypropylene
Float Stop	304 Stainless Steel
Gasket	Klingersil C4324
Flange	Brass
<b>Ratings</b>	
Sealing	IP67 if fitted with mating connector
Temperature	-20 to +70 C
<b>Electricals</b>	
Max Voltage	250 VAC/VDC
Max Current	1 A
Max Power	10 VA

