End and intermediate plate; 1 mm thick; for 3-conductor terminal blocks; orange



www.wago.com/2104-1392

Color:

Data Physical data

Width 1 mm / 0.039 inches

Height 82.7 mm / 3.256 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/2104-1392



Depth 30.5 mm / 1.201 inches **Mechanical Data** Mounting type snap-on type **Material Data** Note (material data) Information on material specifications can be found here Color orange Material group Insulation material Polyamide (PA66) V0 Flammability class per UL94 Fire load 0.079 MJ Weight 2.7 g **Environmental requirements** -35 ... +85 °C Processing temperature -60 ... +105 °C Continuous operating temperature Commercial data ETIM 8.0 EC000886 ETIM 7.0 EC000886 Recupel Type PU (SPU) 100 (25) pcs Country of origin DE **GTIN** 4055143975407 Customs tariff number 85389099990 **Environmental Product Compliance RoHS Compliance Status** Compliant, No Exemption Approvals / Certificates Declarations of conformity and manufacturer's declarations

	EU-Declaration of Conformity	-	-
Logo	Approval	Additional Approval Text	name
			Certificate

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/2104-1392



WAGO GmbH & Co. KG

UK-Declaration of Conformity

WAGO GmbH & Co. KG

Required accessories

End	plate	E

Through terminal block	
Item no.: 2104-1301	
3-conductor through terminal block; with lever and Push-in CAGE CLAMP®; 4 mm²; with test por	rt; side www.wago.com/2104-1301
and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 4,00 mm²; gray	
Item no.: 2104-1304	
3-conductor through terminal block; with lever and Push-in CAGE CLAMP®; 4 mm²; with test por	rt;
suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in 0	CAGE www.wago.com/2104-1304
CLAMP®; 4,00 mm²; blue	
Item no.: 2104-5304	
3-conductor through terminal block; with lever and push-button; 4 mm ² ; with test port; suitable	for Ex i
applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®;	4,00 www.wago.com/2104-5304
mm²; blue	
Item no.: 2104-5301	
3-conductor through terminal block; with lever and push-button; 4 mm ² ; with test port; side and	center www.wago.com/2104-5301
marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 4,00 mm²; gray	
Ground terminal block	
Item no.: 2104-1307	
3-conductor ground terminal block; with lever and Push-in CAGE CLAMP®; 4 mm²; with test port	t; side www.wago.com/2104-1307
and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 4,00 mm²; green-y	yellow
Item no.: 2104-5307	
3-conductor ground terminal block; with lever and push-button; 4 mm²; with test port; side and	center www.wago.com/2104-5307
marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 4,00 mm²; green-yellow	

Downloads

Documentation

Bid Text

2104-1392 X81 - Datei	xml Dow 3.0 kB	nload
2104-1392 doc - Datei	docx Dow 20.8 kB	rnload
Additional Information	pdf Dow 2.2 MB	nload

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

www.wago.com/2104-1392



CAD/CAE-Data

CAD data

2D/3D Models 2104-1392	URL	Download
CAE data		
ZUKEN Portal 2104-1392	URL	Download
EPLAN Data Portal 2104-1392	URL	Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 2104-1392 URL Download End and intermediate plate; 1 mm thick; for 3-conductor terminal blocks; orange

Installation Notes

Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

Show all products from the family

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG Hansastr. 27 32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169 Email: info.de@wago.com | Web: www.wago.com Do you have any questions about our products? We are always happy to take your call at +49 (571) 887-44222.